18" Recessed Handle Special Application

800 Series - Stainless Steel SPE68U55UC





SPE68U55UC Stainless Steel

The 3rd rack offers 30% more loading area. Perfect for ramekins, cooking utensils and extra long silverware.

Features & Benefits

44 dBA: Quietest dishwasher brand.

3rd rack adds versatility and offers 30% more loading capacity.

Water softener ensures optimally spot-free and shiny dishes.

RackMatic® offers 3 height levels, for 9 possible rack positions.

Touch Control Technology allows for quick cycle programming.

Number of wash cycles Number of options dBA 44 Third rack Rack adjustability Tub material Control type Buttons Concealed heating element Leak protection system Water softener Five-level wash ChildLock Special features Efficiency Water usage per cycle Energy efficiency class Total annual energy consumption (kWh) Total annual water 44 Kandard RackMatic® Stainless steel Buttons Yes 24/7 AquaStop® Plus Yes Eco Cycle Efficiency 3.0 Energy efficiency class Tier 1 ENERGY STAR® qualified Yes Total annual energy Consumption (kWh) Total annual water 645	General Properties	
dBA 44 Third rack Standard Rack adjustability RackMatic® Tub material Stainless steel Control type Buttons Concealed heating element Leak protection system 24/7 AquaStop® Plus Water softener Yes Five-level wash Yes ChildLock Yes Special features Eco Cycle Efficiency Water usage per cycle 3.0 Energy efficiency class Tier 1 ENERGY STAR® qualified Yes Total annual energy consumption (kWh) Total annual water consumption (g) Capacity	-	6
Third rack Rack adjustability RackMatic® Tub material Control type Buttons Concealed heating element Leak protection system Water softener Five-level wash ChildLock Special features Eco Cycle Efficiency Water usage per cycle Energy efficiency class Tier 1 ENERGY STAR® qualified Total annual energy consumption (kWh) Total annual water consumption (g) Capacity	Number of options	5
Rack adjustability Tub material Control type Buttons Concealed heating element Leak protection system Water softener Five-level wash ChildLock Special features Efficiency Water usage per cycle Energy efficiency class Total annual energy consumption (kWh) Total annual water consumption (g) Capacity RackMatic® Stainless steel Buttons Yes 24/7 AquaStop® Plus Yes Eco Cycle Efficiency 3.0 Energy efficiency class Tier 1 ENERGY STAR® qualified Yes 259 kWh 645 Capacity	dBA	44
Tub material Control type Buttons Concealed heating element Leak protection system Water softener Five-level wash ChildLock Special features Eco Cycle Efficiency Water usage per cycle Energy efficiency class Tier 1 ENERGY STAR® qualified Total annual energy consumption (kWh) Total annual water consumption (g) Capacity	Third rack	Standard
Control type Concealed heating element Leak protection system Water softener Five-level wash ChildLock Special features Efficiency Water usage per cycle Energy efficiency class Total annual energy consumption (kWh) Concealed heating Yes 24/7 AquaStop® Plus Yes Eco Cycle Eco Cycle Efficiency Water usage per cycle 3.0 Energy efficiency class Tier 1 ENERGY STAR® qualified Yes Total annual energy consumption (kWh) Total annual water consumption (g) Capacity	Rack adjustability	RackMatic®
Concealed heating element Leak protection system Water softener Five-level wash ChildLock Special features Eco Cycle Efficiency Water usage per cycle Energy efficiency class Tier 1 ENERGY STAR® qualified Total annual energy consumption (kWh) Total annual water consumption (g) Capacity	Tub material	Stainless steel
element Leak protection system Plus Water softener Five-level wash ChildLock Special features Eco Cycle Efficiency Water usage per cycle Energy efficiency class Tier 1 ENERGY STAR® qualified Total annual energy consumption (kWh) Total annual water consumption (g) Capacity	Control type	Buttons
Plus Water softener Yes Five-level wash ChildLock Special features Efficiency Water usage per cycle Energy efficiency class Tier 1 ENERGY STAR® qualified Total annual energy consumption (kWh) Total annual water consumption (g) Capacity	Concealed heating element	Yes
Five-level wash ChildLock Special features Eco Cycle Efficiency Water usage per cycle Energy efficiency class ENERGY STAR® qualified Total annual energy consumption (kWh) Total annual water consumption (g) Capacity	Leak protection system	
ChildLock Special features Efficiency Water usage per cycle Energy efficiency class ENERGY STAR® qualified Total annual energy consumption (kWh) Total annual water consumption (g) Capacity	Water softener	Yes
Special features Eco Cycle Efficiency Water usage per cycle 3.0 Energy efficiency class Tier 1 ENERGY STAR® qualified Yes Total annual energy 259 kWh Consumption (kWh) Total annual water consumption (g) Capacity	Five-level wash	Yes
Efficiency Water usage per cycle 3.0 Energy efficiency class Tier 1 ENERGY STAR® qualified Yes Total annual energy 259 kWh consumption (kWh) Total annual water consumption (g) Capacity	ChildLock	Yes
Water usage per cycle 3.0 Energy efficiency class Tier 1 ENERGY STAR® qualified Yes Total annual energy 259 kWh consumption (kWh) Total annual water consumption (g) Capacity	Special features	Eco Cycle
Energy efficiency class Tier 1 ENERGY STAR® qualified Yes Total annual energy consumption (kWh) Total annual water consumption (g) Capacity	Efficiency	
ENERGY STAR® qualified Yes Total annual energy 259 kWh consumption (kWh) Total annual water consumption (g) Capacity	Water usage per cycle	3.0
Total annual energy consumption (kWh) Total annual water consumption (g) Capacity 259 kWh 645 Capacity	Energy efficiency class	Tier 1
consumption (kWh) Total annual water 645 consumption (g) Capacity	ENERGY STAR® qualified	Yes
consumption (g) Capacity	Total annual energy consumption (kWh)	259 kWh
	Total annual water consumption (g)	645
Number of place settings 10	Capacity	
	Number of place settings	10







Technical Details		
Watts (W)	1300 W	
Current (A)	12 Amps	
Volts (V)	120 V	
Frequency (Hz)	60 Hz	
Power cord length	68 7/8"	
Minimum water pressure (lb/sin)	7	
Length inlet hose (in)	65"	
Length outlet hose (in)	80 5/8"	
Dimensions & Weight		
Overall appliance dimensions (HxWxD) (in)	32 1/16" x 17 5/8" x 22 9/16"	
Required cutout size (HxWxD) (in)	32 1/8" x 17 3/4" x 24"	
Adjustable feet	Yes	
Net weight (lbs)	76 lbs	
Accessories—Optional		
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC	
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC	
Dishwasher Accessory Kit	SMZ5000	



Height Installation

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.


Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish) of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.


18" Recessed Handle Special Application


800 Series - Stainless Steel SPE68U55UC





Installation Details











For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.


Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish) of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.


18" Recessed Handle Special Application

800 Series - Stainless Steel SPE68U55UC



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 88 5/8" (225 cm) and can be extended to a maximum of 165 3/8" (420 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 20" (50 cm) and max. 43" (110 cm) above the cabinet floor.

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish) of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.