# 30" Speed Combination Oven

**General Properties** 

800 Series - Black Stainless Steel HBL8742UC





**HBL8742UC** Black Stainless Steel

Also available in: Stainless Steel HBL8752UC

**Bosch black stainless** steel helps guard against scratches and fingerprints.

### **Features & Benefits**

Cooks faster than a traditional oven and can be used as a microwave.

Dampened hinges softly and quietly guide the QuietClose® door shut.

A full-extension telescopic rack offers safe access to the oven cavity.

The wall oven is designed to be installed flush with cabinetry.

Cooking modes – upper cavity	Speed oven; 12 Auto Programs (including Auto Defrost, Melt Butter, Soften Ice Cream, Pizza), 9 Sensor Cook Programs, 9 SpeedChef® Programs, Hi & Lo Broil, European Convection, Keep Warm, Frozen Foods	
Cooking modes – lower cavity	Bake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, Temperature Probe, Fast Preheat	
Cleaning type – lower		Self Clean
Telescopic rack		1
Illumination type		Halogen (Upper and Lower)
Interior lights		1 Upper / 2 Lower
Oven Perfor	mance	
Microwave power – upper cavity		1000 W
		1000 W
	element	600 / 1,750 W
upper cavity Bake / broil	element Ipper cavity	
Bake / broil wattages - L	element upper cavity element upper cavity element	600 / 1,750 W
Bake / broil wattages – L  Convection e wattages – L  Bake / broil	element upper cavity element upper cavity element ower cavity	600 / 1,750 W 1,700 W
Bake / broil wattages - L  Convection e wattages - L  Bake / broil wattages - L  Convection e	element upper cavity element upper cavity element ower cavity element ower cavity	600 / 1,750 W 1,700 W 2,400 / 3,800 W
Bake / broil wattages - L  Convection e wattages - L  Bake / broil wattages - L  Convection e wattages - L	element upper cavity element upper cavity element ower cavity element ower cavity	600 / 1,750 W 1,700 W 2,400 / 3,800 W
Bake / broil wattages - L  Convection e wattages - L  Bake / broil wattages - L  Convection e wattages - L  Technical De	element upper cavity element upper cavity element ower cavity element ower cavity	600 / 1,750 W 1,700 W 2,400 / 3,800 W 2,000 W
upper cavity Bake / broil wattages - L  Convection e wattages - L  Bake / broil wattages - L  Convection e wattages - L  Technical De Watts (W)  Circuit break	element upper cavity element upper cavity element ower cavity element ower cavity	600 / 1,750 W 1,700 W 2,400 / 3,800 W 2,000 W
upper cavity Bake / broil wattages - L  Convection e wattages - L  Bake / broil wattages - L  Convection e wattages - L  Technical De Watts (W)  Circuit break	element upper cavity element upper cavity element ower cavity element ower cavity etails  ker (A) equency (Hz)	600 / 1,750 W 1,700 W 2,400 / 3,800 W 2,000 W 9,600 W 40 A
upper cavity Bake / broil wattages - L Convection e wattages - L Bake / broil wattages - L Convection e wattages - L  Technical De Watts (W) Circuit break Volts (V); Fre	element upper cavity element upper cavity element ower cavity element ower cavity etails  ker (A) equency (Hz)	600 / 1,750 W 1,700 W 2,400 / 3,800 W 2,000 W 9,600 W 40 A 240 / 208 V; 60 Hz
upper cavity Bake / broil wattages - L Convection e wattages - L Convection e wattages - L Convection e wattages - L  Convection e wattages - L  Technical De Watts (W) Circuit breal Volts (V); Fre Power cord	element upper cavity element upper cavity element ower cavity element ower cavity etails equency (Hz) length (in)	9,600 W 40 A 240 / 208 V; 60 Hz 50"

Dimensions & Weight		
Overall appliance dimensions (HxWxD)(in)	49" x 29 3/4" x 24 1/2"	
Required cutout size - Standard (HxWxD) (in)	48 5/8" x 28 1/2" x 23 1/2"	
Required cutout size – Flush (HxWxD) (in)	49 1/8" x 30" x 24 1/2"	
Oven cavity size - upper	1.6 cu. ft.	
Overall upper oven interior dimensions (HxWxD) (in.)	9 7/8" x 16 1/2" x 16 1/2"	
Turntable – Metal Max. Cookware – upper	12 3/4" dia.	
Turntable – Ceramic Max. Cookware – upper	12 1/2" dia.	
Rack – Rectangular Cookware Max. – upper	15" x 12"	
Oven cavity size – lower	4.6 cu. ft.	
Overall lower oven interior dimensions (HxWxD) (in)	17 13/16" x 24 1/8" x 18"	
Usable lower oven interior dimensions (HxWxD) (in)	12 5/16" x 23 1/4" x 15 1/4"	
Net weight (lbs)	259 lbs	
Accessories Included		

## Accessories—Included

Upper Oven: Metal Turntable, Square rack,

Ceramic Cooking Tray

Lower Oven: 1 Telescopic and 2 Standard

Oven Racks, Meat Probe

### Accessories-Optional







For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.


Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.


# 30" Speed Combination Oven

800 Series - Black Stainless Steel HBL8742UC



## **Installation Details**





#### For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.


Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

# 30" Speed Combination Oven

800 Series - Black Stainless Steel HBL8742UC



### **Installation Details**



For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

24<sup>1</sup>/2" (622)

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

Measurements in inches (mm)

Measurements in inches (mm)

cut out height