

Price List

National

Q3 2024





Price List

National

Q3 2024

Refrigeration	1-1
French Door Refrigerator	1-1
Bottom Freezer	1-6
Built-In Bottom Freezer	1-8
Built-In Single Door	1-9
Accessories	1-10
Dishwashers	2-1
Dishwashers	2-1
ADA-Height Dishwashers	2-12
Accessories	2-14
Laundry	3-1
Washers	3-1
Dryers	3-3
Accessories	3-4
Coffee Machine	4-1
Built-In	4-1
Ranges Freestanding Ranges—Induction Freestanding Ranges—Gas Freestanding Ranges—Dual-Fuel Slide-in Ranges—Induction Slide-In Ranges—Electric Slide-In Ranges—Gas Slide-in Ranges—Dual-Fuel Accessories	5-1 5-2 5-3 5-4 5-5 5-6 5-7 5-8
Microwaves	6-1
Over-the-Range Microwaves	6-1
Drawer Microwaves	6-2
Built-in Microwaves	6-3
Speed Ovens	6-4

Ovens	7-1
Built-In Ovens	7-1
Warming Drawers	7-10
Accessories	7-10
Cooktops	8-1
Induction	8-1
Radiant	8-4
Gas	8-7
Accessories	8-10
Rangetops	9-1
Rangetops	9-1
Ventilation Under-Cabinet Hoods Under-Cabinet Hoods Accessories Island Hoods/Accessories Chimney Wall Hoods Chimney Wall Hood Accessories Pull-Out Hoods/Accessories Custom Inserts Custom Insert Accessories Downdraft/Accessories	10-1 10-2 10-3 10-4 10-5 10-6 10-7 10-8 10-9
Index	11-1
Index	11-1

100 Series

This price list supersedes all previous price Model Number Description	lists. Prices listed herein do not include applicable state or loca on	al taxes. MAP MSRP
All Bosch Freestanding Free	nch Door Refrigerators Include the Foll	owing Features:
 Home Connect[®] Features 	 Adjustable Tempered Glas 	s Shelving • Ice Maker
 ENERGY STAR[®] Certified 	• Full-Width Chiller Drawer	 Gallon Door Storage Bins
 SuperCool/SuperFreeze[®] 	 Hidden Hinges 	 SoftClose[®] Freezer/Drawer Closing
• Built-In Look	 LED Lighting 	
• MultiAirFlow® Circulation	System • Door Alarm	

36" Freestanding Standard-Depth French Door Refrigerator, External Water and Ice-Stainless Steel

- 26.0 cu.ft.
- 70" Cutout Height
- Sleek Recessed Handles
- QuickIce System Makes Up To 8 lbs of Ice Per Day^{*}
- External Ice and Water Dispenser
- Fill Large Cups and Bottles with Ease with One Touch Bottlefill and Extra Large Dispenser Shelf
- Anti-fingerprint Stainless Steel Exterior
- UltraClarityPro® Water Filter
- Freezer with Two-Tiered Shelving



B36FD10ENS

NEW B36FD10ENS	Stainless Steel, Recessed Handle	2,449	2,699
Launching September			

* Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

	previous price lists. Prices listed herein do not include applicable state or local taxes.		
Model Number	Description	MAP	MSRP

500 Series

36" Freestanding Standard-Depth French Door Refrigerator, External Water and Ice-Stainless Steel

- QuickIce Pro System[™] Makes up to 12 lbs. of Ice per Day*
- 26.0 cu.ft.
- Standard Depth
- 70" Cutout Height
- Easy to Clean Stainless Steel
- Stainless Steel Back Wall
- Humidity Controlled Crisper Drawers
- Adjustable Garage Shelf
- Full-Width Chiller Drawer
- External Ice and Water Dispenser
- UltraClarityPro® Water Filter
- Freezer with Two-Tiered Shelving





B36FD50SNS

B36FD50SNB



*Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

				500 0
Model Number	Description	МАР	MSRP	
	edes all previous price lists. Prices listed	herein do not include applicable state or local taxes.		

500 Series

36" Freestanding Counter-Depth French Door Refrigerator, External Water and Ice- Stainless Steel

- QuickIce Pro System[™] Makes up to 12 lbs. of Ice per Day*
- 21.6 cu.ft.
- True Counter Depth
- 70" Cutout Height
- Easy to Clean Stainless Steel
- Stainless Steel Back Wall
- Humidity Controlled
 Crisper Drawers
- External Ice and Water Dispenser
- UltraClarityPro[®] Water Filter
- Freezer with Two-Tiered Shelving
- Extra Ice Bin in Freezer





B36CD50SNS

B36CD50SNB



B36CD50SNS	Stainless Steel, Bar Handle	3,299	3,649			
B36CD50SNB	Black Stainless Steel, Bar Handle	3,549	3,949			
Both Discontinue Decemb	Both Discontinue December					
NEW B36CD52SNS	Stainless Steel, Bar Handle	3,299	3,649			
NEW B36CD52SNB	Black Stainless Steel, Bar Handle	3,549	3,949			
Both Launching Decembe	r					

*Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

	des all previous price lists	. Prices listed herein do not include applicable s	tate or local taxes.			
Model Number	Description			MAP	MSRP	
						800 Series
36" Freestand Stainless Stee	0	pth French Door Refrigerator-	-			
• 20.8 cu ft		Stainless Steel Back Wall	 FlexBar[®] with 	shelvin	σ	

- 20.8 cu.ft.
- True Counter Depth
- 72" Cutout Height
- Dual Compressor and Dual Evaporator
- Easy to Clean Stainless Steel
- Stainless Steel Back Wall
- The All-New FarmFresh System® Keeps Food Fresher Longer*
- Automatic VitaFreshPro®
- Two Independently Controlled Temperature and Humidity Crisper Drawers
- FlexBar[®] with shelving accessories
- Dual Activated Internal Water Dispenser
- Freezer with Three-Tiered Shelving
- Ice Scoop



		ļ		
7	-	_	-	-

B36CT80SNS

B36CT80SNB



B36CT80SNS	Stainless Steel, Bar Handle	3,499 3,849
B36CT80SNB	Black Stainless Steel, Bar Handle	3,749 4,149
B36CT81ENS	Stainless Steel, Recessed Handle	3,599 3,999

*As compared to a Bosch refrigerator without FarmFresh System®. Results may vary among different foods.

Model Number	ersedes all previous price lists. Prices listed herein Description	do not include applicable state or local taxes.	MSRP	
				800 Series

36" Freestanding Counter-Depth French Door Refrigerator-Stainless Steel

- Dual Compressor and Dual Evaporator
- 20.5 cu.ft.
- True Counter Depth
- 72" Cutout Height
- Easy to Clean Stainless Steel
- Stainless Steel Back Wall
- The All-New FarmFresh System® Keeps Food Fresher Longer*
- VitaFreshPro[®] drawer provides preprogrammed freshness settings to optimize temperature and humidity
- FlexBar[®] with shelving accessories
- Dual Activated Internal Water Dispenser
- Freezer with Three-Tiered Shelving
- Ice Scoop



B36CL80SNS	Stainless Steel, Bar Handle	3,699 4,099	
B36CL80ENS	Stainless Steel, Recessed Handle	3,799 4,199	

36" Freestanding Counter-Depth French Door Refrigerator Refreshment Center-Glass on Stainless Steel

- Glass Over Stainless Steel
- 20.5 cu.ft.
- True Counter Depth
- 72" Cutout Height

- Stainless Steel Back Wall
- Dual Compressor and Dual Evaporator
- Beverage Drawer Holds up to 17 Standard Wine Bottles or 35
- Standard Beverage Cans
- Temperature-controlled middle drawer

- s on Stainless Steel
- FlexBar[®] with Shelving Accessories
- Dual Activated Internal Water Dispenser
- · Freezer with Three-Tiered Shelving
- Ice Scoop

 B36CL81ENG B36CL81ENW
 Glass on Stainless Steel, Integrated Handle Glass on White, Integrated Handle Aryon 5,299 Class on White, Integrated Handle Class on White, In

500 Series

800 Series

MAP

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator-

All Bosch Counter-Depth Two Door Bottom Freezer Refrigerators Include the Following Features:

Counter Depth

- MultiAirFlow[®] Circulation System
- Reversible Door Swing

Stainless Steel Door

- ENERGY STAR[®] Certified
- 13 cu.ft. VitaFresh Plus[™] Drawer • 3 Freezer Drawers with Humidity Adjustment • 80 ⁷/16" Cutout Height • Ice Cube Tray • LED Lighting Inside Home Connect[™] · Star-K Certified • Adjustable Shelving and Integrated Handles Door Bins for Flexible • Easy clean stainless steel Storage and glass front exteriors
 - B24CB50ESS **Stainless Steel** Note: For model with internal ice maker (B24CB80ES_), see page 1-7.

շ(Սի)սչ

2,999 3,299

24" Built-In Two Door Bottom Freezer Refrigerator-**Custom Panel**

Custom Panel

- 8.4 cu.ft.
- Home Connect® Features
- OptiFlex[®] Hinge
- VitaFreshPro®—Stable Temperature and Humidity Controlled Drawer
- Installs True Flush

B09IB91NSP

- Dual Evaporators
- Recessed LED Theater Lighting
- Garage Shelving
- Full Width Shelving
- Spill-Proof Glass Shelves
- Full Extension Drawers
- Electronic Controls
- Removable Freezer Bins
- SuperCool/SuperFreeze®
- CoolPaks
- Economy/Vacation Mode
- Wine Rack
- Door Alarm

2,999 3,299









BOTTOM	FREEZER
--------	---------

This price list supersedes all pr Model Number	evious price lists. Prices listed herein do not include applic. Description	able state or local taxes. MAP MSRP
Number	Description	800 Series
	 LED Lighting Inside Adjustable Shelving and Door Bins for Flexible Storage 	 Internal Water Dispenser Ice Maker with Pyramid Ice UltraClarityPro® Filtered
		B24CB80ESS B24CB80ESW B24CB80ESB
B24CB80ESS	Stainless Steel	3,299 3,649
B24CB80ESW	White Glass	3,099 3,449
B24CB80ESB	Black Glass	3,099 3,449

• Sabbath/Economy/Vacation Mode

• Dual Compressor and Evaporator

Benchmark® Series

L DOG

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

All Bosch Benchmark® Series Bottom Freezer and French Door Freezer Refrigerators Include the Following Features:

• Carbon Air Filter

• Adjustable Shelving

SuperCool/SuperFreeze®

• Full Extension Drawers

• Temperature Controlled Deli

- Home Connect[®] Capability
- Installs True Flush or Framed
- Sidewall LED Theater Lighting
- Touchscreen Control Panel
- OptiFlex[®] Hinge
- MultiAirFlow[®] Circulation System

30" Built-In Two Door Bottom Freezer Refrigerator

• 16.0 cu.ft.

• ENERGY STAR® Certified

Drawer

B30IB905SP B30BB935SS

I marg

MAP

MSRP

• Gallon Door Bins

Internal Ice Maker

• Water Filter



B301B905SP	Custom Panel	7,999	8,799	C
B30BB935SS	Stainless Steel	8,999	9,899	
Pre-Assembled Packa	ge includes: Flat Stainless Panels • Bosch Handles			

Both Discontinue November

36" Fully-Integrated French Door Bottom Freezer Refrigerator

• 19.5 cu.ft.

ENERGY STAR[®] Certified




9,899 10,899



B36IT905NP Custom Panel Stainless Steel B36BT935NS

Both Discontinue November



ACCESSORIES

	This price list super Model	rsedes all previous price l	ists. Prices listed herein do not include applicable st	ate or local ta	kes.													
Model Description deal MAP MSPP Signad Control on the second s	Number	Descriptio	n			MAP	M	SRF	D									
Model Description deal MAP MSPP Signad Control on the second s																		_
BORPLFTR55 UltraClarityPro* 46 59 .	Accessori	es for Refrige	ration					Μ	lair	nlir	ne		E	Bei	nch	ma	ark	
BORPLFTR55 UltraClarityPro* 46 59 .																		٦
BORPLFTR55 UltraClarityPro* 46 59 .							NS	с В	s	z	NG	NS	Ч	SS	Ч	Ч	SN	닐
BORPLFTR55 UltraClarityPro* 46 59 .							10E	380	050		81E	8	9055	935	905	905	935	
BORPLFTR55 UltraClarityPro* 46 59 .		Model					6FD	4CE	6CI	6C	6CL	6CI	8IF	OBB	OIB	OIR	<u>6BT</u>	9113
BORPLFTR55 UltraClarityPro* 46 59 .		Number	Description	deal	MAP	MSRP	B3	B2	B3	B3	B3	B3	В1	B3	B3	B3	B3	ß
Water Filter4049-18111																		
Water Filter 40 49 •1 1		BORPLFTR55			46	59											•	
FPETHKT50 FreshProtect [™] 19 29 .<			Water Filter															
FPETHKT50 FreshProtect [™] 19 29 .<												_	_			_	_	_
FPETHKT50 FreshProtect [™] 19 29 .<	2																	
Ethylene Filter "Starter" Kit I <t< td=""><td>111</td><td>BORPLFTR30</td><td>Water Filter</td><td></td><td>40</td><td>49</td><td></td><td>•1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	111	BORPLFTR30	Water Filter		40	49		•1										
Ethylene Filter "Starter" Kit I <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>																		
Ethylene Filter "Starter" Kit I <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td></t<>																		_
Ethylene Filter "Starter" Kit I <t< td=""><td>Fresh Protect"</td><td>FPETHKT50</td><td>FreshProtect™</td><td></td><td>19</td><td>29</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	Fresh Protect"	FPETHKT50	FreshProtect™		19	29												
Ethylene Filter "Refill" Kit I <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>•</td><td></td><td>•</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>										•		•						
Ethylene Filter "Refill" Kit I <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>																		
Ethylene Filter "Refill" Kit I <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>																		
BFL18IF800 18" Stainless Steel Flat Panel Freezer Door 450 499 450	Freed Property	FPETHRF50			9	9				•								
Flat Panel Freezer Door I <thi< th=""> I<td></td><td></td><td>Ethylene Filter "Refill" Kit</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></thi<>			Ethylene Filter "Refill" Kit															
Flat Panel Freezer Door I <thi< th=""> I<td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td>_</td><td></td><td></td><td>+</td><td>-</td><td></td></thi<>												_	_			+	-	
Flat Panel Freezer Door I <thi< th=""> I<td></td><td>BEI 1815800</td><td>18" Stainless Steel</td><td></td><td>450</td><td>199</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></thi<>		BEI 1815800	18" Stainless Steel		450	199												
Panel Freezer Door 100 109 • • B36HNDL800 36" Handle for Single Door 100 109 • •		BFEIGIFOUU			430	433							•					
Panel Freezer Door 100 109 • • B36HNDL800 36" Handle for Single Door 100 109 • •																		
Panel Freezer Door 100 109 • • B36HNDL800 36" Handle for Single Door 100 109 • •																		
B36HNDL800 36" Handle for Single Door 100 109 • <td></td> <td>BFL30IR800</td> <td></td> <td></td> <td>550</td> <td>649</td> <td></td>		BFL30IR800			550	649												
			Panel Freezer Door															
																-		_
HEATKITB82 Heater Kit 399 439 • • • • • • • •		B36HNDL800	36" Handle for Single Door		100	109							•			•		
HEATKITB82 Heater Kit 399 439																		
		HEATKITR82	Heater Kit		300	439												_
					533	433								•		•		_

Please make sure to order HEATKITB82 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column. A HEATKITB82 is recommended for use with any installation in areas that are subject to extreme humidity.

¹ B20CS30SNS/02

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP MSRP Bosch 100 Series Dishwashers Include the Following Features: **Quiet Operation** Racks Performance • 50 dBA 14 Place Setting Capacity Wash System: PrecisionWash[®] • Drying System: PureDry™ • Multiple Layers of Sound-• Manual Adjusting Upper Rack Absorbing Insulation • 2 Silverware Baskets • Wi-Fi Home Connect® • EcoSilence[™] Dual Brushless Motor features System Smart Cycle Guidance Design • Delay Start, Remote Start, • All-new Recessed Handle Design and Cycle Monitoring PCB/Touch Control • Access Additional Cycles, • Flush Installation Manuals, and Tips & Tricks • Time Remaining Display • Cycles: • Self-Latching Door

Quality

- Anti-Finger Print Stainless Steel
- Stainless Steel Tub with Polypropylene
- 24/7 Overflow Protection
- Easily Accessible 3-Stage Filtration System

- 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
- 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- Options:
 - *3 on the Control Panel:* Sanitize, Extra Dry, Remote Start
 - *4 Additional in Home Connect®:* Half Load, Eco, Extra Quiet, Fast Forward

				100 Series
Efficiency • 269 kWh/year				4 mm
SHE3AEM5N	Recessed Handle, Stainless Steel	649	749	SHE3AEM5N
SHE3AEM2N	Recessed Handle, White	549	649	- Schere Company - +
SHE3AEM6N	Recessed Handle, Black	549	649	SHE3AEM2N
				e mar Stangen Stangen - Angelen
				SHE3AEM6N
				Q
Efficiency • 240 kWh/year				
• ENERGY STAR®	Certified			SHE3AEE5N
SHE3AEE5N	Recessed Handle, Stainless Steel	669	749	



This price list supersedes all previous price lists. Prices liste	d herein do not include applicable state or local taxes.	
Model Number Description		MAP MSRP
All Bosch 100 Series Plus Dishwashe	rs Include the Following Features:	
Quiet Operation	Racks	Performance
• 48 dBA	• 14 Place Setting Capacity	 Wash System: PrecisionWash[®]
 Multiple Layers of Sound- 	 3 Step RackMatic[®] 	 Drying System: PureDry™
Absorbing Insulation	 2 Silverware Baskets 	 Wi-Fi Home Connect[®] features
• EcoSilence™ Dual Brushless Motor	Efficiency	Smart Cycle Guidance
System Design • All-new Recessed Handle Design • Touch Controls	• 269 kWh/year	 Delay Start, Remote Start, and Cycle Monitoring Access Additional Cycles, Manuals, and Tips & Tricks
Flush Installation		Cycles:
 Time Remaining Display 		• 5 on the Control Panel: Heavy,
 Self-Latching Door 		Auto, Normal, Speed60, Favorite
Quality Anti-Finger Print Stainless Steel 		 3 Additional in Home Connect[®]: Delicate, Rinse, Machine Care
Stainless Steel Tub with		• Options:
Polypropylene		• 3 on the Control Panel: Sanitize,
• 24/7 Overflow Protection		Extra Dry, Remote Start
- Eacily Accossible 2 Stage Filtration		• 4 Additional in Home Connect®.

• Easily Accessible 3-Stage Filtration System

• 4 Additional in Home Connect®: Half Load, Eco, Extra Quiet, Fast Forward

100 Series Plus

SHE4AEM5N	Recessed Handle, Stainless Steel	799	899	anna - Xanada an Anna - anna
SHE4AEM2N	Recessed Handle, White	699	799	SHE4AEM5N
SHE4AEM6N	Recessed Handle, Black	699	799	**** _ 2:2:2:2:3:0; = ****
All Above Discontinue Ju	ly. Call for Availability			SHE4AEM2N
SHV4AEB3N	Custom Panel	899	999	and the Charge Barrier to Anno
				SHE4AEM6N
				SITE 4ALMON
				SHV4AEB3N
				Q



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP MSRP All Bosch 100 Series Premium Dishwashers Include the Following Features: **Quiet Operation** Racks Performance • 46 dBA • Wash System: PrecisionWash® • 15 Place Setting Capacity InfoLight[®] Drying System: PureDry™ Standard 3rd Rack · Multiple Layers of Sound- 3 Step RackMatic[®] • Wi-Fi Home Connect[®] features Absorbing Insulation • 2 Lower Rack Flip Tines (Rear) • Smart Cycle Guidance • EcoSilence™ Dual Brushless Motor • Delay Start, Remote Start, and 1 Silverware Basket System Cycle Monitoring Efficiency Design • 269 kWh/year Access Additional Cycles, Touch Controls Manuals, and Tips & Tricks Flush Installation • Cycles: Time Remaining Display • 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite • Self-Latching Door Quality 3 Additional in Home Connect[®]: Delicate, Rinse, Machine Care Anti-Finger Print Stainless Steel • Options: Stainless Steel Tub with Polypropylene • 3 on the Control Panel: Sanitize, Extra Dry, Remote Start • 24/7 Overflow Protection • 4 Additional in Home Connect®: Easily Accessible 3-Stage Filtration Half Load, Eco, Extra Quiet, System Fast Forward

100 Series Premium

SHX5AEM6N

SHX5AEM4N

SHX5AEM5N	Bar Handle, Stainless Steel	899	999	
SHX5AEM2N	Bar Handle, White	849	949	SHX5AEM5N
SHX5AEM6N	Bar Handle, Black	849	949	
SHX5AEM4N	Bar Handle, Black Stainless Steel	999	1,099	SHX5AEM2N



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

MAP MSRP

Bosch 300 Series Dishwashers Include the Following Features:

Quiet Operation

- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence[™] Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

Design

- Flush Installation
- Time Remaining Display
- Self-Latching Door

Quality

• Easily Accessible 3-Stage Filtration System

Quiet Operation

• 48 dBA

Quality

- Deeper Stainless Steel Tub
- 24/7 AguaStop[®] Leak Protection System
- Anti-Finger Print Stainless Steel

Design

- Recessed Handle Design
- Touch Controls

Performance

- Wash System: PrecisionWash®
- Drying System: PureDrv™
- Up to Six Wash Cycles: Heavy, Auto, Normal, Speed60
- Up to Six Options: Sanitize, Delay
- Home Connect[®] Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

- 14 Place Setting Capacity
- 2 Flip Tines Lower Rack
- 2 Silverware Baskets

Efficiency

Racks

• 269 kWh/yr

Performance

- Wi-Fi Home Connect[®] features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and **Tips & Tricks**
- Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect[®]: Delicate, Rinse, Machine Care
- Options:
 - 3 on the Control Panel: Sanitize, Remote Start, ExtraDry
 - 2 Additional in Home Connect®: Half Load, Eco

NEW SHE41CM5N	Recessed Handle, Stainless Steel	699	799
NEW SHE41CM2N	Recessed Handle, White	699	799
NEW SHE41CM6N	Recessed Handle, Black	699	799





SHE41CM5N SHE41CM2N

300 Series

SHE41CM6N

DISHWASHERS

This price list supersedes all prev	vious price lists. Prices listed herein do not include applicable	state or local taxes.	
Model Number I	Description	MAP MSRP	
			300 Series
Quiet Operation • 46 dBA Design • Backlit Button Cor Quality • Made in Germany • Full Stainless Stee EuroTub • Water Softener • AquaStop® Plus Le Protection	 a Step Rackmatic 2 Flip Tines Upper Rack 2 Flip Tines Lower Rack 1 Silverware Basket Efficiency 269 kWh/yr 	Favorite • Six Options: Delay Start	IE53B75UC
SHE53B75UC	Recessed Handle, Stainless Steel	999 1,099	
 Quiet Operation 46 dBA InfoLight® Design Touch Controls Anti-Fingerprint States Self-Latching Door Quality Deeper Stainless Stub Tub 24/7 AquaStop® Leprotection System Easily Accessible 3 Filtration System 	 FlexSpace[™] Tines 1 Flip Tine Upper Rack Flip Tines Lower Rack 1 Fixed (Rear) 1 Single (Left) 1 Fixed (Right) 	features SH • Smart Cycle Guidance • Delay Start, Remote Start, and Cycle Monitoring • Access Additional Cycles, Manuals, and Tips & Tricks SH • Cycles: • 5 on the Control Panel: Favorite • 3 Additional in Home Connect®: Delicate, Rinse, Machine Care • Options: SH • 3 on the Control Panel: ExtraDry • 2 Additional in Home Connect®: Half Load, Eco	E53C85N E53C85N E53C82N E53C86N E53C86N E53CE5N ² X53CM5N
SHE53C85N1	Recessed Handle, Stainless Steel	999 1,099	2
SHE53C82N ¹	Recessed Handle, White	949 1,049	
SHE53C86N1	Recessed Handle, Black	949 1,049	
SHE53CE5N ²	Recessed Handle, Stainless Steel	1,019 1,149	
SHX53CM5N	Bar Handle, Stainless Steel	1,099 1,249	
SHV53CM3N	Custom Panel	1,099 1,249	



2 240 kWh/year; ENERGY STAR® Certified

LISTED

DISHWASHERS

Model Number Descript	ion	MAP MSRI	P
Number Descript Quiet Operation . . 46 dBA . InfoLight® Design . Touch Controls . . Anti-Fingerprint Stainless Steel . Quality . . Deeper Stainless Steel To . . 24/7 AquaStop® Leak .	 Racks 16 Place Setting Capacity Standard 3rd Rack 3 Step RackMatic[®] EasyGlide[™] on All 3 Rack Levels FlexSpace[™] Tines 1 Flip Tine Upper Rack 	MAP MSRI Performance • Wi-Fi Home Connect® features • Smart Cycle Guidance • Delay Start, Remote Start, and Cycle Monitoring • Access Additional Cycles, Manuals, and Tips & Tricks • Cycles:	300 Series SHS53CD5N SHS53CD2N
 Easily Accessible 3-Stage Filtration System 	ection System y Accessible 3-Stage • 1 Fixed (Rear) • 1 Single (Left) 1 Single (Distribution)	 5 on the Control Panel: Favorite 3 Additional in Home Connect®: Express, Rinse, Machine Care Options: 3 on the Control Panel: ExtraDry 4 Additional Options in Home Connect®: Half Load, SpeedPerfect, Extra Scrub, Eco 	
SHS53CD5N Scoo	p Handle, Stainless Steel	1,049 1,199)
SHS53CD2N Scoo	p Handle, White	999 1,099)

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.							
Model Number	Description		MAP	MSRP			

All Bosch 500 Series Dishwashers Include the Following Features:

Featuring AutoAir™-which opens the door to let fresh air circulate for 40% drier dishes.*

Quiet Operation

- InfoLight[®]
- Multiple Layers of Sound-Absorbing
 Insulation
- EcoSilence[™] Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

Design

Pocket Handle Design

- Touch Controls
- Flush Installation
- Time Remaining Indicator
- Self-Latching Door
- Anti-Fingerprint Stainless Steel

Quality

- Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Easily Accessible 3-Stage Filtration System

Racks

- 16 Place Setting Capacity
- 3 Step RackMatic®
- EasyGlide[™] on all 3 Rack Levels
- FlexSpace[™] Tines
- 2 Flip Tines Upper Rack
- Flip Tines Lower Rack
 - 1 Fixed (Rear)
 - 1 Single (Left)
 - 1 Fixed (Right)
- 1 Silverware Basket

• Performance

- Wash System: PrecisionWash®
- Wi-Fi Home Connect® features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
- 3 Additional in Home Connect[®]: (Delicate, Rinse, Machine Care)
- Options:
 - 2 on the Control Panel: Sanitize, Remote Start,
 - 2 Additional in Home Connect®: Half Load, Eco

*Based on average drying performance of Bosch Dishwashers with AutoAir™ after seven hours as compared to Bosch Dishwashers with PureDry™.

500 Series

Quiet Operation • 44 dBA	Racks Flexible 3rd Rack Efficiency 240 kWh/yr ENERGY STAR[®] Certified 	 Performance Drying System: AutoAir™ Options: Additional on the Control Panel: AutoAir™ 	SHP65CM5N
SHP65CM5N	Pocket Handle, Stainless Steel	1,099 1,249	SHP65CM2N
SHP65CM2N	Pocket Handle, White	1,099 1,249	-
SHP65CM6N	Pocket Handle, Black	1,099 1,249	SHP65CM6N
SHX65CM5N	Bar Handle, Stainless Steel	1,149 1,299	SHX65CM5N
Quiet Operation • 38 dBA	• Racks • Standard 3rd Rack Efficiency • 269 KWh/yr	 Performance Drying System: PureDry™ Options: Additional on the Control Panel: PureDry™ 	SHP95CM5N
NEW SHP95CM5N	Pocket Handle, Stainless Steel	1,249 1,399	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.					
Model Number	Description	MAP	MSRP		
	Description	WIAI	Morti		

Bosch 800 Series Dishwashers Include the Following Features:

Featuring CrystalDry™−a patented drying technology that transforms moisture into heat to get dishes, including plastics, 60% drier.*

Quiet Operation

- 42 dBA
- InfoLight[®]

• Multiple Layers of Sound-Absorbing Insulation

- EcoSilence[™] Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

Design

- Flush Installation
- Touch Controls
- Time Remaining Display
- Self-Latching Door

Quality

• Easily Accessible 3-Stage Filtration System

Racks

- Flexible 3rd Rack
- 3 Step RackMatic[®]
- 2 Flip Tines Upper Rack
- 1 Silverware Basket

Performance

- Wash System: PrecisionWash®
- Drying System: PureDry™
 CrystalDry™
- Up to Seven Wash Cycles: Heavy, Auto, Normal
- *Up to Seven Options*: Sanitize, Remote Start, **CrystalDry™**
- Home Connect[®] Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

*Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

800 Series

Quality • Made in Germany • Stainless Steel EuroTub • Water Softener • AquaStop® Plus Leak Protection System		<i>Racks</i> 15 Place Setting Capacity 	Performance Additional Wash Cycles: 	
		 2 Flip Tines Lower Rack 	E xpress, Delicate, Favorite	SHX78B75UC
		Efficiency • 269 KWh/yr	Additional Options:	
			Delay Start (24h), Half Load, Machine Care	
				SHV78B73UC
SHX78B75UC	Bar Ha	ndle, Stainless Steel	1,349 1,499	0
SHV78B73UC	Custon	n Panel	1,349 1,499	



DISHWASHERS

				800 Ser
Featuring the New PowerCor advanced clean meets the ulti	itrol™ Wash System plus Crysta mate dry.	ılDry™– the industry's m	ost	
 Design Anti-Fingerprint Stainless Steel Quality Deeper Stainless Steel Tub 24/7 AquaStop® Leak Protection System Easily Accessible 3-Stage Filtration System 	 Racks 16 Place Setting Capacity EasyGlide[™] on All 3 Rack Levels FlexSpace[™] Tines Flip Tines Lower Rack 1 Fixed (Rear) 1 Single (Left) 1 Fixed (Right) Efficiency 240 KWh/yr ENERGY STAR[®] Certified 	 Performance Wash System: PowerControl™ with PrecisionWash® Drying System: CrystalDry™ Wi-Fi Home Connect features Smart Cycle Guida Delay Start, Remo Start, and Cycle Monitoring Access Additional Cycles, Manuals, a Tips & Tricks Cycles: 5 on the Control Paspeed60, Favorite 3 Additional in Hom Connect®: Delicate Rinse, Machine Ca Options: 2 Additional on the Control Panel: Com Spray Arm 2 Additional in Hom Connect®: Half Loa 	® ance te and anel: ne s, re trolled	SHP78CM5N SHP78CM2N SHP78CM2N SHP78CM6N SHP78CM4N SHX78CM5N SHX78CM5N SHX78CM5N SHX78CM2N SHX78CM2N
HP78CM5N ¹ Pocket	Handle, Stainless Steel	1,299	1,449	SHV78CM3N
HP78CM2N ¹ Pocket	Handle, White	1,299	1,449	
HP78CM6N ¹ Pocket	Handle, Black	1,299	1,449	
HP78CM4N ¹ Pocket	Handle, Black Stainless Steel	1,349	1,499	
	dle, Stainless Steel	1,349	1,499	
HX78CM2N Bar Han	dle, White	1,349	1,499	
HX78CM6N Bar Har	dle, Black	1,349	1,499	
HX78CM4N Bar Han	dle, Black Stainless Steel	1,399	1,549	
HV78CM3N Custom	Panel	1.349	1,499	



1 No InfoLight®

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP MSRP Bosch Benchmark® Series Dishwashers Include the Following Features: **Quiet Operation** Quality: Performance • 38 dBA • Up to Seven Cycles: Heavy, Auto, • Easily Accessible 3-Stage Filtration System Normal, Speed60 • Multiple Layers of Sound-Absorbing Insulation Water Softener • Up to Seven Options: Sanitize • EcoSilence[™] Dual Brushless Motor • Corrugated Shaped Filter System Racks • Solid Molded Base to Absorb • Flexible 3rd Rack Noise while Minimizing Vibration

Design:

- Flush Installation
- Touch Controls
- Touch Screen Display
- Time Remaining Display
- Self Latching Door

- 3 Step RackMatic®
- 1 Silverware Basket

Benchmark® Series

Quiet Operation • InfoLight® Quality: • Stainless Steel Eur • 24/7 AquaStop® Pl Protection System • Vase Holder and So Item Clips • Interior Light • Made in Germany	us Leak Efficiency • 269 kWh/yr	PrecisionWash [®] Druing Sustem Duru™	SHE89PW75N SHE89PW75N SHX89PW75N SHV89PW73N
SHE89PW75N ¹	Recessed Handle TFT Display, Stainless Steel	2,299 2,549	
SHX89PW75N	Bar Handle TFT Display, Stainless	Steel 2,299 2,549	
SHV89PW73N ²	Fully Integrated TFT Display Requires Custom Panel	2,299 2,549	

2 39 dBA

Benchmark® Series

This price list superse	edes all previous price lists. Prices listed herein d	o not include applicable state or local taxes.	
Model			
Number	Description	MAP	MSRP

Featuring the New PowerControl™ Wash System plus CrystalDry™—the industry's most advanced clean meets the ultimate dry.

- **Quiet Operation**
- TimeLight®
- Design
- Anti-Fingerprint Stainless Steel

Quality:

- Deeper Stainless Steel Tub
- 24/7 AquaStop[®] Leak Protection System
- Racks
- 16 Place Setting Capacity
- EasyGlide[™] Plus on All 3 Rack Levels
- 2 Flip Tines Upper Rack
- FlexSpace[™] Plus
- Flip Tines Lower Rack
 - 1 Double (Rear)
 - 1 Single (Left)
 - 1 Wide (Right)
- Efficiency
- 240 kWh/yr
- ENERGY STAR® Certified

Performance

- Wash System: PowerControl[™] with PrecisionWash[®]
- Drying System:
 CrystalDry™
- Wi-Fi Home Connect[®] features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Favorite
 - 3 Additional in Home Connect®: Express, Rinse, Glass, Machine Care
- Options:
 - 4 on the Control Panel: Remote Start, CrystalDry™, Controlled Spray Arm **PowerControl**™
 - 4 Additional in Home Connect[®] Half Load, SpeedPerfect, ExtraScrub, Eco

SHP9PCM5N ¹	Pocket Handle, Stainless Steel	1,799	1,999
SHX9PCM5N ²	Bar Handle, Stainless Steel	1,799	1,999
SHV9PCM3N ²	Custom Panel	1,799	1,999

2 39 dBA



SHV9PCM3N

SHP9PCM5N

SHX9PCM5N



300 Series EuroTub/ADA-Height 18" and 24"

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP MSRP Bosch ADA-Height Dishwashers Include the Following Features: Design Quality Performance • Full Stainless Steel Tub Time Remaining Display • Up to Seven Wash Cycles: Heavy, Auto, Normal, Favorite, Rinse • ADA Compliant Height (32" Tall) • 24/7 AguaStop® Plus • Six Options: Delicate, Extra Dry, Racks · Easily Accessible 3-Stage Filtration Sanitize, 24H Delay Start, Machine RackMatic[®] System Care, Remote Start Flexible Silverware Basket Efficiency Home Connect[®] Allows You to ENERGY STAR[®] Certified Remotely Monitor and Control with Wi-Fi Connectivity

Quiet Operation Racks • 46 dBA 10 Place Setting Capacity (18" Width) SPE53B52UC • Standard 3rd Rack Quality Made in Poland Efficiency SPE53B56UC • 269 kWh/yr SPE53B52UC 18" Recessed Handle, White 999 1.099 SPE53B56UC 18" Recessed Handle, Black 999 1,099 Discontinued. Please Call for Availability **Quiet Operation** Racks • 46 dBA 10 Place Setting Capacity (18" Width)

SPE53C52UC • Standard 3rd Rack Quality Made in Poland Efficiency SPE53C55UC • 240 kWh/yr SPE53C52UC 18" Recessed Handle, White 999 1,099 SPE53C56UC SPE53C55UC 18" Recessed Handle, Stainless Steel 999 1,099 SPE53C56UC 1.099 **18" Recessed Handle, Black** 999 **Quiet Operation** Racks 0 • 46 dBA • 14 Place Setting Capacity Design Quality SGE53C55UC • Toe Panel Color: Stainless · Made in Germany Steel • Water Softener Efficiency SGE53C52UC 240 kWh/yr SGE53C55UC 24" Recessed Handle, Stainless Steel 999 1,099 SGE53C56UC SGE53C52UC 24" Recessed Handle, White 1,099 999

24" Recessed Handle, Black

SGE53C56UC

ISTER

999 1,099

This price list supersedes all p	revious price lists. Prices listed herein do not include applicable sta	ate or local taxes.			
Model Number	Description		MAP	MSRP	
		800 Series	EuroT	ub/AD/	A-Height 18" and 24
Quiet Operation • 44 dBA • InfoLight®	Racks Place Setting Capacity 10 Standard 3rd Rack Quality Made in Poland Vase Holder and Small Item Clips Efficiency 240 kWh/yr 	 Performance Drying System CrystalDry™ Additional Wa Delicate, Exp 	sh Cycl	es:	SPE68C75UC SPX68C75UC
NEW SPE68C75UC ¹	18" Recessed Handle, Stainless Steel		1,299	1,449	SPV68C73UC
NEW SPX68C75UC	18" Bar Handle, Stainless Steel		1,349	1,499	
NEW SPV68C73UC	18" Fully Integrated – Requires Custom	n Panel	1,349	1,499	
Quiet Operation • 42 dBA • InfoLight®	Racks Place Setting Capacity 15 Quality Made in Germany Water Softener Vase Holder and Small Item Clips Efficiency 240 kWh/yr 	Performance • Drying System	: Crysti	alDry™	SGE78C55UC SGX78C55UC
SGE78C55UC ¹	24" Recessed Handle, Stainless Steel		1,299	1,449	SGV78C53UC
SGX78C55UC	24" Bar Handle, Stainless Steel			1,499	
SGV78C53UC	24" Fully Integrated – Requires Custom	Panel	-	1,499	



1 No InfoLight®

odel umber	Description	Prices listed herein do not include applicable state or local taxes.	MAP	MSRP								
ccessori	es for Dishwash	ers			100 Series	100 Series Plus	100 Series Premium	300 Series	500 Series		Benchmark	All ADA Models
	SGZ1010UC	Dishwasher Drain Hose Extension 76¾"	18	19	•	•	•	•	•	•	•	
A A A A	SGZ1052UC	Dishwasher Accessory Kit with Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29	•	•						
-	SMZ1008UC	Bosch Dishwasher Bar Handle, Stainless Steel, July 2023 Style	59	69		•	•	•	•	•	•	
	SMZ4026	MyWay™ Rack Silverware Insert Accessory	20	29						•1		
	SMZ4000UC	Flexible Silverware Basket	25	29	•	•	•	•	•	•	•	
	SMZ5000	Dishwasher Accessory Kit with Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29	•	•	•	•	•	•	•	
	SMZ5002UC	Anti-Tarnish Silverware Cassette with Clips	25	29	•	•	•	•	•	•	•	
	SMZ5003	18" Dishwasher Accessory Hinge for 4" Toekick Height Installation	150	169								•
	SMZ5400	MyWay™ Rack Large Silverware Insert Accessory	30	39						•1		
1580	SMZCD200UC	Flexible 3rd Rack	49	59	•2	•	•	•	•	•	•	
	SMZEPCC1UC	Power Cord Clips + Edge Protector Kit Edge Protector Is for Dishwasher Installations through Metal Cabinetry, for Water/drain/electrical Lines	5	9	•	•	•	•	•	•	•	

2 Alternative for SHXM4AY5_N only

LISTED

	sedes all previous price lists.	Prices listed herein do not include applicable state or local taxes.										
Model Number	Description		MAP	MSRP								
Accessorie	es for Dishwash	ers			100 Series	100 Series Plus	100 Series Premium	300 Series	500 Series	800 Series	Benchmark	All ADA Models
~~ Q	SMZ3IN1UC	Dish Junction Box and Supply Hose Kit	49	59	•	•	•	•	•	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	20	29	•	•	•	•	•	•	•	
Q.	SMZSH1ABUC	Bosch Dishwasher Water Supply Hose	39	49	•	•	•	•	•	•	•	•



WASHERS

300 Series

500 Series

This price list supers Model	edes all previous price lists. Prices liste	d herein do not include applicable state or local taxes.	
Number	Description		MAP MSRP
All Bosch Wa	ashers Include the Follow	ving Features:	
 SpeedPerfe 	ect™ Provides up to	 ENERGY STAR[®] Certified 	 Installation: Stackable, Side-by-
40% Faster	Washing	 Improved Energy Efficiency and 	Side, Under Counter or Pedestal
 EcoSilence¹ 	™ BLDC Motor for	Performance	Option
Quieter Op	eration	Child Lock	• 208–240 V
• Wave Profiled Stainless Steel Dr		• Signal	 Plug type 240V; NEMA 6-15
• Anti-Vibrati	on Circular Side Walls	Internal Water Heater	(3 prong)

24" Compact Washer

Design

- White Exterior with White Dial and White Door Ring
- Touch Control Display
- Large 2.2 cu.ft. Capacity
- Spin Speed up to 1400 RPM
- Clear See-Through Window
- Matching Dryer WTG86403UC

Quality

• Energy Consumption 84 kWh/year

Silence Level

• Washing/Spinning 54/73 dBA

15 Individually-Tailored Washing Programs

 Cotton Normal, Cotton Light Soil, Permanent Press, Permanent Press Heavy Soil, Permanent Press Light Soil, Jeans,Quick Wash 30 min., Heavy Duty, Delicates, Hand wash/Wool, Allergen, Towels, Drum Clean, Drain, Rinse/Spin

6 Options

- SpeedPerfect[™], Temperature, Finish In, Extra Rinse, Prewash, Spin Speed
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 48"

1,249 1,399



WGA12400UC



WGA12400UC

24" Compact Washer

Home Connect® Features

- App Allows You to Operate Washer From Anywhere In the Home
- Remote Diagnostics, Monitoring, and Control
- Energy Management
 Information

Design

- White Exterior with Chrome Door Ring
- Updated Touch Control Display
- New, Larger 2.4 cu. ft. Capacity
- Spin Speed up to 1600 RPM

- Tinted Glass Window with Bosch Magneto
- Matching Dryer WQB245B0UC

24" White Cabinet with White Dial

Quality

and White Door Ring

- Energy Consumption 105
 kWh/year
- AquaStop[®] Plus Leak Protection System in the Hoses and the Base

Silence Level

• Washing/Spinning 51/75 dBA

13 Individually-Tailored Washing Programs

• Cotton, SuperQuick, Delicates, Bedding, Rinse, Towels, Whites, Mix, Jeans, Sanitize, Hand Wash/Wool, Spin/Drain, Drum Clean

10 Options

- SpeedPerfect™, Temperature, Finish In, Prewash, Spin Speed, Start/Pause, Rinse Plus, Remote Start, Mini Load, Stains (Stains Program Treats Blood, Oils - food based, Red Wine, Grass, Sweat, Cosmetics based stains)
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 59"







NEW WGB24600UC 24" White Cabinet with Chrome Door Ring

1,499 1,649



800 Series

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.							
Model Number	Description	MAP	MSRP				

24" Compact Washer

Home Connect® Features

- App Allows You to Operate Washer from Anywhere in the Home
- Easy Start Option for Your Wash Cycle
- Energy Management Information

Design

- Pearl Steel Exterior with Chrome Door
- Updated Touch Control Display
- New i-DOS Automatic Dosing
- New, Larger, 2.4 cu ft Capacity
- · Spin Speed up to 1600 RPM

24" Pearl Steel Cabinet NEW WGB246AXUC with Chrome Door Ring

- Interior LED Drum Light
- · Tinted Glass Window with **Bosch Magneto**
- Matching Dryer WQB245AXUC

Quality

- Energy Consumption 105 kWh/year
- AquaStop® Plus Leak Protection System in the Hoses and the Base

Silence Level

• Washing/Spinning 51/75 dBA

13 Individually-Tailored

- Washing Programs
- Cotton, SuperQuick, Delicates, Bedding,

Automatic, Towels, Whites, Mix, Jeans, Sanitize, Hand Wash/Wool, Spin/Drain, Drum Clean

10 Additional Options

 SpeedPerfect[™], Temperature, Finish In, Prewash, Spin Speed, Start/Pause, Rinse Plus, Remote Start, Mini Load, Stains (Stains Program Treats Blood, Oils - food based, Red Wine, Grass, Sweat, Cosmetics Based Stains)

- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- · Hose Length: 59"

1,849 2,049







This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP MSRP All Bosch Dryers Include the Following Features: ActiveDry[®] System • Large 4.0 cu.ft. Capacity Power Cord Included with Plug • Anti-Vibration Circular Side Walls Installation Dryer Is Also Supplied with a • Stackable, Side-by-Side, Under Sensitive Drying System Counter or Pedestal Option · Start/Pause to Add an Item 4-Prong 30A Dryer Receptacle No Ducting Required ENERGY STAR[®] Certified Child Lock

300 Series

24" Compact Condensation Dryer

Design

- White Exterior with White Dial and White Door Ring Touch Control Display
- Stainless Steel Drum

• Extra-Fine Lint Filter

- Clear See-Through Window
- · Matching Washer WGA12400UC
- Energy Consumption 315 kWh/year Silence Level • 63 dBA

Quality

15 Individually-Tailored **Drying Programs**

24" Ventless Condensation Drying System

White with White Dial and White Door Ring

 Cotton Extra Dry, Cotton Drv (Regular). Permanent Press Extra Dry, Permanent Press Dry, Permanent Press Damp,

Jeans, Quick Dry Auto, Air Fluff/No Heat, Time Dry Variable, Quick 40, Delicates, Heavy Duty, Sanitize, Hand Wash/Wool, Towels

6 Options

• Dry Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Signal

1,149 1,299

WTG86403UC

24" Compact Heat Pump Dryer with Self-Cleaning Condenser

Home Connect[®] Features

- App Allows You to Operate Dryer from Anywhere in the Home
- · Smart Dry Connects the Dryer to the Washer to Determine the Best Drying Program based off of the Wash Cycle

Design

• White Exterior with Chrome Door Ring

NEW WOB245B0UC

- Updated Touch Control Display
- · Reversible Door (No Additional Parts Required)

- Stainless Steel Structured Drum
- · Tinted Glass Window with **Bosch Magneto**
- Matching Washer WGB24600UC

Quality

- Energy Consumption 125 kWh/year
- Maintenance-Free Self **Cleaning Condenser**
- Dual-Layer Lint Filtration System
- Silence Level

24" Ventless Heat Pump Dryer with

• 62 dBA

Self-Cleaning Condenser White with Chrome Door Ring

13 Individually-Tailored **Drying Programs**

 Cotton, Quick Dry Auto, Delicates, Bedding, Anti Shrink, Towels, Jeans, Mix, Sportswear, Sanitize, Time Dry, Hand Wash / Wool, Air Fluff

9 Options

• Dryness Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Remote Start, Start / Pause, Dry Level Adjust, End Signal

1,499 1,649





500 Series

WQB245B0UC





· Drain Pump and Hose Included

Type: 240V; NEMA 6-15 (3 Prong). Power Adapter to Fit a Standard (NEMA 14-30R) and Powers Both Bosch Washer and Dryer

WTG86403UC

DRYERS/ACCESSORIES

Aodel Jumber Des	scription	MAP MSRP	
		MAI MOTI	
			800 Series
24" Compact Heat Pun	np Dryer with Self-Cleaning Condense	er	
App Allows You to Op Dryer from Anywhere the Home Easy Start Option for Dry Cycle Design Pearl Steel Exterior v Chrome Door Ring Updated Touch Displa Interior LED Drum Lig Reversible Door (No Additional Parts Requ Stainless Steel Struct Drum	berate Bosch Magneto • Matching Washer WGB246AXUC • Your Quality • Energy Consumption 125 kWh/year vith Silence Level • 62 dBA ay ght uired)	 13 Individually-Tailored Drying Programs Cotton, Quick Dry Auto, Delicates, Bedding, Steam Restore, Towels, Jeans, Mix, Sportswear, Sanitize, Time Dry, Hand Wash / Wool, Air Fluff 9 Options Dryness Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Remote Start, Start / Pause, Dry Level Adjust, End Signal 	WQB245AXUC Image: Constraint of the second secon
	4" Pearl Steel Cabinet with hrome Door Ring	1,849 2,049	

									-	
					WGA12400UC	WGB24600UC	WGB246AXUC	WTG86403UC	WQB245B0UC	WQB245AXUC
	WMZ20600	Drying Rack for Wool items, Shoes, etc. for Bosch 24" Dryers	79	89				•	•	•
I	WMZPW20W	Pedestal with Drawer for 24" Washer	299	329	•	•				
	WTZPW20D	Pedestal with Drawer for 24" Dryer	299	329				•	•	
	NEW WMZPW2XW	Washer 24" Pedestal – Pearl Steel	399	439			•			
	NEW WTZPW2XD	Dryer 24" Pedestal – Pearl Steel	399	439						•



This price list super Model Number	rsedes all previous price lists. P Description	rices listed herein do not include applicable state or local taxes.	MAP	MSRP						
Accessori	Accessories for Laundry							Dryers		
					WGA12400UC	WGB24600UC	WGB246AXUC	WTG86403UC	WQB245B0UC	WQB245AXUC
and the set of the set	WTZ11400UC	Stacking Kit with Pull Out Tray	149	169	•			•		
di ter sa	WTZ20410UC	Stacking Kit without Pull Out Tray	49	59	•			•		
	NEW WTZ27510UC	500 Stacking Kit – NO Drawer White	69	79		•			•	
0 1	NEW WTZ27500UC	500 Stacking Kit – w/ Drawer White	199	219		•			•	
	NEW WTZ2751XUC	800 Stacking Kit — NO Drawer Pearl Steel	69	79			•			•
	NEW WTZ2750XUC	800 Stacking Kit — w/ Drawer Pearl Steel	199	219			•			•
06	WTZPA20UC	Dryer Power Adapter – 4 Prong 240V; NEMA 14-30R to 6-15R	69	79				•1	•1	•1
06	WTZPA30US	Dryer Power Adapter – 3 Prong 240V; NEMA 10-30R to 6-15R	69	79				•1	•1	•1
	WTZSB30UC	Bracket Style Stacking Kit	49	59	•	•		•	•	



1 Adapter only works with dryers listed in this guide.

Model Number	Description	. Prices listed herein do not include applicable sta	MAP MSRP	
 24" Built-In Cof Home Connec Allows You to Coffee from A the Home Within Minute Espressos, Ca Lattes, Macchi MyFavorites St 8 of Your Favo Preferences Large TFT Col Screen Interfa Automatic Sys Cleaning, Milk Rinsing and D 	t® App Prepare nywhere in s Prepare ppuccinos, ato and More tores up to rite Coffee or Touch ce tem for Steam	 AromaPro Provides Constant Pressure for an Enhanced Coffee Experience Grinding Settings for Dark or Light Coffee OneTouch DoubleCup Dispenses Two Beverages at the Same Time Integrated Built-In Sensors Will Alert You When Coffee, Water Level Is Low AromaDouble Shot Prepares Extra-Strong Coffee with Less Bitterness 	 Individual Cup Volume Allows You to Adjust Your Coffee Cup Size 1 lb. Bean Container 81 oz. Water Reservoir Stainless Steel 17 oz. Milk Container Drip Tray Removable for Cleaning 120 V 	800 Series
BCM8450UC Accessories f		uilt-In Coffee Machine achine	3,699 4,099	BCM8450UC

				<u> </u>
HE	ZCMT3050 30" SS Trin	n Kit 429	479	•

For coffee accessories, please see the Cleaners & Accessories Price List.

FREESTANDING RANGES-INDUCTION

This price list supersede Model Number	es all previous price lis Description		rein do not include app	plicable state or loca	l taxes.	MAP MSF	۲P
All Bosch Indu	ction Ranges	Include the	Following Fe	atures:			
Genuine Euro	-		Faster than (с	• Heavy-Du	ty Metal Knobs
• Easy to View	•		Temperature	Probe		• One Halo	•
8 Cooking Ma		-	Dampened H		Guide the		Clean Cavity
Sabbath Mod			QuietClose [• Kitchen T	-
							800 Series
30" Industrial-9	•	-					2.0
• 4 Induction Z			lard Racks		ectrical supp	oly: 40 A,	
Oven Capacit	ty at 3.9 cu.ft.	• 2,700 V Elemen	V Convection t	24	0 V/208 V		
LR:	LR: 1,400 W / 2,200 W			RR:1,850 W / 3,000 W			
LF: 2	2,300 W / 3,700 W	1	RF: 2,300 W / 3,700 W				HIS8055U
HIS8055U	Stainle	ss Steel				4,399 4,84	9
36" Industrial-9	Style Induction	n Range					
• First 36" Bos		• 5 Induc	tion Zones		500 W Conv	ection	000
with the Most Powerful • O			apacity at 3.7	cu.it.	ement		And an experimental second
Element of 5,500 W and CombiZone™			 1 Telescopic Rail with Rack 1 Standard Rack Electrical sup 240 V/208 V 			ply: 50 A,	
LR: 1,850 W / 3,000 W			RR:1,400 W / 2,200 W		W / 2,200 W		HIS8655U
LF: 1,850 W /	/ 3,000 W	0. 1,000 1	RF: 2,300 W / 3,700 W				
HIS8655U	Stainle	ss Steel				6,199 6,84	9

Model Number Description	ts. Prices listed herein do not include a		MAP	MSRP					
All Bosch Industrial-Style Ga	as Ranges Include the Fe	ollowing Features:							
• Powerful 18,000 BTU Dual	Flame • Dishwasher	r-Safe Grates	• Cat	alytic Cl	lean Cavity				
Burner	 Continuous 	Grate Design	• Kitchen Timer						
 3 Cooking Modes 	 Heavy Meta 	ıl Knobs	• LP (Convers	ion Kit				
• 17,000 BTU Bake Burner	• One Haloge	en Light	• Elec	ctrical S	upply: 15 A,	120 V			
					8	00 Seri			
30" Industrial-Style Gas Ran	ge								
 5 Burners 	 2 Standard Racks 				000 - 00	00			
• Oven Capacity at 3.6 cu.ft.	• 11,500 BTU Broil Bu	urner							
LR: 10,000 BTU (NG)	C: 18,000 BTU (NG)	RR: 5,000 BTU (NG)							
LF: 5,000 BTU (NG)	e. 10,000 bits (NG)	RF: 10,000 BTU (NG)			U	T			
HGS8055UC Stainles	ss Steel		3,699	4,099	HGS8055UC	a para			
HGS8045UC Black S	tainless Steel		4,199	4,649	000 000	0			
					HGS8045UC	T			
36" Industrial-Style Gas Ran						A REAL PROPERTY AND			
6 Burners Adding More	 1 Telescopic Rail with 	th Rack				000			
Flexibility to Your Cooking	 1 Standard Rack 								
Oven Capacity at 3.4 cu.ft.	• 14,000 BTU Broil Bu	urner			-				
LR: 5,000 BTU (NG)	CR: 10,000 BTU (NG)	RR: 10,000 BTU (NG)			-	T			
LF: 18,000 BTU (NG)	CF: 10,000 BTU (NG)	RF: 10,000 BTU (NG)			HGS8655UC				
						0000			

HGS8645UC Black Stainless Steel

5,499 6,049



				FREEST		NG RA	NGES-DUAL FUEL
This price list supersedes a	all previous price	lists. Prices list	ed herein do not include app	plicable state or local taxes.			
Model Number	Descripti	on		MAP	MSRP		
All Bosch Indust	rial-Style	Dual-Fuel	Ranges Include t	he Following Features:			
• Powerful 18,00	0 BTU Dua	al Flame	• 1,700 W Bak	e Element	• One	e Haloge	n Light
Burner			• 2,900 W Broi	l Element	• Cata	alytic Cl	ean Cavity
Genuine Europ	ean Conve	ction	• Dishwasher-S	Safe Grates	• Kitc	hen Tim	er
 8 Cooking Mod 	les		• Continuous (Grate Design	• LP (Convers	ion Kit
Sabbath Mode			• Heavy Metal	Knobs	• Elec	trical Su	upply: 20 A, 240 V/208 V
Temperature Pr	robe						
							800 Series
30" Industrial-St	yle Dual F	uel Range					
• 5 Burners		• 2 St	andard Racks				000 - 000
Oven Capacity	at 3.9 cu.f		00 W Convection ment				
LR: 10,000 BTU	U (NG)			RR: 5,000 BTU (NG)			
LF: 5,000 BTU	I (NG)		8,000 BTU (NG) RF: 10,000 BTU (NG)				U HDS8055U
HDS8055U	Stain	less Steel			3,899	4,299	000 2000
HDS8045U	Black	Stainless	Steel		4,299	4,749	
							HDS8045U
36" Industrial-St	yle Dual F	uel Range					
• 6 Burners Addi			elescopic Rail with	n Rack			0 0 0 - 0 0 0 0
		tandard Rack					
Oven Capacity	at 3.7 cu.ft	2,00	00 W Convection ment				
LR: 5,000 BTU	J (NG)	CR: 1	0,000 BTU (NG)	RR: 10,000 BTU (NG)			Т HDS8655U
LF: 18,000 BTU	U (NG)	CF: 10	0,000 BTU (NG)	RF: 10,000 BTU (NG)			and the art is not the

LF: 18,000 BT0 (NG)CF: 10,000 BT0 (NG)RF: 10,000 BT0 (NG)HDS8655UStainless Steel5,7996,399HDS8645UBlack Stainless Steel6,2996,949



HDS8645U

This price list supersedes all previous price lists. Prices liste	d herein do not include applicable state or local taxes.	
Model Number Description		MAP MSRP
All Bosch Induction Slide-In Ranges I	nclude the Following Features:	
 The Bosch Slide-In Range Fits in Any Freestanding Range Cutout 400 W Warming Drawer Touch Control for Easier Operation of the Oven Temperature Conversion for Convection Cooking 2-4 hr Time-Adjustable Self Clean Temperature Probe Extra Large Door Window 	 Star-K Certified 100°-450°F Rear Vent Trim Included 17 Heat Levels A 11" Heating Element Offers 3,700 W of Power Faster than Gas or Electric Easier to Clean and More Efficient SpeedBoost® ChildLock 	 SafeStart 2,000 W Convection Ring Element Genuine European Convection Fast Preheat[™] Large Oven Capacity at 4.6 cu.ft. Recessed 8-Pass 3,800 W Broil Element Powerful 2,400 W 4-Pass Bake Element Electrical Supply: 40 A

30" Induction Slide-In Range

 11 Specialized Cooking 	 Large Oven Capacity at
Modes	4.6 cu.ft.

One Oven Light

LR: 9" @	RR: 11" @
2,200 W/3,700 W (SpeedBoost®)	2,600 W/3,700 W (SpeedBoost®)
LF: 6" @	RF: 6" @
1,400 W/2,200 W (SpeedBoost®)	1,400 W/2,200 W (SpeedBoost®)

HII8057U	Stainless Steel	3,799	4,199	
HII8047U	Black Stainless Steel	3,999	4,399	m

3 Standard Racks

Benchmark® Series

30" Induction Slide-In Range

- QuietClose® Door
- A Full-Extension Telescopic Rack

LR:8" × 9"@

2,200 W/3,600 W (SpeedBoost®)

LF: 8" × 9" @

· Two Oven Lights • Kitchen Timer

HIIP057U

- FlexInduction[®] Cooktop Can Combine Two Cooking Zones into One Continuous Surface
- PowerMove[®]

30" Induction Slide-In Range

RR: 11" @

RF: 6" @

- PotSense
- PreciseSelect[®]
- 1 Telescopic Rack, 2 Standard racks



4,099 4,549

HII8047U

Bosch National Price List – Q3 2024 Job # 20-BSH-0914.2 04/27/2024










800 Series

				SLIDE-I	N RANGES-ELECTRIC
This price list supersedes Model Number	s all previous price lists. Prices Description	listed herein do not include app	plicable state or local taxes.	MAP N	ISRP
	2000.1910.0				
 The Bosch Sli Any Freestand 400 W Warmin Touch Control of the Oven Temperature C Convection Control 	de-In Range Fits in ling Range Cutout ng Drawer I for Easier Operatic Conversion for	 Rear Vent Tri 2,000 W Con Genuine Euro Heavy-Duty N 11 Specialize 	Door Window ied 100°–450° F im Included ivection Ring Element opean Convection Metal Knobs ed Cooking Modes	 4.6 cu. Recess Elemen Powerf Elemen 	Oven Capacity at ft. ed 8-Pass 3,800 W Broil it ul 2,400 W 4-Pass Bake
					800 Series
30" Electric Sli • 2,000 W Conv Element LR: 6" 1,200 W LF: 9"/6' 3,000 W/1,4	@	Standard Racks C: 6" @ W Warming Element	RR: 6" @ 1,200 W RF: 9.5" @ 3,200 W		HE18056U
HEI8056U	Stainless Ste	el		2,399 2,	649
HEI8046U Discontinues Octobe	Black Stainle er	ss Steel		2,599 2,	899 HEI8046U
					Benchmark® Series
 30" Electric Slid QuietClose[®] E Temperature F 	Door • A Probe R	Full-Extension Teles ack wo Oven Lights	scopic • Cook with 6 Elements • 1 Telescopio		



Discontinues November

						SLIDE	-IN RANGES–GAS
This price list supersedes a Model Number	all previous price li Descriptio		d herein do not include app	licable state or local taxes.	MAP	MSRP	
 All Bosch Gas SI The Bosch Slid Any Freestandin 400 W Warming Touch Control of the Oven Temperature Convection Cool 2-4 hr Time-Act Extra Large Do 	e-In Range I ng Range Cu g Drawer for Easier O onversion fo oking Jjustable Se	Fits in utout peration or	 Star-K Certifi Rear Vent Tri Heavy-Duty M Low-Profile C Design Stainless Ste 	ed 100°–450°F m Included Ietal Knobs Continuous Grate el Maintop I Cooking Modes	Coc • Kitc • Larg • 18,0 • 12,5 • LP 0	king hen Tim ge Oven 000 BTU 500 BTU Conversi	dd Flexibility to Your er Capacity at 4.8 cu.ft. Bake Burner Broil Burner on Kit Included upply: 15 A
30" Gas Slide-In	Range						800 Series
• Powerful 18,00 Center Burner	0	• 3 Sta	andard Racks				0.0 Hill 000
LR: 5,000 BTU	(NG)	C. 19	000 BTU (NG)	RR: 5,000 BTU (NG)			4 000
LF: 10,000 BTU	J (NG)	0. 10,		RF: 15,000 BTU (NG)			HGI8056UC
HGI8056UC	Stainle	ess Steel			2,549	2,849	素重素
HGI8046UC	Black \$	Stainless	Steel		2,749	3,049	0 0

 QuietClose® Door Temperature Probe A Full-Extension Telescopic Rack Temperature Probe 	 Two Oven Lights Powerful 20,000 BTU Center Dual-Stacked Burner Designed for Boiling and Low Simr 	Faster	
LR: 5,000 BTU (NG)	C: 20,000 BTU (NG)	RR: 5,000 BTU (NG)	HGIP056UC
LF: 10.000 BTU (NG)	Dual-Stacked	RF: 15,000 BTU (NG)	11011 00000

Benchmark® Series

HGI8046UC

	revious price lists. Prices listed herein do not include a	pplicable state or local taxes.			
Model Number	Description		MAP	MSRP	
 All Bosch Dual-Fue The Bosch Slide-I Any Freestanding 400 W Warming D Touch Control for of the Oven Temperature Conv Convection Cooki 2–4 hr Time-Adjus Extra Large Door Star-K Certified 10 	Range Cutout Frawer Easier Operation Version for ng stable Self Clean Window Heavy-Duty Low-Profile Design • Stainless Stainless • 2,000 W Co • Genuine Eur • Temperature	rim Included Metal Knobs Continuous Grate eel Maintop zed Cooking Modes nvection Ring Element ropean Convection e Probe	Cool • Larg • Rece Elem • Pow Elem • LP C	king e Oven essed 8- nent erful 2,4 nent Conversio	dd Flexibility to Your Capacity at 4.6 cu.ft. Pass 3,800 W Broil 400 W 4-Pass Bake on Kit Included upply: 30 A
30" Dual Fuel Slide • Powerful 18,000 F Center Burner	•	• 3 Standard F	lacks		800 Serie:
LR: 5,000 BTU (N	G) C: 18,000 BTU (NG)	RR: 5,000 BTU (NG)			
LF: 10,000 BTU (N		RF: 15,000 BTU (NG)			
HDI8056U	Stainless Steel		2,949	3,249	HDI8056U
					Benchmark [®] Series
 30" Dual Fuel Slide QuietClose[®] Door A Full-Extension T Rack Temperature Prob Two Oven Lights 	 Kitchen Timer Powerful 20,000 BTU Center Dual-Stacked 	Faster			
LR: 5,000 BTU (N	C: 20,000 BTU (NG)	RR: 5,000 BTU (NG)			HDIP056U
LF: 10,000 BTU (N	IG) Dual-Stacked	RF: 15,000 BTU (NG)			
HDIP056U	30" Dual-Fuel Slide-In Range		3,349	3,699	

This price list super Model Number	sedes all previous price lists. Description	Prices listed herein do not include applicable state or local taxes.	MAP	MSRP								
Accessorie	es for Industrial	Style Ranges			SS		5UC 30"	5UC 30"		30"	30"	36" SS 244
	HEZ9GR41UC	Griddle for Industrial Style Range	229	259			•	•				•
\bigcirc	HEZ9GW23UC	Wok Ring for Industrial Style Range	69	79			•	•	• •	•	•	• •
	HEZ8YZ30UC	9" Low Backguard for 30" Industrial Style Range, Black Stainless Steel	229	259				•			•	
	HEZ8YZ36UC	9" Low Backguard for 36" Industrial Style Range, Black Stainless Steel	239	269					•			•
	HEZ9YZ30UC	9" Low Backguard for 30" Industrial Style Range, Stainless Steel	179	199	•		•			•		
	HEZ9YZ36UC	9" Low Backguard for 36" Industrial Style Range, Stainless Steel	189	209		•			•			•
	HEZ8ZZ30UC	3" Rear Vent Trim Extension for 30" Industrial Style Range, Black Stainless Steel	139	159				•			•	
	HEZ8ZZ36UC	3" Rear Vent Trim Extension for 36" Industrial Style Range, Black Stainless Steel	139	159					•			•
	HEZ9ZZ30UC	3" Rear Vent Trim Extension for 30" Industrial Style Range, Stainless Steel	119	139	•		•			•		
	HEZ9ZZ36UC	3" Rear Vent Trim Extension for 36" Industrial Style Range, Stainless Steel	119	139		•			•			•
	HEZ8YZ04UC	Side Panel Extension Kit for Industrial Style Range, Black Stainless Steel Provides full side coverage extending to rear of range	99	109				•	•		•	

ACCESSORIES

This price list super Model Number	sedes all previous price lists Description	Prices listed herein do not include applicable state or l	ocal taxes. MAP	MSRP								
Accessori	es for Industrial	Style Ranges				Induction		Gas			Dual Fuel	
					30" SS	36" SS	C 30" SS	36" SS	36"	30"	30" BS	36" SS 26" BS
					HIS8055U	HIS8655U	S805	HGS8655UC	S864	S805	S804	HDS8655U
	HEZ9YZ04UC	Side Panel Extension Kit for Industrial Style Range, Stainless Steel Provides full side coverage extending to rear of range	89	99	•	•	•	•		•		•
<u> </u>	HEZ8TK30UC	Range Toe Kick 30", Black Stainless Steel	229	259				•			•	
<u> </u>	HEZ8TK36UC	Range Toe Kick 36", Black Stainless Steel	249	279					•			•
<u> </u>	HEZ9TK30UC	Range Toe Kick 30", Stainless Steel	219	249	•		•			•		
-	HEZ9TK36UC	Range Toe Kick 36", Stainless Steel	239	269		•		•				•
	HEZ8LLUC	Range Feet Premium 30"/36", Black Stainless Steel-Set of 4	149	169				•	•		•	•
	HEZ9LLUC	Range Feet Premium 30"/36", Stainless Steel-Set of 4	79	89	•	•	•	•		•		•
	12029918	Telescopic Extension Rails Industrial Style Ranges, Wire ra *Available only as a service par			•	•	•	• •	•	•	•	•

Model		s. Prices listed herein do not include applicable state or local taxes.						
Number	Description		MAP	MSRP				
Accessori	es for Slide-In F	Ranges			Induction	Electric	Gas	Dual Fuel
0	HEZ298102	Wok Ring–Attaches to Grates	69	79			•	
		Pan with Aluminum Core Optimized for Coo ior Heat Distribution	king with A	utoChef®	•		•	
	HEZ390210	8" Pan for 6" Element	89	99				
•	HEZ390220	9" Pan for 7" Element	99	109	•	•	•	•
0		Pan with Aluminum Core Optimized for Coo ior Heat Distribution 10" Pan for 8" and 9" Elements	king with A 119	utoChef® 139	•	•	•	•
		tion Grill Non-Stick Cast Aluminum with a T Meats, Seafood and Vegetables 17" x 9" Grill Pan	hick Ferrom 249	agnetic Base • 279	•1			
	HEZGR301	Griddle for on Top of Gas Grates	139	159			•	•
	HEZTR301	Gliding Telescopic Rack	279	309	•	•	•	•
	HEZBS301	4" Low Back Accessory for Radiant and Induction Slide-In Ranges	249	279	•	•		
	HGZBS301	4" Low Back Accessory for Gas Slide-In Ranges	219	249			•	
	HDZBS301	4" Low Back Accessory for Dual-Fuel Slide-In Ranges	249	279				•
	HDZIT301	Island Trim Accessory for Use in Dual-Fuel Range Island Applications	249	279				•
	HGZIT301	Island Trim Accessory for Use in Gas Range Island Applications	219	249			•	

¹ FlexInduction® Models Only

OVER-THE-RANGE MICROWAVES

This price list supersedes all previous Model	price lists. Prices listed herein do not include applicable	state or local taxes.
	ription	MAP MSRP
 All Bosch Over-the-Rang Design-Matched for Us Combination with Bosc Cooktop Exclusive Stainless Stee Easy to Read White LC Easy to Use Touch Corr Side-Hinged Door Allo Access to Microwave C 	ch Range or el Handle D Display ttrol ws Full O Utside Venting • Reheat Setting • Potato Program • Automatic Defrost • Popcorn Program	 circulation or Convenient Kitchen Timer Easily Adds 30 Seconds to Cookin Time 10 Microwave Power Levels Plugs into Standard 110 V, 3-Pror Outlet
 30" Over-the-Range Mic Stainless Steel Colored Vent Grid 		 Three-Speed Vent with up to 300 CFM Power Two Surface Lights for Bright Cooktop Illumination
NEW HMV3054U 30	" Stainless Steel	599 699
 30" Over-the-Range Mic Easy-Clean Stainless S Vent Cover 2.1 cu.ft. Large Cavity Capacity 		• Two LED Lights for Bright Cooktop Illumination
HMV5053U 30	" Stainless Steel	649 749
30" Over-the-Range Con	vection Microwave	800 Serie
 Easy-Clean Stainless S Vent Cover 1.9 cu.ft. Large Cavity Capacity NEW HMV8045U 30 		 Two LED Lights for Bright Cooktop Illumination Convection Cooking Full Stainless Steel Cavity 1,049 1,199 949 1,049 HMV8054U

OVER-THE-RANGE MICROWAVES/DRAWER MICROWAVES

This price list supersedes all pre	vious price lists. Pr	ices listed herein do not include applicable sta	te or local taxes.		
Model	Description			AP MSRP	
					Benchmark [®] Series
 30" Over-the-Range Easy-Clean Stainle Vent Cover 1.9 cu.ft. Large Ca Capacity Large 14³/₁₆" Glass Turntable 	ss Steel • • vity	Microwave 8 Sensor Programs Four-Speed Vent with up to 385 CFM Power Two 30 W LED Lights for Bright Cooktop Illumination	 Convection Cookin Full Stainless Stee Heavy-Duty Mesh Ventilation Filter Triple Distribution 	el Cavity	HMVP054U
NEW HMVP054U	30" Stainle	ess Steel	1,04	9 1,199	
					800 Series
 24" and 30" Drawer Touch Control with Display 1.2 cu.ft. Overall C HMD8451UC HMD8053UC Both Discontinue Septemb 	White • Capacity • 24" Drawer 30" Drawer	Microwave Power: 950 W 10 Power Levels Sensor Cooking r Microwave, Stainless Steel r Microwave, Stainless Steel		ntrol	Image: Constraint of the second se
 New hidden contro panel; opens for er visibility Home Connect[®] all for remote monitor and control the dra microwave with Wi- Connectivity 	nhanced . lows ing awer	1.2 cu. ft. overall capacityMicrowave Power 950 W10 Power LevelsSensor Cooking Door	 Opens and Closes Touch Control Can Be Installed F 	-	HMD8454UC
NEW HMD8454UC	24" Drawei	r Microwave	1,94	9 2,149	-
NEW HMD8054UC	30" Drawei	r Microwave	2,04	9 2,299	HMD8454UC
Both Launching Septembe	r				

BUILT-IN MICROWAVES

This price list supersedes all pr Model	evious price lists. Prices listed herein do not include applicable s	tate or local taxes.		
Number	Description	MA	P MSRP	
				800 Series
24" Built-in Microw	ave with Side Swing Door and Trim Kit A	Accessory in 27" or 30"		
• Glass touch contro	• Microwave Power 1,200 W			
white display	10 Power Levels			
• 2.1 cu. ft. overall o	capacity • Sensor Cooking			
• 16 ½" Glass Turnt	able			HMB30155UC w/ HMT5055
				Image not final; May not be
NEW HMB30155UC	24" Microwave, Stainless Steel	69	9 799	true representation
Launching September				
NEW HMT5755	27" Built-In Trim Kit	29	9 329	2006 1
	Standard Microwave, Stainless Steel			
NEW HMT5055	30" Built-In Trim Kit	29	9 329	
	Standard Microwave, Stainless Steel			HMB30155UC w/ HMT5755
				Image not final; May not be true representation
27" and 30" Built-In	Microwave Touch Control with Drop Dov	wn Door		
• LCD Display and L	ED Light • Microwave Power: 950 W	 Sensor Reheat 		
• 1.6 cu.ft. Overall (Capacity • 10 Power Levels	• No Trim Kit Requir	ed	
• 14 1/4" Glass Turnt	able • Sensor Cooking	• Plugs into a Standa	ard	
	-	120 V, 3-Prong Out	let	HMB57152UC
HMB57152UC	27" Microwaya Staiplass Staal	1 //	0 1 500	
110105715200	27" Microwave, Stainless Steel	1,44	9 1,599	
HMB50152UC	30" Microwave, Stainless Steel	1,44	9 1,599	
				•••• HMB50152UC
				FIND301320C

					SPEED OVENS
	ll previous price lists. Prices liste	d herein do not include applicable state or local ta	xes.		
Model Number	Description		MAP	MSRP	
 1.6 cu.ft. Overa Nine SpeedChe	f® Cooking Cycles il and Convection	 following Features: 1,000 W Microwave 1,750 W Broil Element 600 W Bake Element 1,700 W Convection Elemer Kitchen Timer and Panel Lo Setting 	• Cut Sep It • Mu ck • Wal Inst	resistar barate Co lti-Use C ll or Unc tallation	teel Cooking Interior It Metal Turntable and eramic Cooking Tray Oven Rack der Counter Approved (HMC54151UC cannot d under a cooktop)
					500 Series
24" Speed Oven					
• Cooks Faster th Traditional Ove Can Also Be Us Microwave	n and 120 ed as a Plug	trical Connection – V NEMA 5-20 3-Prong tric Load – 20 A			HMC54151UC
HMC54151UC	24" 120 V Spee	d Oven, Stainless Steel	1,949	2,149	1000410100
					800 Series
27" and 30" Spee	ed Ovens				
 Cooks Faster th Traditional Ove Can Also Be Us Microwave LCD Display and 	n and 120 ed as a Plug and d LED Light 240 HMC	trical Connection – • Elec V NEMA 5-20 3-Prong for HMC80152UC HMC87152UC; V Direct Wire for 280252UC and 280242UC	tric Load – 20 A		HMC87152UC
HMC87152UC	27" 120 V Spee	d Oven, Stainless Steel	2,049	2,299	
HMC80252UC	30" 240 V Spee	d Oven, Stainless Steel	2,399	2,649	HMC80152UC
HMC80242UC	30" 240 V Spee	d Oven, Black Stainless Steel	2,449	2,699	
HMC80152UC	30" 120 V Spee	d Oven, Stainless Steel	2,049	2,299	

HMC80242UC

Benchmark® Series

30" Speed Oven Touch Control with TFT Display

- Electrical Connection: 240 V Direct Wire
- Electric Load 16 A
- Installs in Horizontal Configuration Paired with 30" Bosch Single Wall Ovens/ Steam Oven and Warming Drawers

HMCP0252UC

30" Stainless Steel



HMCP0252UC

2,599 2,899

Bosch National Price List – Q3 2024 Job # 20-BSH-0914.2 04/27/2024

500 Series

	sts. Prices listed herein do not include applicable state or local taxes.			
Model Number Descriptic	n	MAP MSRP		
All Bosch 500 Series 24" B	ilt-In Ovens Include the Following Features:			
 Oven Is Perfect for Kitcher Smaller Footprint 	Ensures Even Cooking and Baking	 The DualClean[®] System Uses the Cavity Coating and Heat to Burn 		
 Designed to Be Installed F with Your Cabinetry 	lush Results on Multiple Racks • 10 Oven Modes	Off Most Grease Timer with Cook Time 		
Telescopic Extension RailKnob Control	 Custom Cooking Modes: Pie, Frozen Foods, Defrost, Warm, and Broil Plus 	and Delay Start Function Kitchen Timer 		
 Halogen Light to Better Me Cooking Progress 	• 8-Pass Broil Element	• Capacity at 2.8 cu.ft.		

24" Single Wall Oven, European Convection



Model	vious price lists. Prices listed h Description	erein do not include applicable sta	te or local taxes.	MAP	MSRP	
 All Bosch 500 Serie Heavy-Duty Metal Premium Look and Compatible with M Cut-Outs Designed to Be Inswith Your Cabinetic 	Knobs for a I Feel Most Existing stalled Flush	 s Include the Followin 2, 3, and 4-Hour Sel One Oven Light Kitchen Timer Extra Large Door Windonitoring of Cooking 	If-Clean Cycles	 Larg Rec for 	ge Capa essed 1	ified 100°–450°F city at 4.6 cu.ft. 2-Pass Broil Element ed Capacity and e
						500 Series
 30" Single Wall Ove Thermal Cooking v Bake, Broil, Roast, Warm 	vith • 5 Over					
HBL5351UC	30" Stainless Stee	el		2,099	2,349	0.000
HBL5344UC	30" Black Stainles	ss Steel		2,299	2,549	HBL5351UC
30" Single Wall Ove • Genuine European Convection HBL5451UC	11 OveCustor	en Modes n Cooking Modes: Pie, Warm and Proof	• Temperature for Convectio	on Cook		Image: state stat state state s
 30" Double Wall Ov Thermal Cooking v Bake, Broil, Roast Warm in Both Cavi HBL5551UC Discontinues November 	vith and	-		3,349	3,699	HBL5451UC
						HBL5551UC

BUILT-IN OVENS

Model Number	Description		MAP MSRP	
				500 Serie
30" Double Wall	Oven, Europe	ean Convection (Upper Cavity)		
 Genuine Europ Convection in l 11 Upper Oven 	Jpper Oven	 Custom Cooking Modes Upper Oven: Pizza, Pie, Warm and Proof Thermal Cooking with Bake, Broil, Roast and Warm in Lower Oven 	 Temperature Conversion for Convection Cooking in Upper Oven 	e nex
HBL5651UC	30" Stair	ıless Steel	3,749 4,149	HBL5651UC
80" Microwave C	ombination O	Ven		
 Combination O Featuring a Mic Wall Oven with Steel Knobs 	crowave and	 1.6 cu.ft. Capacity Microwave with Drop Down Door and LCD Display 	 Genuine European Convection in Lower Oven 	E mor
HBL57M52UC	30" Stair	iless Steel	3,999 4,399	HBL57M52UC
				110L01 M02 00
30" Speed Comb Combination O Featuring a Spe and Wall Oven Duty Metal Kno	ven eed Oven with Heavy-	• The Upper Speed Oven Functions as a Microwave and Convection Oven So You Have Flexible Cooking Options	 Speed Oven: For Additional Details Please Review SKU HMC80152UC page 6-4 Genuine European Convection in Lower Oven 	
HBL5754UC	30" Stair	lless Steel	4,699 5,199	

HBL5754UC

						BUILI-IN OVENS
	evious price lists. Prices liste	d herein do not include applicable stat	e or local taxes.			
Model Number	Description			MAP	MSRP	
 All Bosch 800 Series QuietClose® Door A Full-Extension Te Designed to Be Inswith Your Cabinetr Compatible with W Cut-Outs 11 Oven Modes Custom Cooking M Warm and Proof Genuine European 	elescopic Rack stalled Flush Y Most Existing Modes: Pizza, Pie,	 nclude the Following Fe Temperature Converse Convection Cooking Touch Control with Se Buttons Makes Operate Easier Temperature Probe Temperature Probe Temp	sion for steelTouch™ ating the Oven akes poking es Preheat	 Time Start Extra Moni Star- Large Rece for Ir 	Functio Large I toring o K Certifi e Capac ssed 12	cook Time and Delay on Door Window for Easy of Cooking Process ied 100°–450°F ity at 4.6 cu.ft. -Pass Broil Element d Capacity and
						800 Series
 27" Single Wall Ove Recessed 8-Pass E Element for Increa Capacity and Safe HBN8451UC 	Broil ased ty	Oven, Stainless Steel		2,949	3,249	HBN8451UC
 30" Single Wall Ove Home Connect® Ference Remotely Monitor Control the Wall C Wi-Fi Connectivity HBL8443UC 	eatures. and Oven with	Oven, Black Stainless S	iteel	3,249	3,599	HBL8443UC
 30" Single Wall Ove The Bosch Wall Ove Combines Your Fav Tools into One App It's an Air Fryer, Co Oven, Roaster, Dou Proofer and More 	ven • Air F vorite Food bliance. with porvection	Try Mode Quickly Cooks ds to Crisp Perfection out Added Oil	Home Connec Remotely Mor Control the W Wi-Fi Connec	nitor and /all Over	ł	
HBL8454UC	30" Single Wall with Air Fry	Oven, Stainless Steel		3,099	3,449	HBL8454UC

This price list supersedes Model	all previous price lists	Prices listed herein do not include applicable stat	te or local taxes.			
Number	Description			MAP	MSRP	
						800 Serie
30" Single Wall	Ovens SideOp	ening Door				
 SideOpening I Better Ergonor to the Oven Ca The Bosch Sid Door Wall Over Your Favorite T One Appliance 	mic Access avity eOpening n Combines Fools into	Fryer, Convection Oven, Roaster, Dough Proofer and MoreAir Fry Mode Quickly Cooks Foods to Crisp Perfection without Added Oil	• Home Connect Remotely Moni Control the Wa Wi-Fi Connecti	tor an all Ove	d	
HBL8444LUC	30" Sing	le Wall Oven, Right SideOpening	HBL8444LUC	3.499	3,849	HBL8444RUC
HBL0444LUC	-	ainless Steel	, Dool,	5,433	3,049	
Discontinues Septen	nber					
HBL8444RUC	-	le Wall Oven, Left SideOpening ainless Steel	Door, S	3,499	3,849	
Discontinues Septen	nber					

30" Double Wall Oven

- 11 Upper Oven Modes
- 5 Lower Oven Modes
- Genuine European Convection in Upper Oven
- Thermal Cooking with Bake, Broil, Roast and Warm in Lower Oven



HBN8651UC

HBL8651UC

HBL8642UC

Model Number	Description	MAP MSRP
		800 Se
30" Microwave Con	nbination Oven	
Home Connect® F Remotely Monitor Control the Lowe Wall Oven with W Connectivity	r and Oven Featuring a Microwave and Wall	 1.6 cu.ft. Capacity Microwave with Drop Down Door and LCD Display 11 Lower Oven Modes
HBL87M53UC	30" Stainless Steel	4,499 4,949
30" Speed Combina	ation Oven	
Home Connect® F Remotely Monitor Control the Lowe Wall Oven with W	eatures. • Combination Oven and Featuring a Speed O and Wall Oven with	 Speed Oven: For Additional Details Please Review SKU HMC80252UC (page 6-4)
Connectivity	• Speed Oven Cooks F than a Traditional Ov	ren
		HBL8753UC HBL8743UC

 HBL8753UC
 30" Combo, Stainless Steel
 5,349
 5,899

 HBL8743UC
 30" Combo, Black Stainless Steel
 5,649
 6,249

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

MAP MSRP

All Bosch Benchmark® Series Built-In Ovens Include the Following Features:

- QuietClose® Door Dampened Hinges Softly and Quietly Guide the QuietClose® Door Shut
- The Color TFT Control Panel with SteelTouch™ Buttons Is Easy to Use
- A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity
- Designed to Be Installed Flush with Your Cabinetry
- Compatible with Most Existing
 Cut-Outs

- 13 Specialized Cooking Modes Gourmet Cooking Made Easy
- Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof
- Genuine European Convection
- Temperature Conversion for Convection Cooking
- Fast Preheat[™] Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles
- EcoChef Mode Remaining Heat in Cavity Finishes Cooking Process

- AutoProbe Takes the Guesswork Out of Cooking
- Two Halogen Lights Provide Superior Cavity Illumination
- Timer with Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Two Separate Time Intervals Can Be Programmed
- Large Capacity at 4.6 cu.ft.

Benchmark[®] Series

30" Single Wall Oven SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- Recessed 12-Pass Broil Element for Increased Capacity and Performance





HBI P451LUC

HBLP451RUC

HBLP451RUC	30" Stainless Steel, Right SideOpening	Door 3,599	3,999	
HBLP451LUC	30" Stainless Steel, Left SideOpening [000r 3,599	3,999	
30" Single Wall (• The Bosch Wall Combines Your Tools into One It's an Air Fryer Convection Ove Dough Proofer	Oven Favorite Appliance. Appliance, Applianc			
HBLP454UC	30" Single Wall Oven, Stainless Steel with Air Fry	3,399	3,749	HBLP454UC

Benchmark® Series

Model	
Number Description MAP	MSRP

30" Double Wall Oven SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- AutoProbe in the Upper Oven Takes the Guesswork Out of Cooking
- Recessed 12-Pass Broil Element for Increased Capacity and Performance



HBLP651RUC

HBLP651UC

HBLP651RUC	30" Stainless Steel, Right SideOpening Door	5,349	5,899
HBLP651LUC	30" Stainless Steel, Left SideOpening Door	5,349	5,899
HBLP651UC	30" Stainless Steel	4,799	5,299

30" Steam Convection Oven

- The Only Steam Convection Oven in Its Class that Installs Flush, for a European Kitchen Design
- Steam Convection Cooking Cooks Crispy Outside, Tender Inside
- Steam Cooking Maintains Your Vegetables' Nutrients, Flavors and Color
- Designed to Fit Perfectly Above a Warming Drawer or Storage Drawer

- The Color TFT Control Panel with SteelTouch™ Buttons Is Easy to Use
- Installs Horizontally for Perfect Alignment with Speed or Steam Oven
- One Halogen Light
- Genuine European
 Convection
- Features Vegetable and Chicken Programs: Oven Automatically Sets Temperature and Humidity
- Perfect Reheating

• Timer with Cook Time and Delay Start Function

HBLP651LUC

- 1 Rack, 2 Perforated and 2 Non-Perforated Pans Are Included
- Non-Plumbed for Easy Installation
- Steam Assist Clean
- 1.4 qt. Water Tank Can Be Used for an Entire Cooking Cycle
- Child Lock
- Large Capacity at 1.4 cu.ft.



Benchmark® Series



HSLP451UC

	revious price lists. I	Prices listed herein do not include applicable sta	te or local taxes.	
Model Number	Description		MAP MSRP	
				Benchmark [®] Series
30" Steam Convect	ion Combin	ation Oven		
 Combination Over Featuring a Steam Convection Oven Steam Oven Cook Vegetables, Rice, Perfection 	s Meats,	• Steam Convection Oven: For Additional Details Please Review SKU HSLP451UC (page 7-8)	 Recessed 12-Pass Broil Element for Increased Capacity and Performance 	2.00
HSLP751UC	30" Stain	less Steel	7,199 7,949	
Discontinues November				U NOR HSLP751UC
30" Speed Combina	ation Oven v	with TFT Display		
 Combination Over Featuring a Speed 		• Speed Oven Cooks Faster than a Traditional Oven	 Recessed 12-Pass Broil Element for Increased 	
		• <i>Speed Oven:</i> For Additional Details Please Review SKU HMCP0252UC (page 6-4)	Capacity and Performance	
		less Steel	5,649 6,249	
HBLP752UC	30" Stain			-

WARMING DRAWERS/ACCESSORIES

•

279


309

This price list supersedes a Model	all previous price lis	ts. Prices listed herein do not include applicable s	tate or local taxes.		
Number	Description		MAP MSRP		
				5	00 Series
27" and 30" War	ming Drawe	rs			
 Keeps Meals He Designed to Ma Perfectly Flush Bosch Wall, Sp Steam Oven 3 Settings to Ke Hot and Ready Installs Vertical Bosch Speed, S Wall Oven 	atch the Fit of a eed or eep Meals to Serve Ily under	 Matches Bosch Built-In Products Install Either Flush or Proud 450 W Heating Element Concealed Below Drawer Special Dough Proofing Mode Sturdy Ball Bearing Telescopic Rails for Smooth Opening 	 Star-K Certified 1 Hour Automatic Shut Off Function with Adjustable Timer 2.2 cu.ft. Large Cavity (1.9 cu.ft. for 27") Lower Side Walls Allow Easy Loading and Unloading of Drawer 	HWD5051UC	
HWD5751UC	27" Sta	inless Steel	1,449 1,599		
Discontinues Novemb	er				
HWD5051UC	30" Sta	inless Steel	1,499 1,649		
Accessories fo	or Ovens			30" Single Wall Ovens	30" Double Wall Ovens
		elescopic Rack Ball Bearing Fu All Rack Support Levels • Conve	Ill Extension Telescopic Racks nient Handling • Easy to Operate		

• Available as Separate Accessory for Even More Convenience

30" Telescopic Rack

HEZTR301



NIT5660UC 36" Induction, Black, Stainless Steel Frameless

2,349 2,599

INDUCTION

This price list supersedes all p Model Number	revious price lists. Prices listed herein do not include applicable Description	e state or local taxes. MAP	MSRP
			800 Series
30" Induction Cook	top		
 Home Connect[®] 	• An 11" Heating Element	 Hood Control with 	
 AutoChef[®] 	Offers 3,600 W of Power	Home Connect [®] enab	oled
	 PreciseSelect[®] 	ventilation • 30 A Breaker	and the second second
LR: 9" @ _2,200 W/3,600 W (Spee	RR: 11" @ dBoost®) 2,600 W/3,600 W (SpeedBoost®)		NIT8060SUC
LF: 6" @ 1,400 W/2,200 W (Spee	LF: 6" @ dBoost®) 1,400 W/2,200 W (SpeedBoost®)		
NIT8060SUC	30" Induction, Black, Stainless Steel	Frame 2,399	2,649
NIT8060UC	30" Induction, Black, Frameless	2,349	2,599 NIT8060UC
 36" Induction Cook Home Connect[®] AutoChef[®] 	top • Dual 12" Heating Element with Powerful 5,400 W • PreciseSelect®	 Hood Control with Home Connect[®] enab ventilation 40 A Breaker 	oled
LR: 7" @ 1,800 W/3,100 W (Spee LF: 7" @ 1,800 W/3,100 W (Spee	3,600 W/5,400 W (SpeedBoost®) 2,200 W/3,300 W (SpeedBoost®)	RR: 6" @ 0 W/2,200 W (SpeedBoost®) RF: 9" @ 0 W/3,600 W (SpeedBoost®)	
NIT8660SUC	36" Induction, Black, Stainless Steel	Frame 2,799	3,099 <i>NIT8660UC</i>

INDUCTION

This price list supersedes all previous price Model	lists. Prices listed herein do not include applica	ble state or local taxes.	
Number Descripti	on	MAP MSRP	
			Benchmark [®] Series
30" Induction Cooktop			
 Home Connect[®] AutoChef[®] An 11" Heating Element 	 Hood Control Hood Control with Home Connect[®] Enabled Ventilation 	 PowerMove™ Divides FlexInduction® Into 3 Preset Power Level Zones— Simply Move Your Pot to 	المربع معتملهم الرار
Offers 3,600 W of Power	 FlexInduction[®] Can Combine Two Cooking Zones into One Continuous Surface 	• 30 A Breaker	NITP060SUC
Full Zone: 16"x9" @	LR: 8"x9" @ 2,200 W/3,600 W (SpeedBoost®)	RR: 11" @ 2,600 W/3,600 W (SpeedBoost®)	
3,300 W / 3,600 W (SpeedBoost®)	LF: 8"x9" @ 2,200 W/3,600 W (SpeedBoost®)	RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)	NITPO6OUC
NITP060SUC 30" In	duction,	2,849 3,149	
Black	with Stainless Steel Frame		
NITP060UC 30" In	duction, Black, Frameless	2,849 3,149	
36" Induction Cooktop			
 Home Connect[®] AutoChef[®] Dual 12" Heating Element with Powerful 3,600 W 	 FlexInduction[®] Can Combine Two Cooking 	Preset Power Level Zones– Simply Move Your Pot to Change the Power Level	میں میں اور می اور اور میں اور
	Zones into One Continuous Surface	• 50 A Breaker	NITP660SUC
Full Zone: 14"x8" @ 3,300 W / 3,600 W (SpeedBoost®) LR: 7"x8 2,200 W/3,6 (SpeedBoost®) LF: 7"x8 2,200 W/3,6 (SpeedBoost®)	"@ C: 12"/9" @ RR: 7 500 W C: 12"/9" @ 2,200 W 505 0 3,400 W/3,600 W (Spee (SpeedBoost®) 2,200 W/3,300 W RF: 7 500 W (SpeedBoost®) 2,200 W	7" x 8" @ V/3,600 W dBoost®) 7" x 8" @ V/3,600 W V/3,600 W dBoost®) Full Zone: 14" x 8" @3,300 W / 3,600 W (SpeedBoost®)	NITP660UC
	duction Cooktop with Stainless Steel Frame	3,449 3,799	Q
NITP660UC 36" Ir	duction Cooktop, Black, Fram	neless 3,399 3,749	

Model Number	Description		MAP MSR	P
 All Bosch Radiant Current and Resignation for Eac Easy to Clean President 	dual Heat ch Element	nclude the Following Feature • Dual-Ring Heating Multiple Pan Sizes s	Element for • See All Pa	an Accessories on
				500 Serie
24" Knob Control,	Frameless	Design		*
 4 Elements 		 8" Heating Element with 		$() \bigcirc$
• Knob Controls fo		Powerful 2,200 W		\sim
Precision Cookin	g	• 30 A Breaker		
				NEM5466UC
LR: 8" @ 2,200 W		RR: 6" @ 1,200 W		
LF: 6" @				
1,850 W		1,800 W		
NEM5466UC	24" Radi	ant Cooktop	949 1,04	9
Discontinues September			0-10 1,0-1	•
·				
30" Knob Control,		-		*
• Dual Element for Different Pan Size		Precise Temperature Control for Better Results	 9" Heating Element with Powerful 2,500 W 30 A Breaker 	
	1			NEM5066UC
LR: 7" @ 1,800 W		RR: 6" @ 1,200 W		
LF: 7"/5" @		RF: 9" @		
1,700 W/700 V	N	2,500 W		
NEM5066UC	30" Radi	ant Cooktop	1,049 1,19	9
36" Knob Control,	Frameless	Design		* ~ ~ ~
		 Infinite Temperature 	• 9" Heating Element with	
Capability to Use		Controls for Precision	Powerful 2,500 W	\tilde{a}
Pan Sizes		Cooking	• 40 A Breaker	
	ı			NEM5666UC
LR: 7" @ 1,800 W		C: 7" @ 1,800 W	RR: 6" @ 1,200 W	
LF: 7"/5" @		1,000 ₩	RF: 9"/6" @	
1,700 W/700 V	N		2,500 W/1,100 W	
		ant Caalitan	4 000 4 44	0
NEM5666UC	30" Kad	ant Cooktop	1,299 1,44	3

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Discontinues September

Model	price lists. Prices listed herein do not include applicable		
Number Desc	cription	MAP MSRP	
			800 Serie
 30" Cooktop with or with PreciseSelect[®] Front and Back Stainle Steel Frame Bridge Element Dual Element 	thout Stainless Steel Frame • SpeedBoost® • 2-Level Heat Indicator • Childproof Panel Lock	 Built-In Timers for Each Element: Doubles as General-Purpose Kitchen Timer 40 A Breaker 	NET8069SUC
LR: 7" @ 1,800 W (400 W Bridge) LF: 7" @	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	RF: 6" @	
1,800 W		1,200 W	atta 🗸
NET8069SUC 30	" Radiant, Black, Stainless Steel F	rame 1,599 1,799	NET8069UC
Discontinues November			
NET8069UC 30	" Radiant, Black, Frameless	1,499 1,649	
36" Cooktop with or wit	thout Stainless Steel Frame		
 PreciseSelect[®] Front and Back Stainle Steel Frame Bridge Element 2 Dual Elements 	 SpeedBoost[®] Clean Lock 2-Level Heat Indicator ChildLock 	 Built-In Timers for Each Element: Doubles as General-Purpose Kitchen Timer 50 A Breaker 	NET8669SUC
LR: 7" @ 1,800 W (400 W Bridge)	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	RR: 6" @ 1,200 W	
LF: 7" @ 1,800 W		RF: 8"/5" @ 1,900 W/800 W	$0 \sim 0$
NET8669SUC 36 Discontinues November	" Radiant, Black, Stainless Steel F	rame 1,549 1,749	NET8669UC

NET8669UC 36" Radiant, Black, Frameless 1,549 1,749

Number Desc	ription	MAP MSRF)
			Benchmark [®] Serie
 30" Five Element Cookta Front and Back Stainle Steel Frame 2-Zone 9" Heating Elen with Powerful 3,600 W Element Dual Element Left Fror with AutoChef[®] SpeedBoost[®] AutoChef[®] 	ss • PowerStart® Heats Up Cooking Zone Using the Highest Power Level ar Then Automatically Adj to the Selected Ongoin Cooking Setting	e • Clean Lock usts • 2-Level Heat Indicator • Childproof Panel Lock • 40 A Breaker d	NETPO69SUC
 PreciseSelect[®] LR: 6" @ 	Kitchen Timer	RR: 6" @	
AutoChef® LF: 7"/5" @ 2,000 W/800 W	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	RF: 6" @ 1,500 W	
	' Radiant ick with Stainless Steel Frame	1,549 1,749)
 36" Triple Ring AutoChe Front and Back Stainle Steel Frame 3-Zone 11" Heating Element with Powerful 3,080 W Element with AutoChef[®] Bridge Element 	ss • PowerStart® Heats Up Cooking Zone Using th Highest Power Level ar	e • CountUp Timer nd • Clean Lock usts	NETP669SUC
AutoChef® PreciseSelect®	Suitable for Melting Chocolate or Butter an for Keeping Food Warm	1	
LR: 7" @ 1,800 W (400 W Bridge) LF: 7" @ 1,800 W	AutoChef® C: 11"/8"/6" @ 3,080 W/2,200 W/1,050 W	RR: 6" @ 1,200 W RF: 8"/5" @ 1,900 W/800 W	
NETP669SUC 36	' Radiant ick with Stainless Steel Frame	1,649 1,849	•

Discontinues November

	s price lists. Prices listed herein do not include app	olicable state or local taxes.		
Model Number Des	cription		MAP MSRP	
All Bosch Gas Cooktop	os Include the Following Featur	es:		
• Front-Center Controls	• Continuous C	ast Iron Grates	• LP Kit Inclu	ded
High Efficiency Gas B		ermocouple shuts off s extinguished	• See All Pan Page 8-10.	Accessories on
				500 Series
24" Gas Cooktop				
 4 Burners 	Stainless-Look Metal		ners for Easier	Q = Q
• 10.3K BTU Max	 LED "On" Indicator L 	ight Cleanup		
• Ideal for Kitchens wit Smaller Footprint	h a • Low Profile Stainless Design for Easy Clear			NGM5453UC
LR: 6,000 BTU	RR: 10,300 BTU			
LF: 6,000 BTU	RF: 3,400 BTU			
NGM5453UC 24	4" Gas Cooktop, 4 Burners, Sta	inless Steel	999 1,099	
30" Gas Cooktop				32 - 72
• 5 Burners	Stainless-Look Metal		ners for Easier	S2 74 52
• 16K BTU Max	 LED "On" Indicator L 	ight Cleanup		
 OptiSim[®] Burner 	 Low Profile Stainless Design for Easy Clear 			NGM5059UC
LR: 6,000 BTU	C: 16,000 BTU	RR:10,300 BTU		
LF: 3,400 BTU		RF: 6,000 BTU		
NGM5059UC 3	0" Gas Cooktop, 5 Burners, Sta	inless Steel	1,099 1,249	
36" Gas Cooktop				
• 5 Burners	Stainless-Look Metal		ners for Easier	1527452
• 16K BTU Max	 LED "On" Indicator L 	ight Cleanup		7든 34 등 문
 OptiSim[®] Burner 	 Low Profile Stainless Design for Easy Clear 			NGM5659UC
LR: 6,000 BTU	C: 16,000 BTU	RR:10,300 BTU		
LF: 3,400 BTU	C: 10,000 BT0	RF: 6,000 BTU		
NGM5659UC 3	6" Gas Cooktop, 5 Burners, Sta	inless Steel	1,249 1,399	

Number	Description	MAP	MSRP
			800 Serie
30" Gas Cooktop			
 5 Burners 	 Dual-Ring Power Bu 	rner • Dishwasher-Safe Grates	s 🖸 🕹 🖸
 FlameSelect[®] 	 OptiSim[®] Burner 	 Residual Heat Indicatio 	
(9 Power Levels)	 LED Light Line Knok)	
• 17K BTU Max	Illumination		NGM8059UC
LR: 6,000 BTU	C: 17,000 BTU	RR: 10,300 BTU	() FlameSelect
LF: 3,400 BTU	С: 17,000 ВТО	RF: 6,000 BTU	BE SKY
NGM8059UC	30" Gas Cooktop, 5 Burners, St	tainless Steel 1,549 1	,749
LR: 5,000 BTU		RR: 10,300 BTU	NGM8049UC
LF: 3,400 BTU	C: 17,000 BTU	RF: 5,000 BTU	() FlameSelect
NGM8049UC	30" Gas Cooktop, 5 Burners Black with Black Stainless Kno	1,649 1 bs	,849
36" Gas Cooktop			
 5 Burners 	 Recessed Burner Ar 	eas • Automatic Re-Ignition	
• 19K BTU Max	 Black Stainless Met Knobs 	al • Red LED Lights Indicat Burners Are On	e
LR: 9,300 BTU	C: 19,000 BTU	RR: 5,500 BTU	NGM8646UC
LF: 9,300 BTU	С: 19,000 ВТО	RF: 9,300 BTU	
NGM8646UC	36" Gas Cooktop, 5 Burners, Black with Black Stainless Kno	1,549 1,74 bs	49
Legacy			
36" Gas Cooktop			
• 5 Burners	• Dual-Ring Power Bu	rner • Dishwasher-Safe Grates	s States
 FlameSelect[®] 	 OptiSim[®] Burner 	 Residual Heat Indicatio 	
(9 Power Levels)	 LED Light Line Knob)	25 25
• 17K BTU Max	Illumination		NGM8659UC
LR: 6,000 BTU		RR: 10,300 BTU	() FlameSelect
LF: 3,400 BTU	C: 17,000 BTU	RF: 6,000 BTU	
		I	

Model Number Description		MAP MSRP	
 30" Gas Cooktop 5 Burners FlameSelect® (9 Power Levels) 18K BTU Max Bosch Exclusive Dual-Ring Power Burner 	 OptiSim[®] Burner LED Power Level/Residuation Display Digital Display Indicating Selected Power Level 	 Dishwasher-safe Grates 	Benchmark® Serie Serie Serie MGMP059UC C FlameSelect
LR: 6,000 BTU		RR: 10,300 BTU	
LF: 3,400 BTU	C: 18,050 BTU	RF: 6,000 BTU	
NGMP059UC 30" Gas	Cooktop, 5 Burners, Stainle	ess Steel 1,899 2,099	
	 OptiSim® Burner Smooth Glass Cooking Surface Electronic Ignition Flame Failure Safety Device C: 14,300 BTU Cooktop, 5 Burners, mpered Glass 	 Install Flush or Surface Mounted Stainless Steel Appearance Knobs Dishwasher-safe Grates RR: 10,300 BTU RF: 6,000 BTU 1,899 2,099 	<i>NGMP077UC</i> ✔ FlameSelect
 36" Gas Cooktop 5 Burners FlameSelect® (9 Power Levels) 18K BTU Max Bosch Exclusive Dual-Ring Power Burner 	 OptiSim[®] Burner LED Power Level/Residua Heat Indication Display Digital Display Indicating Selected Power Level 	 Dishwasher-safe Grates 	NGMP659UC
LR: 6,000 BTU	C: 18,050 BTU	RR: 10,300 BTU 	

GAS/ACCESSORIES

Model Number	Description		MAF	P MSRP						
					Be	enc	hm	nar	k® S	erie
Levels) • 14.3K BTU • Bosch Exc Power Bur	ect® (9 Power J Max clusive Dual-Ring rner	 OptiSim[®] Burner Smooth Glass Cooking Surface Electronic Ignition Flame Failure Safety Device 	 Install Flush or Sur Mounted Stainless Steel App Knobs Dishwasher-safe Gr 	earance	NG.		770			
	5,000 BTU	C: 14,300 BTU	RR: 10,300 BTU							
	3,400 BTU		RF: 6,000 BTU							
NGMP677U		Cooktop, 5 Burners, mpered Glass	2,049	2,299						
Discontinues N	ovember									
	es for Cooktops	•				ool				etops
\bigcirc	, HEZ298107	• Wok Ring for FlameSelect® Gas Coo	69 sktops	79	Induction		Mainline Gas	 Benchmark Gas 	30"	36"
\bigcirc	1	Wok Ring		79 79			Mainline Gas	Benchmark Gas		
	HEZ298107 HEZ9GW23UC Stainless Steel	Wok Ring for FlameSelect® Gas Coo Industrial-Style Wok Ring	oktops 69 ptimized for Cooking with	79			Mainline Gas	Benchmark Gas		
	HEZ298107 HEZ9GW23UC Stainless Steel	Wok Ring for FlameSelect® Gas Coo Industrial-Style Wok Ring for 30" Gas Rangetop Pan with Aluminum Core O	oktops 69 ptimized for Cooking with	79			Mainline Gas	Benchmark Gas		
	HEZ298107 HEZ9GW23UC Stainless Steel AutoChef® Element	Wok Ring for FlameSelect® Gas Coo Industrial-Style Wok Ring for 30" Gas Rangetop Pan with Aluminum Core O ent • Superior Heat Distributio	oktops 69 ptimized for Cooking with on	79 99			Mainline Gas	Benchmark Gas		
	HEZ298107 HEZ9GW23UC Stainless Steel AutoChef® Eleme HEZ390210 HEZ390220 Stainless Steel	Wok Ring for FlameSelect® Gas Coo Industrial-Style Wok Ring for 30" Gas Rangetop Pan with Aluminum Core O ent • Superior Heat Distributio 8" Pan for 6" Element 9" Pan for 7" Element Pan with Aluminum Core O ent • Superior Heat Distributio	ptimized for Cooking with on 89 99 ptimized for Cooking with on	79 99 109			Mainline Gas	Benchmark Gas		
	HEZ298107 HEZ9GW23UC Stainless Steel AutoChef® Eleme HEZ390210 HEZ390220 Stainless Steel	Wok Ring for FlameSelect® Gas Coo Industrial-Style Wok Ring for 30" Gas Rangetop Pan with Aluminum Core O ent • Superior Heat Distribution 8" Pan for 6" Element 9" Pan for 7" Element Pan with Aluminum Core O	ptimized for Cooking with on 89 99 ptimized for Cooking with on	79 99 109			Mainline Gas	Benchmark Gas		

¹ For FlameSelect® NGMP077UC, NGMP677UC Models Only

2 FlexInduction® Models Only

	sedes all previous price lists.	Prices listed herein do not include applicable state or local taxes.								
Model Number	Description		MAP	MSRP						
Accessori	es for Cooktops				С	ool	ktoj	os	Rang	etops
	1				Induction	Radiant	Mainline Gas	Benchmark Gas	30"	36"
	HEZ9GR41UC	Industrial-Style Griddle for 30" and 36" Gas Rangetops	229	259					•	•
	HEZ9GR58UC	Griddle Plate for Gas Cooktops	229	259			•	•		
	HEZ7YZ30UC	9" Stainless Steel Low Backguard for 30" Gas Rangetop	199	219					•	
	HEZ7YZ36UC	9" Stainless Steel Low Backguard for 36" Gas Rangetop	209	229						•

RANGETOPS

Model	ice lists. Prices listed herein do not include appli	icable state or local taxes.				
Number Descri	ption		MAP MSRP			
All Bosch Gas Rangetops	Include the Following Featur	'es:				
• 18K BTU Max	 Porcelain Enan 	neled Cooking Surface	 Dishwasher 	 Dishwasher-Safe Grates 		
 OptiSim[®] Burner 	 Large Metal Co 	Large Metal Control Knobs		 Electronic Ignition 		
• High Efficiency Burners	 Up-Front Centre 	Up-Front Centralized Controls		 Flame Supervision Device 		
Industrial-Style Design	Continuous Su	Continuous Surface Cast Iron Grates		ded		
				800 Series		
30" Gas Rangetop						
• 18K BTU Dual Flame Ring Burner	• Two 12K BTU Large Bu	Two 12K BTU Large Burners SK BTU Opti Simmer Burn				
LR: 12,000 BTU	RR: 5,000 BTU			RGM8058UC		
LF: 12,000 BTU	RF: 18,000 BTU					
RGM8058UC 30"	Gas Rangetop, 4 Burners, Sta	inless Steel	3,149 3,499			
36" Gas Rangetop						
 Two 18K BTU Dual Flan Ring Burners 	• Three 12K BTU Large Burners	 5K BTU Opti Burner 	Sim [®] Simmer			
LR: 12,000 BTU	CR: 12,000 BTU	RR: 5,000 BTU		RGM8658UC		
LF: 18,000 BTU	CF: 12,000 BTU	RF: 18,000 BTU	_			
RGM8658UC 36"	Gas Rangetop, 6 Burners, Sta	inless Steel	3,649 4,049			

UNDER-CABINET HOODS

NEW DUHP0853UC		nless Steel, 800 CFM Blower	1 640	1,849	0
 30" and 36" Professional-Style Under-Cabinet Hood 18" Height / 23" Depth 2 LED Lights 2 LED Lights Dishwasher Safe Aluminum Mesh Filters with Stainless Steel Covers 800 CFM 		 Ducted or Convertib Non-Ducted Operatio Ducting - 7" Round (Vertical) Home Connect[®] 		Benchmark Series	
NEW DUH86553UC Launching September	36" Stai	nless Steel, 600 CFM Blower	1,549	1,749	
NEW DUH80553UC	30" Stai	nless Steel, 600 CFM Blower		1,649	
 30" and 36" Profes 11" Height / 23" Professional Styl Touch Control w Backlite – 4 Spec 600 CFM 	Depth ing th LED	e Under-Cabinet Hood • 2 LED Lights • Dishwasher Safe Aluminum Mesh Filters with Stainless Steel Covers	 Ducted or Convertib Non-Ducted Operatio Ducting - 7" Round (Vertical) Home Connect[®] 		800 Series
Launching September	50 Stan	iless Steet, Sou Crivi Blower	129	049	
NEW DUH30253UC		nless Steel, 300 CFM Blower nless Steel , 300 CFM Blower	649 729	749 849	
 30" and 36" Under 5" Height / 21" D Slim-Line Styling 3-Speed Control Knobs 	epth	ood • 300 CFM • 2 LED Lights • Dishwasher Safe Aluminum Mesh Filters	 Ducted or Convertib Non-Ducted Operation 7" Round (Vertical) and 3 ¼" x 10" Rectangue (Horizontal) 	on and	300 Series
	Description		MAP	MSRP	

This price list su Model Number	persedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Description	MAP	MSRP				
Accesso	ries for Under-Cabinet Hoods				C	DUH	
				30	00	80)0/
				Se	ries	Benc	hmark
				30"	36"	30"	36"
	NEW HEZVEUD301 30" 300 Series Recirculation Filter Kit - 2 Pack	69	79	•			
	NEW HEZVEUD361 36" 300 Series Recirculation Filter Kit - 2 Pack	79	89		•		
	NEW HEZVEUD302 30" 800/Benchmark Series Recirculation Filter Kit - 2 Pack	109	119			•	
	NEW HEZVEUD362 36" 800/Benchmark Series Recirculation Filter Kit - 2 Pack	119	139				•

ISLAND HOODS/ACCESSORIES

This price list supersedes all p Model	previous price lis	ts. Prices listed herein do not include applicable sta	te or local taxes.	
Number	Descriptior	1	MAP MSRP	
				800 Series
Slim Profile Box C	anopy Isla	nd Hood		BEERE
• 600 CFM		• Four 20 W Halogen Lights	 Backdraft Damper and 	26480
 Four-Speed Elect 	ronic	 Three Anodized Aluminum 	Transition Included	
Control with White and		Mesh Filters with Stainless	Recirculation Kit Available	-
Red LCD Display		Steel Bosch Design Covers and Metal Latch	as an Accessory	1 Allandor
Kitchen TimerClean Filter Reminder		 Vertical Ducting with 8" Round Duct 	 Extension Kit for Ceilings 9' to 11' 6" Available as an 	HIB82651UC
			Accessory	
Auto On/Heat Se	nsor		2	
HIB82651UC	42" Isla	and Hood, 600 CFM	2,299 2,549	
A		da		
Accessories for	Island H	0005		HIB

				42"
 Island Hood Extension Kit				
• Fits Ceilings F to 11' 6" in He				
HCIEXT5UC	Island Hood Extension Kit	539	599	
HCREC5UC	Box/Pyramid/Glass Canopy Chimney Hood Recirculation Kit	119	139	•
HIREC5UC	Island Hood Recirculation Kit	109	119	•

This price list supersedes all Model	previous price lists. Prices list	ed herein do not include applicab	e state or local taxes.			
Number	Description			MAP	MSRP	
All Bosch Chimne	y Wall Hoods Inclu	Ide the Following Fea	atures:			
• Kitchen Timer	-	Vertical Ducting	with 8" Round	• Reci	irculatio	n Kit Available as an
• Clean Filter Ren	ninder	Duct		Acce	essory	
• Auto On/Heat S	ensor	Backdraft Dampe	er and Transition			it for Ceilings 9'–11' 6"
 Anodized Alumir 	num Mesh Filters	Included		Avai	lable as	an Accessory
						300 Series
ENERGY STAR® C	ertified Pyramid Ca	anopy Chimney Hood				
• 300 CFM	Con	ee-Speed Electronic Itrol with White and I LCD Display	• Two Brigh	nt LED Ligh	ts	
HCP34E52UC	24" Pyramid Ca	nopy Chimney Hood,	300 CFM	1,099	1,249	-
HCP30E52UC	30" Pyramid Ca	nopy Chimney Hood,	300 CFM	1,199	1,349	1 mg
HCP36E52UC	36" Pyramid Ca	nopy Chimney Hood,	300 CFM	1,299	1,449	HCP34E52UC
						500 Series
Box Canopy Chim	nev Hood					
• 600 CFM	• Fou Cor	r Speed Electronic htrol with White and I LCD Display	• Two 40 W	/ Halogen L	ights	
HCB50651UC	30" Box Canop	y Chimney Hood, 600	CFM	1,549	1,749	
HCB56651UC	36" Box Canop	y Chimney Hood, 600	CFM	1,649	1,849	
						HCB50651UC
Pyramid Canopy (-					
Home Connect®		r Speed Electronic trol with White and	 Two Bright 	nt LED Light	ts	
• 600 CFM	Red	LCD Display				100
Cooktop Hood (Jontrot					-
HCP50652UC	30" Pyramid Ca	nopy Chimney Hood,	600 CFM	1,549	1,749	100 A.M.
HCP56652UC	36" Pyramid Ca	nopy Chimney Hood,	600 CFM	1,649	1,849	HCP50652UC
						800 Series
Pyramid Canopy	Chimney Hood					
 Black Stainless Guards Against Scratches and F 600 CFM 	Steel • Fou Surface Cor	r Speed Electronic htrol with White and LCD Display	• Two 40 V	V Halogen L	ights	-
HCP80641UC	30" Pyramid Cl	nimney, 600 CFM,		1,399	1,549	and a second sec
	Black Stainless	;				HCP80641UC

Bosch National Price List – Q3 2024 Job # 20-BSH-0914.2 04/27/2024 1,549 1,749

CHIMNEY WALL HOODS/ACCESSORIES

This price list supersede Model Number	es all previous price lists Description	. Prices listed herein do not include applicable :	state or local taxes.	MAP	MSRP	
						Benchmark [®] Series
Glass Canopy C • Anodized Alur Filter with Sta Bosch Design Metal Latch • 600 CFM	ninum Mesh ainless Steel	 Four Speed Electronic Control with White and Red LCD Display Clean Filter Reminder 	• Two 40 W Halo	gen Li	ghts	-
HCG56651UC	36" Glas	s Canopy Chimney Hood, 600	CFM 2	,099	2,349	HCG56651UC


Accessories for Chimney Wall Hoods

Accessorie	es for Chimney V	Wall Hoods			HCP/Pvramid	HCG/Glass Canopy
	Chimney Wall He • Fits Ceilings Fr 6" in Height	ood Extension Kit. fom 9' to 11' Extensions and Inner Structure Parts Included				
	HCBEXT5UC	Box Canopy Chimney Hood Extension Kit, Stainless Steel	319	359	•	
	HCGEXT5UC	Glass Canopy Chimney Hood Extension Kit	319	359		•
	HCPEXT4UC	Pyramid Canopy Chimney Hood Extension Kit, Black Stainless Steel	539	599	•	
	HCPEXT5UC	Pyramid Canopy Chimney Hood Extension Kit, Stainless Steel	319	359	•	
	HCIFILTUC	Box/Pyramid/Glass Canopy Chimney Hood Filter Kit	119	139	•	•
	HCREC5UC	Box/Pyramid/Glass Canopy Chimney Hood Recirculation Kit	119	139	•	•

PULL-OUT HOODS/ACCESSORIES

This price list supersedes all previou Model	is price lists. Prices listed herein do not include applicable st	ate or local taxes.	
	scription	MAP MSRP	
			500 Serie
Integrated Stainless P	ull-Out Range Hood		
 400 CFM Electronic Control wi White LCD Display Kitchen Timer Clean Filter Reminde 	 Two Bright LED Lights Two Anodized Aluminum 	 Backdraft Damper and Transition Included Recirculation/Charcoal Kit Available as an Accessory 110 V UL Rated with 120 V 3-Prong Plug 	HUI54452UC
HUI54452UC 2	24" Pull-Out Hood, 400 CFM	919 1,049	
 Integrated Stainless P 300 CFM – (30" Widt 500 CFM – (36" Widt Three Speed Slider S Control Two 20 W Halogen Li Four Aluminum Mesh Filters 	 th) Removable Stainless Steel Front Visor Panel That Can Be Replaced with a Custom Strip (Not Provided) 6" Round Duct Vertical and Horizontal Discharge 	 120 V Junction Box Direct Wire CFM Reducer Kit Available as Accessory Non-Duct Recirculation Kit Available as Accessory (Vent Grate Cover Included with Hood) 	HUI56551UC
HUI50351UC 3	0" Pull-Out Hood, 300 CFM, Stainless	s Steel 949 1,049	
HUI56551UC 3	6" Pull-Out Hood, 500 CFM, Stainless	s Steel 999 1,099	
Accessories for Pu	ll-Out Hoods		HUI54452UC HUI50351UC HUI56551UC

		t/Charcoal Filter Accessory Kit For HUI50351U s Odors with High Quality Heavy Duty Charcoal F Illations				•	•
	HUIF06UC	Non-Duct Recirculation Accessory Kit/ Charcoal Filter Accessory Kit	109	119			
	CFM Reducer Accessory Kit For HUI56551UC Model • Reduces CFM to Under 300 • Converts a 6" Round Duct to a 5" Round Duct • Check Your Local Code and Regulations for Make-Up Air Requirements						•
	HUIRED56UC	CFM Reducer Accessory Kit, Reduces CFM to Under 300 CFM	59	69			
	Recirculation/Cl	narcoal Kit for HUI54452UC – 24" Pull-Out Hood					
COS	HVREC5UC	Pull-Out Hood Recirculation/ Charcoal Filter Accessory Kit	109	119	•		



HUI86553UC 36" Custom Insert Hood, 600 CFM

Bosch National Price List - Q3 2024

Job # 20-BSH-0914.2 04/27/2024

HUI86553UC

1,399 1,549

This price list super Model Number	sedes all previous price lis Descriptior	ts. Prices listed herein do not include applicable state or local taxes.	MAP	MSRP					
Accessorie	es for Custom	Insert Range Hoods			HUI34253UC	HUI30253UC	HUI36253UC	HUI80553UC	HUI86553UC
	HUIFILTOUC	Charcoal Filter Kit for 30" Custom Inserts HUI30253UC, and HUI80553UC	109	119		•		•	
	HUIFIL46UC	Charcoal Filter Kit for 24" Custom Insert HUI34253UC and 36" Custom Inserts HUI36253UC, and HUI86553UC	109	119	•		•		•

DOWNDRAFT/ACCESSORIES

				800 Series
Model Number	Description	МАР	MSRP	
	rsedes all previous price lists. Prices listed herein do not	include applicable state or local taxes.		

Downdraft Ventilation

- Design Matched for Use In Combination with Bosch Cooktops
- 12" Telescopic Chimney Rise
- Preserves Clean Sight Lines When Not In Use
- Stainless Steel
- Six Possible Discharge Connections to Fit Your Kitchen Design Allowing Flexibility to Exhaust At Sides, Front, Rear or Downward (Additional Accessories May Be Required Depending on Installation, See Manual)
- Sleek Front Panel Conceals Mesh Filters, Giving a Timeless Aesthetic and Acts as a Splatter Guard While Cooking
- Dishwasher-Safe Aluminum Mesh Filters
- 3-Speed Control Required to Complete the Installation: Blower Options, Sold Separately
- 600 CFM Remote (DHR1FZUC), and Inline (DHI1FZUC) Blower

May Be Required to Complete the Installation Depending on Exhaust Direction & Blower Chosen:

- Downdraft Transitions (HDDSTRAN6, HDDSTRAN8, HDDFTRAN6, HDDFTRAN8, HDD2RECTD, HDDSTRAN2 see page 10-10)
- Recirculation Possible, Accessory Sold Separately (HDDREC5UC see page 10-11)
- Gas Cooktop Seal Kit Sold Separately (Required For Installation with Gas Cooktops see page 10-11).



HDD86051UC

HDD80051UC	30" Downdraft, Optional Blower	1,699	1,899
HDD86051UC	36" Downdraft, Optional Blower	1,749	1,949
NOTE: Transition required	and sold separately for all remote and inline blower installations.		

Accessories for Downdraft–Blowers HDD86051UC HDD80051UC DHG602DUC 600 CFM Flexible Blower 739 849 for HDD86051UC and HDD80051UC • **Bosch Downdrafts Only** 8" Round Exhaust **DHI1FZUC** 600 CFM Inline Blower 689 799 **DHR1FZUC** 600 CFM Remote Blower 729 849 for HDD86051UC and HDD80051UC **Bosch Downdrafts Only 6**" Round Exhaust 25-ft Remote & Inline Blower See Thermador Price List **EXTNCB25W Extension Cable** Compatible with Remote Blower DHR1FZUC and Inline Blower DHI1FZUC See Thermador Price List 3-pc extension set for Inline **EXTNSET4** and remote blowers For older generation blowers when paired with new generation blowers **Compatible with Remote Blower DHR1FZUC and Inline Blower DHI1FZUC**

This price list supersed	les all previous price lists. Prices listed	I herein do not include applicable state or local taxes.		
Model Number	Description	N	MAP	MSRP

Accessories for Downdraft–Transitions

	HDD86051UC De	The Below Transitions May Be Required to Complete the Installation of HDD80051UC and HDD86051UC Depending on the Discharge Connection Chosen in Combination with the Downdraft Blower Selected (See Installation Manual) • For Use with Inline and Remote Blowers				
	HDD2RECTD	2' Rectangular Duct Rectangular Duct That Is 2' Long × 1 %" Deep × 19" Wide Ability to Use as an Extension to Exhaust through a Cabinet or Wall. To Modify Length, Duct May Be Cut. HDDSTRAN6 or HDDSTRAN8 May Be Used to Connect HDD2RECTD to Round Ductwork HDDSTRAN2 Required to Attach Duct to Downdraft Housing	89	99	•	•
	HDDSTRAN2	Transition for Rectangular Duct Required to Attach HDD2RECTD 2' Rectangular Duct to Downdraft Housing	69	79	•	•
0	HDDFTRAN6	6" Round Front Plate Front Rough-In Plate for Front Exhaust Applications	79	89	•	•
0	HDDFTRAN8	8" Round Front Plate for Downdraft Front Rough-In Plate for Front Exhaust Applications	79	89	•	•
-0	HDDSTRAN6	6" Side/Rear Transition Rectangular 1%" X 19" Transition to 6" Round for Side and Rear Exhaust Applications	139	159	•	•
-0	HDDSTRAN8	8" Side/Rear Transition Rectangular 1%" X 19" Transition to 8" Round for Side and Rear Exhaust Applications	139	159	•	•

This price list superse Model Number	des all previous price lists. Prices listed herein do not include apple Description	icable state or local taxes. MAP	MSRP
Accessories	s for Downdraft		86051UC

						HDD8(HDD8(
	 Downdraft Installation by Allowing Filtered Air to Re-Enter the Kitchen after Passing Through a Charcoal Filter Includes Recirculation Module, Charcoal Filter and Metal Grill Vent Plate Works In Wall or Isl Applications Mounts to Cabinet Recesses into Toe K Socket Area Fits In Toe-Kick/Soo Heights of 4" or Tal Module and Grill Ver Plate Can Be Placed Does Not Hit Feet 		 Mounts to Cabinet Base, Recesses into Toe Kick/ Socket Area Fits In Toe-Kick/Socket Heights of 4" or Taller Module and Grill Vent Plate Can Be Placed So Air 	 Blower To Be l Bosch Blower May By to Suppose 	raft and Internal Sold Separately Jsed Only with Downdrafts and s rpass the Need ply Make Up Air, t to Local Code		
C.	HDDREC5UC	Replace Fil	ters Every 3-6 Months, on Usage, with	479	529	•	•
	HDDFILTUC		ilter Replacement lation Kit for Downdraft	89	99	•	•
	Gas Cooktop Sea • For Use with 36 HDD86051UC a HDD80051UC D	;" nd 30"	• Required for Installation with Gas Cooktops		es Trim Bracket, nd 2 Metal Grills		
	HDDORSP	30" Gas Co Downdraft	oktop Seal Kit for	89	99	•	•
	HDD6RSP	36" Gas Co Downdraft	oktop Seal Kit for	89	99	•	•
	HDDTRIM30S	Trim acces	sory for 30" downdraft	49	59		•
	HDDTRIM36S	Trim acces	sory for 36" downdraft	49	59	•	

12029918.....5-9

В

D

Ε

EXTNCB25W	10-9
EXTNSET4	10-9

|--|

FPETHKT50	1-10	
FPETHRF50	1-10	

Н

HBE5453UC7-1HBL57M52UC7-3HBL87M53UC7-6HBL5344UC7-2HBL5351UC7-2HBL5451UC7-2HBL5551UC7-2HBL5551UC7-3
HBL5754UC7-3 HBL8443UC7-4
HBL8444LUC7-5 HBL8444RUC7-5
HBL8454UC7-4 HBL8642UC7-5
HBL8651UC7-5 HBL8743UC7-6
HBL8753UC7-6
HBLP451LUC7-7 HBLP451RUC7-7
HBLP454UC7-7 HBLP651LUC7-8
HBLP651RUC
HBLP752UC7-9
HBN8451UC
HCB50651UC 10-4 HCB56651UC 10-4
HCBEXT5UC 10-5 HCG56651UC 10-5
HCGEXT5UC 10-5 HCIEXT5UC 10-3
HCIFILTUC 10-5
HCP30E52UC 10-4 HCP34E52UC 10-4
HCP36E52UC 10-4 HCP50652UC 10-4
HCP56652UC 10-4 HCP80641UC 10-4
HCP86641UC 10-4 HCPEXT4UC 10-5
HCPEXT5UC 10-3 HCREC5UC
HDD0RSP 10-11
HDD2RECTD 10-10 HDD6RSP 10-11
HDD80051UC 10-9 HDD86051UC 10-9
HDDFILTUC 10-11

HDDFTRAN6	10-10
HDDFTRAN8	
HDDREC5UC	
HDDSTRAN2	
HDDSTRAN2	
HDDSTRANS	
HDDTRIM30S	
HDDTRIM36S	
HDI8056U	
HDIP056U	
HDS8045U	
HDS8055U	
HDS8645U	
HDS8655U	
HDZBS301	
HDZIT301	
HEATKITB82	
HEI8046U	
HEI8056U	
HEIP056U	
HEZ7YZ30UC	
HEZ7YZ36UC	
HEZ8LLUC	
HEZ8TK30UC	5-9
HEZ8TK36UC	5-9
HEZ8YZ04UC	5-8
HEZ8YZ30UC	5-8
HEZ8YZ36UC	
HEZ8ZZ30UC	
HEZ8ZZ36UC	
HEZ9GR37UC 5-10	
HEZ9GR41UC 5-8	
HEZ9GR58UC	
HEZ9GW23UC 5-8,	8-10
HEZ9LLUC	
HEZ9TK30UC	
HE70TK36HC	
HEZ9TK36UC	
HEZ9YZ04UC	5-9
HEZ9YZ04UC HEZ9YZ30UC	5-9 5-8
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC	5-9 5-8 5-8
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC	5-9 5-8 5-8 5-8
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC	5-9 5-8 5-8 5-8 5-8
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ9ZZ36UC HEZ298102	5-9 5-8 5-8 5-8 5-8 5-10
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107	5-9 5-8 5-8 5-8 5-8 . 5-10 . 8-10
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107 HEZ298107 HEZ390210	5-9 5-8 5-8 5-8 5-8 . 5-10 . 8-10 . 8-10
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107 HEZ390210 HEZ390220 5-10,	5-9 5-8 5-8 5-8 5-8 5-10 . 8-10 . 8-10 . 8-10
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107 HEZ390210 HEZ390220 HEZ390220 HEZ390230 HEZ390230	5-9 5-8 5-8 5-8 . 5-10 . 8-10 . 8-10 . 8-10 . 8-10
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107 HEZ390210 HEZ390220 HEZ390220 HEZ390230 HEZ390230 HEZ390230	5-9 5-8 5-8 5-8 . 5-10 . 8-10 . 8-10 . 8-10 . 8-10 . 5-10
HEZ9YZ04UC HEZ9YZ36UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107 HEZ390210 HEZ390220 HEZ390220 HEZ390230 HEZ390230 HEZ390230 HEZBS301 HEZCMT3050	5-9 5-8 5-8 5-8 5-8 . 5-10 . 8-10 . 8-10 . 8-10 . 8-10 . 5-10 4-1
HEZ9YZ04UC HEZ9YZ36UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107 HEZ390210 HEZ390220 HEZ390220 HEZ390230 HEZ390230 HEZBS301 HEZCMT3050 HEZGR301	5-9 5-8 5-8 5-8 5-8 . 5-10 . 8-10 . 8-10 . 8-10 . 5-10 4-1 . 5-10
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107 HEZ390210 5-10 HEZ390220 HEZ390230 HEZBS301 HEZCMT3050 HEZGR301 HEZTR301 5-10	5-9 5-8 5-10 8-10.
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107 HEZ390210 HEZ390220 5-10 HEZ390230 HEZBS301 HEZCMT3050 HEZGR301 HEZGR301 HEZTR301 5-10, HEZVEUD301	5-9 5-8 5-8 5-8 5-8 5-10 .8-10 .8-10 .8-10 .8-10 .5-10 4-1 . 5-10 . 7-10 . 10-2
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107 HEZ390210 HEZ390220 HEZ390220 HEZ390230 HEZ390230 HEZGR301 HEZCMT3050 HEZGR301 HEZTR301 HEZTR301 HEZVEUD302	5-9 5-8 5-8 5-8 5-8 5-10 .8-10 .8-10 .8-10 .8-10 .5-10 .5-10 4-1 .5-10 .10-2 .10-2
HEZ9YZ04UC HEZ9YZ30UC HEZ9YZ36UC HEZ9ZZ30UC HEZ9ZZ36UC HEZ298102 HEZ298107 HEZ390210 HEZ390220 5-10 HEZ390230 HEZBS301 HEZCMT3050 HEZGR301 HEZGR301 HEZTR301 5-10, HEZVEUD301	5-9 5-8 5-8 5-8 5-8 5-10 .8-10 .8-10 .8-10 .8-10 .5-10 4-1 .5-10 4-1 .5-10 .10-2 .10-2 .10-2

HGI8046UC
HGI8056UC 5-6
HGIP056UC 5-6
HGS8045UC 5-2
HGS8055UC 5-2
HGS8645UC 5-2
HGS8655UC 5-2
HGZBS3015-10
HGZIT301 5-10
HIB82651UC 10-3
HII8047U 5-4
HII8057U 5-4
HIIP057U5-4
HIREC5UC 10-3
HIS8055U5-1
HIS8655U5-1
HMB30155UC6-3
HMB50152UC6-3
HMB57152UC6-3
HMC54151UC6-4
HMC80152UC6-4
HMC80242UC6-4
HMC80252UC
HMC87152UC
HMCP0252UC
HMD8053UC
HMD8054UC
HMD8451UC
HMD8454UC
HMT5055
HMT5755
HMV3054U 6-1
HMV5053U6-1
HMV8045U6-1
HMV8054U6-1
HMVP054U 6-2
HSLP451UC
HSLP751UC
HUI30253UC 10-7
HUI34253UC 10-7
HUI36253UC 10-7
HUI50351UC 10-7
HUI54452UC 10-6
HUI56551UC 10-6
HUI80553UC10-7
HUI86553UC 10-7
HUIF06UC
HUIFIL46UC 10-8 HUIFILT0UC 10-8
HUIRED56UC
HVREC5UC
HWD5051UC7-10
HWD5751UC7-10

Ν

NEM5066UC	
NEM5466UC	
NEM5666UC	
NET8069SUC	
NET8069UC	
NET8669SUC	
NET8669UC	
NETP069SUC	
NETP669SUC	
NGM5059UC	
NGM5453UC	
NGM5659UC	
NGM8049UC	
NGM8059UC	
NGM8646UC	
NGM8659UC	
NGMP059UC	
NGMP077UC	
NGMP659UC	
NGMP677UC8	
NIT5060UC	
NIT5460UC	
NIT5660UC	
NIT8060SUC	
NIT8060UC	
NIT8660SUC	
NIT8660UC	
NITP060SUC	8-3
NITP060UC	
NITP660SUC	8-3
NITP660UC	8-3

R

RGM8058UC	9-1
RGM8658UC	9-1

S

SGE53C52UC	2-12
SGE53C55UC	2-12
SGE53C56UC	2-12
SGE78C55UC	2-13
SGV78C53UC	2-13
SGX78C55UC	2-13
SGZ1010UC	2-14
SGZ1052UC	2-14
SHE3AEE5N	2-1
SHE3AEM2N	
SHE3AEM5N	2-1
SHE3AEM6N	2-1
SHE4AEM2N	2-2
SHE4AEM5N	2-2
SHE4AEM6N	2-2
SHE41CM2N	2-4

SHE41CM6N. 2-4 SHE53B75UC 2-5 SHE53C82N. 2-5 SHE53C85N. 2-5 SHE53C86N. 2-5 SHE53C65N. 2-5 SHE53C65N. 2-5 SHE89PW75N. 2-10 SHP9PCM5N 2-11 SHP9PCM5N 2-11 SHP65CM2N. 2-7 SHP65CM5N. 2-7 SHP65CM6N. 2-7 SHP78CM4N. 2-6 SHP78CM5N. 2-6 SHP78CM6N. 2-6 SHP78CM5N. 2-7 SHS3CD5N. 2-6 SHV4AEB3N. 2-2 SHV9PCM3N. 2-11 SHV53CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-10 SHX5AEM4N. 2-3 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHX5AEM5N. 2-7 SHX5AEM5N. 2-7 SHX5AEM5N. 2-6 SHX5AEM5N. 2-		M5N			
SHE53C82N 2-5 SHE53C85N 2-5 SHE53C85N 2-5 SHE53CE5N 2-5 SHE89PW75N 2-10 SHP9PCM5N 2-11 SHP65CM2N 2-7 SHP65CM6N 2-7 SHP78CM2N 2-6 SHP78CM4N 2-6 SHP78CM5N 2-7 SHP78CM5N 2-6 SHP78CM5N 2-7 SH53CD5N 2-6 SHV4AEB3N 2-2 SHV9PCM3N 2-10 SHV78CM3N 2-6 SHV78CM3N 2-6 SHV78CM3N 2-7 SHV38CM3N 2-6 SHV78CM3N 2-7 SHV38CM3N 2-6 SHV78CM3N 2-7 SHV38CM3N 2-6 SHV78CM3N 2-7 SHV78CM3N 2-7 SHV78CM3N 2-7 SHV78CM3N 2-7 SHV78CM3N 2-6 SHV78CM3N 2-7 SHX5AEM4N 2-3 SHX5AEM5N 2-3	SHE41C	M6N	•••	2-	4
SHE53C85N	SHE53B	75UC		2-	5
SHE53C85N	SHE53C	82N	•••	2-	5
SHE53C86N 2-5 SHE53CE5N 2-6 SHE89PW75N 2-10 SHP9PCM5N 2-11 SHP9FCM5N 2-7 SHP65CM5N 2-7 SHP65CM6N 2-7 SHP78CM2N 2-6 SHP78CM4N 2-6 SHP78CM6N 2-6 SHP78CM5N 2-6 SHP78CM6N 2-6 SHP78CM6N 2-6 SHP78CM6N 2-6 SHP78CM6N 2-6 SHV78CM3N 2-6 SHV4AEB3N 2-2 SHV9PCM3N 2-11 SHV53CM3N 2-6 SHV78CM3N 2-6 SHV78CM3N 2-7 SHV78CM3N 2-6 SHV78CM3N 2-7 SHV78CM3N 2-6 SHV78CM3N 2-7 SHV78CM3N 2-6 SHV78CM3N 2-7 SHX5AEM4N 2-6 SHX5AEM5N 2-7 SHX5AEM5N 2-7 SHX5AEM5N 2-7 SHX78CM5N 2-7					
SHE53CE5N. 2-5 SHE89PW75N. 2-10 SHP9PCM5N 2-11 SHP65CM2N. 2-7 SHP65CM5N. 2-7 SHP65CM6N. 2-7 SHP78CM2N. 2-6 SHP78CM4N. 2-6 SHP78CM5N. 2-6 SHP78CM5N. 2-7 SHP78CM6N. 2-6 SHP78CM5N. 2-7 SHS53CD2N 2-6 SHV53CD5N. 2-7 SHS53CD5N. 2-6 SHV4AEB3N. 2-2 SHV9PCM3N. 2-11 SHV53CM3N. 2-6 SHV78B73UC 2-6 SHV78B73UC 2-6 SHV78B73UC 2-6 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX78CM5N 2-4 SHX78CM5N 2-4 <					
SHE89PW75N. 2-10 SHP9PCM5N 2-11 SHP65CM2N 2-7 SHP65CM6N 2-7 SHP65CM6N 2-7 SHP78CM2N 2-8 SHP78CM4N 2-9 SHP78CM5N 2-9 SHP78CM6N 2-9 SHP78CM5N 2-9 SHP78CM6N 2-9 SHP78CM5N 2-7 SHS53CD2N 2-6 SHV53CD5N 2-7 SHS53CD5N 2-6 SHV4AEB3N 2-2 SHV9PCM3N 2-11 SHV53CM3N 2-2 SHV78CM3N 2-10 SHX5AEM4N 2-2 SHV78CM3N 2-10 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX78CM5N 2-4 SHX78CM5N 2-5					
SHP9PCM5N 2-11 SHP65CM2N 2-7 SHP65CM6N 2-7 SHP65CM6N 2-7 SHP78CM2N 2-8 SHP78CM5N 2-6 SHP78CM5N 2-6 SHP78CM5N 2-6 SHP78CM5N 2-6 SHP78CM5N 2-7 SHS53CD2N 2-6 SHV53CD5N 2-7 SHS53CD5N 2-6 SHV4AEB3N 2-2 SHV9PCM3N 2-11 SHV53CM3N 2-5 SHV78CM3N 2-6 SHV78CM3N 2-6 SHV78CM3N 2-7 SHX5AEM2N 2-3 SHX5AEM4N 2-3 SHX5AEM6N 2-3 SHX78CM5N 2-4 SHX78CM5N 2-4 SHX78CM6N 2-6 <					
SHP65CM2N. 2-7 SHP65CM5N. 2-7 SHP65CM6N. 2-7 SHP78CM2N. 2-8 SHP78CM4N. 2-9 SHP78CM5N. 2-9 SHP78CM6N. 2-6 SHP78CM6N. 2-7 SH53CD2N. 2-6 SHV3S3CD2N. 2-6 SHV4AEB3N. 2-2 SHV9PCM3N. 2-11 SHV53CD3N. 2-6 SHV78B73UC 2-6 SHV78CM3N. 2-10 SHV78CM3N. 2-10 SHV5AEM4N 2-3 SHV78CM3N. 2-10 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX78CM5N 2-1 SHX78CM5N 2-1 SHX78CM6N 2-6 <td></td> <td></td> <td></td> <td></td> <td></td>					
SHP65CM5N. 2-7 SHP78CM2N. 2-8 SHP78CM4N. 2-9 SHP78CM5N. 2-9 SHP78CM5N. 2-9 SHP78CM5N. 2-7 SHS53CD2N. 2-6 SHV53CD5N. 2-7 SHS53CD5N. 2-6 SHV4AEB3N. 2-2 SHV9PCM3N. 2-11 SHV53CM3N. 2-6 SHV78B73UC 2-6 SHV78CM3N. 2-10 SHV53CM3N. 2-10 SHV78D73UC 2-6 SHV78CM3N. 2-10 SHV5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX78CM5N 2-10 SHX78CM5N 2-10 SHX78CM6N 2-3 SHX78CM6N 2-4 <					
SHP65CM6N. 2-7 SHP78CM2N. 2-6 SHP78CM4N. 2-6 SHP78CM6N. 2-6 SHP78CM6N. 2-7 SHP5CM5N. 2-7 SHS53CD2N. 2-6 SHV95CM5N. 2-7 SHS53CD2N. 2-6 SHV95CM3N. 2-1 SHV53CD5N. 2-6 SHV4AEB3N. 2-2 SHV9PCM3N. 2-11 SHV53CM3N. 2-6 SHV78CM3N. 2-10 SHX5AEM4N. 2-6 SHX5AEM4N. 2-3 SHX5AEM4N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-4 SHX5AEM6N. 2-5 SHX5AEM6N. 2-5 SHX78CM5N. 2-6 SHX78CM5N. 2-6 SHX78CM4N. 2-6 SHX78CM5N. 2-6 SHX78CM6N. 2-6 SHX78CM6N. 2-6<					
SHP78CM2N. 2-9 SHP78CM4N. 2-9 SHP78CM6N. 2-9 SHP78CM6N. 2-9 SHP78CM6N. 2-9 SHP95CM5N. 2-7 SHS53CD2N. 2-6 SHV53CD5N. 2-6 SHV53CD5N. 2-6 SHV78CM3N. 2-1 SHV53CM3N. 2-1 SHV78CM3N. 2-1 SHV78CM3N. 2-1 SHV78CM3N. 2-10 SHX5AEM2N. 2-2 SHX5AEM4N. 2-3 SHX5AEM4N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-4 SHX5AEM4N. 2-5 SHX5AEM6N. 2-5 SHX5AEM6N. 2-5 SHX78CM5N. 2-6 SHX78CM4N. 2-6 SHX78CM5N. 2-6 SHX78CM6N. 2-6 SHX78CM6N. 2-6 SHX78CM6N. 2-6<					
SHP78CM4N. 2-9 SHP78CM5N. 2-9 SHP78CM6N. 2-9 SHP95CM5N. 2-7 SHS53CD2N. 2-6 SHS53CD5N. 2-6 SHV53CD5N. 2-6 SHV53CD5N. 2-7 SHV53CD5N. 2-6 SHV9PCM3N. 2-11 SHV53CM3N. 2-5 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHX5AEM2N. 2-6 SHX5AEM4N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX78CM5N. 2-1 SHX78CM4N. 2-6 SHX78CM4N. 2-6 SHX78CM4N. 2-6 SHX78CM4N. 2-6 SHX78CM4N. 2-6 SHX78CM6N. 2-6 SHX78CM6N. 2-6 SHX78CM6N. 2-6 SHX78CM6N. 2-6<					
SHP78CM5N. 2-9 SHP78CM6N. 2-7 SHP95CM5N. 2-7 SHS53CD2N. 2-6 SHS53CD5N. 2-6 SHV53CD5N. 2-6 SHV53CD5N. 2-6 SHV53CD5N. 2-6 SHV53CD5N. 2-7 SHV53CD5N. 2-6 SHV9PCM3N. 2-11 SHV53CM3N. 2-5 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHX5AEM4N. 2-3 SHX5AEM4N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX78CM5N. 2-4 SHX78CM4N. 2-4 SHX78CM4N. 2-4 SHX78CM6N. 2-5 SHX78CM6N. 2-5 SHX78CM6N. 2-6 SHX78CM6N. 2-6 SHX78CM6N. 2-6 SHX78000. 2-14<	SHP78C	M2N	•••	2-	9
SHP78CM5N. 2-9 SHP78CM6N. 2-7 SHP95CM5N. 2-7 SHS53CD2N. 2-6 SHS53CD5N. 2-6 SHV53CD5N. 2-6 SHV53CD5N. 2-6 SHV53CD5N. 2-6 SHV53CD5N. 2-7 SHV53CD5N. 2-6 SHV9PCM3N. 2-11 SHV53CM3N. 2-5 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHX5AEM4N. 2-3 SHX5AEM4N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX78CM5N. 2-4 SHX78CM4N. 2-4 SHX78CM4N. 2-4 SHX78CM6N. 2-5 SHX78CM6N. 2-5 SHX78CM6N. 2-6 SHX78CM6N. 2-6 SHX78CM6N. 2-6 SHX78000. 2-14<	SHP78C	M4N	•••	2-	9
SHP78CM6N. 2-5 SHP95CM5N. 2-7 SHS53CD2N. 2-6 SHS53CD5N. 2-6 SHV53CD5N. 2-6 SHV4AEB3N. 2-2 SHV9PCM3N. 2-11 SHV53CM3N. 2-5 SHV78B73UC 2-6 SHV78B73UC 2-6 SHV78CM3N. 2-10 SHX5AEM2N 2-3 SHX5AEM4N 2-3 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX78CM5N 2-4 SHX78CM4N 2-6 SHX78CM6N 2-6 SHX78000UC 2-14					
SHP95CM5N. 2-7 SHS53CD2N 2-6 SHS53CD5N 2-6 SHV53CD5N 2-6 SHV4AEB3N. 2-2 SHV9PCM3N 2-11 SHV53CM3N 2-5 SHV78B73UC 2-6 SHV78CM3N 2-10 SHV78CM3N 2-10 SHX5AEM2N 2-3 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX78CM5N 2-10 SHX78CM4N 2-6 SHX78CM4N 2-6 SHX78CM6N 2-6 SHX78CM6N 2-10 SMZ4000UC 2-14 SMZ4000UC 2-14 SMZ4000UC 2-14 SMZ5003 2-14 SMZ5000 2-14 S					
SHS53CD2N 2-6 SHS53CD5N 2-6 SHV4AEB3N 2-2 SHV9PCM3N 2-11 SHV53CM3N 2-5 SHV78B73UC 2-6 SHV78CM3N 2-2 SHV78CM3N 2-6 SHV78CM3N 2-2 SHV78CM3N 2-6 SHV78CM3N 2-2 SHV89PW73N 2-10 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM5N 2-4 SHX78CM5N 2-5 SHX78CM4N 2-6 SHX78CM6N 2-1 SMZ3IN1UC 2-14 SMZ4000UC 2-14					
SHS53CD5N 2-6 SHV4AEB3N 2-2 SHV9PCM3N 2-11 SHV53CM3N 2-5 SHV78B73UC 2-6 SHV78CM3N 2-6 SHV78CM3N 2-6 SHV78CM3N 2-6 SHV78CM3N 2-6 SHV78CM3N 2-6 SHV78CM3N 2-6 SHX5AEM4N 2-3 SHX5AEM4N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX78CM5N 2-1 SHX78CM2N 2-6 SHX78CM4N 2-6 SHX78CM6N 2-6 SHX78CM6N 2-6 SHX78CM6N 2-6 SHX78CM6N 2-6 SHX78000UC 2-14 SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ5000 2-14 SMZ5000 2-14 SMZ5000 2-14					
SHV4AEB3N. 2-2 SHV9PCM3N. 2-11 SHV53CM3N. 2-5 SHV78B73UC 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV89PW73N. 2-10 SHX5AEM4N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX5AEM6N. 2-3 SHX78CM5N. 2-11 SHX78CM4N. 2-4 SHX78CM4N. 2-5 SHX78CM6N. 2-6 SHX78CM6N. 2-10 SMZ4000UC 2-14 SMZ4000UC 2-14 SMZ5002UC 2					
SHV9PCM3N. 2-11 SHV53CM3N. 2-5 SHV78B73UC 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-6 SHV78CM3N. 2-7 SHX5AEM2N 2-3 SHX5AEM4N 2-3 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-4 SHX5AEM6N 2-3 SHX78CM5N 2-4 SHX78CM4N 2-6 SHX78CM6N 2-6 SMZ4000UC 2-14					
SHV53CM3N 2-5 SHV78B73UC 2-6 SHV78CM3N 2-6 SHV78CM3N 2-6 SHV89PW73N 2-10 SHX5AEM2N 2-3 SHX5AEM4N 2-3 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-4 SHX5AEM6N 2-4 SHX78CM5N 2-5 SHX78CM4N 2-6 SHX78CM5N 2-6 SHX78CM6N 2-16 SMZ4000UC 2-14					
SHV78B73UC 2-6 SHV78CM3N 2-6 SHV89PW73N 2-10 SHX5AEM2N 2-3 SHX5AEM4N 2-3 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-3 SHX5AEM6N 2-4 SHX5AEM6N 2-4 SHX5AEM6N 2-5 SHX65CM5N 2-7 SHX78CM2N 2-6 SHX78CM4N 2-6 SHX78CM6N 2-6 SHX78CM6N 2-6 SHX78CM6N 2-6 SHX78CM6N 2-6 SHX78CM6N 2-6 SHX78000UC 2-14 SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ5000 2-14 SMZ5002UC 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZ5400 2-14 SMZ2PCC1UC 2-14					
SHV78CM3N 2-9 SHV89PW73N 2-10 SHX5AEM2N 2-3 SHX5AEM4N 2-3 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX78CM5N 2-4 SHX78CM4N 2-3 SHX78CM6N 2-4 SHX78CM6N 2-5 SHX78CM6N 2-5 SHX78CM6N 2-4 SMZ3IN1UC 2-14 SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ5000 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCC1UC 2-14 SMZSH1ABUC 2-15 SMZSH1ABUC 2-15 SMZSH1ABUC 2-15 </td <td></td> <td></td> <td></td> <td></td> <td></td>					
SHV89PW73N 2-10 SHX5AEM2N 2-3 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX9PCM5N 2-11 SHX53CM5N 2-5 SHX65CM5N 2-7 SHX78CM2N 2-6 SHX78CM4N 2-6 SHX78CM6N 2-6 SHX78000UC 2-14 SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ5000 2-14 SMZ5000 2-14 SMZ5000 2-14 SMZ5400 2-14 SMZ5400 2-14 SMZ2PCJ0UC 2-14	SHV78B	73UC	••	2-	8
SHV89PW73N 2-10 SHX5AEM2N 2-3 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX9PCM5N 2-11 SHX53CM5N 2-5 SHX65CM5N 2-7 SHX78CM2N 2-6 SHX78CM4N 2-6 SHX78CM6N 2-6 SHX78000UC 2-14 SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ5000 2-14 SMZ5000 2-14 SMZ5000 2-14 SMZ5400 2-14 SMZ5400 2-14 SMZ2PCJ0UC 2-14	SHV78C	M3N	•••	2-	9
SHX5AEM2N 2-3 SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX5ACM5N 2-1 SHX78CM2N 2-5 SHX78CM4N 2-3 SHX78CM6N 2-3 SHX78CM6N 2-3 SHX78CM6N 2-4 SMZ3IN1UC 2-14 SMZ4000UC 2-14 SMZ4000UC 2-14 SMZ5002UC 2-14 SMZ5003 2-14 SMZ5004 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCC1UC 2-14 SMZSH1ABUC 2-15 SMZSH1ABUC 2-15 SPE53B52UC 2-14					
SHX5AEM4N 2-3 SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX9PCM5N 2-11 SHX5AEM6N 2-3 SHX9PCM5N 2-11 SHX5AEM6N 2-3 SHX9PCM5N 2-11 SHX53CM5N 2-5 SHX78CM5N 2-6 SHX78CM4N 2-6 SHX78CM6N 2-6 SHX78000UC 2-14 SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ5002UC 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZPCJB1UC 2-15 SMZSH1ABUC 2-15 SPE53B52UC 2-12					
SHX5AEM5N 2-3 SHX5AEM6N 2-3 SHX9PCM5N 2-11 SHX53CM5N 2-5 SHX65CM5N 2-7 SHX78B75UC 2-8 SHX78CM2N 2-9 SHX78CM4N 2-9 SHX78CM6N 2-9 SMZ3IN1UC 2-14 SMZ4000UC 2-14 SMZ4000UC 2-14 SMZ5000 2-14 SMZ5002UC 2-14 SMZ5003 2-14 SMZ5004 2-14 SMZ5005 2-14 SMZ5000 2-14 SMZ5000 2-14 SMZ5000 2-14 SMZ5000 2-14 SMZ5001 2-14 SMZ5002 2-14 SMZ5400 2-14 SMZ5400 2-14 SMZEPCC1UC 2-14 SMZ					
SHX5AEM6N 2-3 SHX9PCM5N 2-11 SHX53CM5N 2-5 SHX65CM5N 2-7 SHX78D75UC 2-8 SHX78CM2N 2-9 SHX78CM4N 2-9 SHX78CM6N 2-9 SHX78000UC 2-14 SMZ4000UC 2-14 SMZ4026 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZCD200UC 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCJB1UC 2-14 SMZSH1ABUC 2-15 SPE53B52UC 2-12					
SHX9PCM5N 2-11 SHX53CM5N 2-5 SHX65CM5N 2-7 SHX78B75UC 2-6 SHX78CM2N 2-6 SHX78CM4N 2-9 SHX78CM6N 2-9 SHX78CM6N 2-9 SHX78CM6N 2-9 SHX78CM6N 2-9 SHX78CM6N 2-9 SHX78CM6N 2-10 SMZ3IN1UC 2-14 SMZ4000UC 2-14 SMZ4026 2-14 SMZ5000 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5004 2-14 SMZ5005 2-14 SMZ5004 2-14 SMZ5005 2-14 SMZ5001 2-14 SMZ5002 2-14 SMZ5003 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZFCJB1UC 2-15 SMZSH1ABUC 2-15 SPE53B52UC 2-12 <td></td> <td></td> <td></td> <td></td> <td></td>					
SHX53CM5N 2-5 SHX65CM5N 2-7 SHX78B75UC 2-8 SHX78CM2N 2-9 SHX78CM4N 2-9 SHX78CM4N 2-9 SHX78CM6N 2-9 SHX78CM6N 2-9 SHX78CM6N 2-9 SHX78CM6N 2-10 SMZ3IN1UC 2-14 SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ5000 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5040 2-14 SMZ501 2-14 SMZ5020UC 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCJB1UC 2-14 SMZSH1ABUC 2-15 SPE53B52UC 2-12					
SHX65CM5N. 2-7 SHX78B75UC 2-8 SHX78CM2N. 2-9 SHX78CM4N. 2-9 SHX78CM5N. 2-9 SHX78CM6N. 2-9 SHX89PW75N. 2-10 SMZ3IN1UC. 2-14 SMZ4000UC 2-14 SMZ5000. 2-14 SMZ5000. 2-14 SMZ5003. 2-14 SMZ5003. 2-14 SMZ5400. 2-14 SMZ5400. 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCJB1UC 2-14 SMZSH1ABUC 2-15 SPE53B52UC. 2-12					
SHX78B75UC 2-6 SHX78CM2N 2-6 SHX78CM4N 2-6 SHX78CM5N 2-6 SHX78CM6N 2-6 SHX89PW75N 2-10 SMZ3IN1UC 2-14 SMZ4000UC 2-14 SMZ5000 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCJB1UC 2-14 SMZSH1ABUC 2-15 SPE53B52UC 2-12					
SHX78CM2N 2-9 SHX78CM4N 2-9 SHX78CM5N 2-9 SHX78CM6N 2-9 SHX78CM6N 2-9 SHX89PW75N 2-10 SMZ3IN1UC 2-14 SMZ4000UC 2-14 SMZ4026 2-14 SMZ5000 2-14 SMZ5002UC 2-14 SMZ5003 2-14 SMZ5000 2-14 SMZ5003 2-14 SMZ5004 2-14 SMZ5005 2-14 SMZ5008 2-14 SMZ5009 2-14 SMZ50100 2-14 SMZ502000 2-14 SMZCD20000 2-14 SMZCD20000 2-14 SMZEPCC100 2-14 SMZEPCJB10C 2-14 SMZSH1ABUC 2-15 SPE53B52UC 2-14					
SHX78CM4N 2-9 SHX78CM5N 2-9 SHX78CM6N 2-9 SHX89PW75N 2-10 SMZ3IN1UC 2-14 SMZ4000UC 2-14 SMZ4026 2-14 SMZ5000 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZ5012 2-14 SMZ502 2-14 SMZ5012 2-14 SMZ502 2-14 SMZ5012 2-14 SMZ502 2-14 SMZ5012 2-14 SMZ502 2-14 SMZ5012 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCJB1UC 2-14 SMZSH1ABUC 2-15 SPE53B52UC 2-14					
SHX78CM5N 2-9 SHX78CM6N 2-9 SHX89PW75N 2-10 SMZ3IN1UC 2-14 SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ5000 2-14 SMZ5002UC 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCJB1UC 2-14 SMZEPCJUC 2-14 SMZEPCLUC 2-14 SMZEPCLUC 2-14 SMZEPCLUC 2-14 SMZEPCLUC 2-14 SMZEPCLUC 2-14	SHX78C	M2N	•••	2-	9
SHX78CM5N 2-9 SHX78CM6N 2-9 SHX89PW75N 2-10 SMZ3IN1UC 2-14 SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ5000 2-14 SMZ5002UC 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCJB1UC 2-14 SMZEPCJUC 2-14 SMZEPCLUC 2-14 SMZEPCLUC 2-14 SMZEPCLUC 2-14 SMZEPCLUC 2-14 SMZEPCLUC 2-14	SHX78C	M4N	•••	2-	9
SHX78CM6N					
SHX89PW75N					
SMZ3IN1UC 2-15 SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ4026 2-14 SMZ5000 2-14 SMZ5002UC 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCJB1UC 2-14 SMZSH1ABUC 2-15 SPE53B52UC 2-14					
SMZ1008UC 2-14 SMZ4000UC 2-14 SMZ4026 2-14 SMZ5000 2-14 SMZ5002UC 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZCD200UC 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZPCJB1UC 2-15 SMZSH1ABUC 2-15 SPE53B52UC 2-12					
SMZ4000UC 2-14 SMZ4026 2-14 SMZ5000 2-14 SMZ5003 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZCD200UC 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCJB1UC 2-14 SMZSH1ABUC 2-15 SPE53B52UC 2-12					
SMZ4026 2-14 SMZ5000 2-14 SMZ5002UC 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZEPCJB1UC 2-14 SMZSH1ABUC 2-15 SPE53B52UC 2-12	SIVIZ TOU		2	- 1	4
SMZ5000					
SMZ5002UC 2-14 SMZ5003 2-14 SMZ5400 2-14 SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZPCJB1UC 2-15 SMZSH1ABUC 2-15 SPE53B52UC 2-12					
SMZ5003					
SMZ5400	SMZ500	2UC	2	-1	4
SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZPCJB1UC 2-15 SMZSH1ABUC 2-15 SPE53B52UC 2-12	SMZ500	3	2	-1	4
SMZCD200UC 2-14 SMZEPCC1UC 2-14 SMZPCJB1UC 2-15 SMZSH1ABUC 2-15 SPE53B52UC 2-12	SMZ540	0	2	-1	4
SMZEPCC1UC					
SMZPCJB1UC	SMZEPC	°C1UC	2	.1	⊿
SMZSH1ABUC			4	- 1	-
SPE53B52UC2-12		B111C	2	.1	Б
SPE53B52UC2-12		IB1UC	2	-1	5
	SPE53B	IB1UC ABUC	2 [.] 2 [.]	-1 -1	5 5
SPE53B56UC2-12	000000	IB1UC ABUC 52UC	2 [.] 2 [.] 2 [.]	-1 -1 -1	5 5 2
SPE53C52UC 2-12	SPE53B	IB1UC ABUC 52UC 56UC	2 [.] 2 [.] 2 [.]	-1 -1 -1	5 2 2
SPE53C55UC 2-12	SPE53B SPE53C	IB1UC ABUC 52UC 56UC 52UC	2 [·] 2 [·] 2 [·] 2 [·]	-1 -1 -1 -1	5 2 2 2
SPE53C56UC 2-12	SPE53B SPE53C SPE53C	IB1UC ABUC 52UC 56UC 52UC 55UC	2 [.] 2 [.] 2 [.] 2 [.] 2 [.]	-1 -1 -1 -1	5 2 2 2 2 2

SPE68C75UC	. 2-13
SPV68C73UC	. 2-13
SPX68C75UC	. 2-13

W

WGA12400UC	3-1
WGB246AXUC	3-2
WGB24600UC	
WMZ20600	
WMZPW2XW	
WMZPW20W	
WQB245AXUC	3-4
WQB245B0UC	3-3
WTG86403UC	3-3
WTZ2750XUC	3-5
WTZ2751XUC	3-5
WTZ11400UC	3-5
WTZ20410UC	3-5
WTZ27500UC	
WTZ27510UC	3-5
WTZPA20UC	
WTZPA30US	
WTZPW2XD	
WTZPW20D	
WTZSB30UC	3-5
** 12303000	

Bosch Home Appliances

North America Corporate Office 1.800.944.2904

www.bosch-home.com/us

©2024 BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

All information presented herein is based on data available at the time of printing and is subject to change without notice.

For immediate installation dimensions by fax, use your handset and call 1.775.833.3600. Use Code #8317 for a directory of Bosch products.

20-BSH-0914.2