

Price List

National

Q1 2025





Price List

National

Q1 2025

Refrigeration	1-1	Ovens	7-1
French Door Refrigerator	1-1	Built-In Ovens	7-1
Bottom Freezer	1-6	Warming Drawers	7-9
Built-In Bottom Freezer	1-8	Accessories	7-9
Built-In Single Door	1-9		
Accessories	1-10	Cooktops	8-1
		Induction	8-1
Dishwashers	2-1	Radiant	8-5
Dishwashers	2-1	Gas	8-7
ADA-Height Dishwashers	2-12	Accessories	8-10
Accessories	2-14		
		Rangetops	9-1
Laundry	3-1	Rangetops	9-1
Washers	3-1		
Dryers	3-3	Ventilation	10-1
Accessories	3-5	Under-Cabinet Hoods	10-1
		Under-Cabinet Hood Accessories	10-2
Coffee Machine	4-1	Island Hoods/Accessories	10-3
Built-In	4-1	Chimney Wall Hoods	10-4
		Chimney Wall Hood Accessories	10-5
Ranges	5-1	Pull-Out Hoods/Accessories	10-6
Freestanding Ranges—Induction	5-1	Custom Inserts	10-7
Freestanding Ranges-Gas	5-2	Custom Insert Accessories	10-8
Freestanding Ranges—Dual-Fuel	5-3	Downdraft/Accessories	10-9
Slide-in Ranges—Induction	5-4		
Slide-In Ranges—Electric	5-5	Index	11-1
Slide-In Ranges—Gas	5-6	Index	11-1
Slide-in Ranges—Dual-Fuel	5-8		
Accessories	5-9		
Microwaves	6-1		
Over-the-Range Microwaves	6-1		
Drawer Microwaves	6-2		
Built-in Microwaves	6-3		
Speed Ovens	6-4		

All Bosch Freestanding French Door Refrigerators Include the Following Features:

- Home Connect® Features
- ENERGY STAR® Certified
- SuperCool/SuperFreeze®
- Built-In Look
- · MultiAirFlow® Circulation System
- Adjustable Tempered Glass Shelving
 UltraClarityPro® Water Filter
- · Full-Width Chiller Drawer
- · Hidden Hinges
- · LED Lighting
- · Door Alarm

- · Ice Maker
- · Gallon Door Storage Bins

100 Series

36" Freestanding Standard-Depth French Door Refrigerator, External Water and Ice-Stainless Steel

- 26.0 cu.ft.
- 70" Cutout Height
- · Anti-Fingerprint Stainless Steel Exterior
- Sleek Recessed Handles
- · Quicklce System Makes Up To 8 lbs of Ice Per Day*
- · External Ice and Water Dispenser
- · Fill Large Cups and Bottles with Ease with One Touch Bottlefill and Extra Large Dispenser Shelf
- · Freezer with Two-Tiered Shelving



B36FD10ENS





B36FD10ENS

Stainless Steel, Recessed Handle

2,449 2,699

^{*}Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP

500 Series

36" Freestanding Standard-Depth French Door Refrigerator, External Water and Ice-Stainless Steel

- Quicklce Pro System[™] Makes up to 12 lbs. of Ice per Day*
- 26.0 cu.ft.
- · Standard Depth
- 70" Cutout Height
- Anti-Fingerprint Stainless Steel Exterior
- Stainless Steel Back Wall
- Humidity Controlled Crisper Drawers
- · Adjustable Garage Shelf
- Full-Width Chiller Drawer
- · External Ice and Water Dispenser
- · Freezer with Two-Tiered Shelving







B36FD50SNS Stainless Steel, Bar Handle **B36FD50SNB** Black Stainless Steel, Bar Handle

Both Discontinue March

2,999 3,299

3,249 3,599





B36FD52SNS





NEW B36FD52SNS Stainless Steel, Bar Handle 2,999 3,299 Black Stainless Steel, Bar Handle **NEW B36FD52SNB** 3,249 3,599

^{*}Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP

500 Series

36" Freestanding Counter-Depth French Door Refrigerator, External Water and Ice—Stainless Steel

- Quicklce Pro System[™] Makes up to 12 lbs. of Ice per Day*
- 21.6 cu.ft.
- · True Counter Depth
- 70" Cutout Height
- Anti-Fingerprint Stainless Steel Exterior
- · Stainless Steel Back Wall
- Humidity Controlled **Crisper Drawers**
- External Ice and Water Dispenser
- · Freezer with Two-Tiered Shelving
- · Extra Ice Bin in Freezer





B36CD50SNS



B36CD50SNS Stainless Steel, Bar Handle 3,299 3,649

Discontinues March

B36CD50SNB Black Stainless Steel, Bar Handle 3,549 3,949

Discontinues January





B36CD52SNS



Stainless Steel, Bar Handle **NEW B36CD52SNS** 3,299 3,649 **NEW B36CD52SNB** Black Stainless Steel, Bar Handle 3,549 3,949

Both Available April

^{*}Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

Number Description MAP MSRP

800 Series

36" Freestanding Counter-Depth French Door Refrigerator-Stainless Steel

- 20.8 cu.ft.
- · True Counter Depth
- 72" Cutout Height
- Dual Compressor and Dual Evaporator
- Easy to Clean Stainless Steel
- Stainless Steel Back Wall
- VitaFreshPro® automatically adjusts temperature and humidity to keep food fresh up to 3x longer*
- Two Independently Controlled Temperature and Humidity Crisper Drawers
- FlexBar® with shelving accessories
- Dual Activated Internal Water Dispenser
- Freezer with Three-Tiered Shelving
- Ice Scoop







B36CT80SNS	Stainless Steel, Bar Handle	3,499	3,849
B36CT80SNB	Black Stainless Steel, Bar Handle	3,749	4,149
B36CT81ENS	Stainless Steel, Recessed Handle	3,599	3,999

800 Series

36" Freestanding Counter-Depth French Door Refrigerator-Stainless Steel

- 20.5 cu.ft.
- True Counter Depth
- 72" Cutout Height
- Easy to Clean Stainless Steel
- · Stainless Steel Back Wall
- · Dual Compressor and Dual Evaporator
- VitaFreshPro® automatically adjusts temperature and humidity to keep food fresh up to 3x longer*
- FlexBar® with shelving accessories
- · Dual Activated Internal Water Dispenser
- · Freezer with Three-Tiered Shelving
- · Ice Scoop



B36CL80SNS B36CL80ENS Stainless Steel, Bar Handle Stainless Steel, Recessed Handle 3,699 4,099 3,799 4,199





36" Freestanding Counter-Depth French Door Refrigerator Refreshment Center

- 20.5 cu.ft.
- · True Counter Depth
- 72" Cutout Height
- · Stainless Steel Back Wall
- · Dual Compressor and Dual Evaporator
- · Beverage Drawer Holds up to 17 Standard Wine Bottles or 35 Standard Beverage Cans
- · Temperature-controlled middle drawer
- · FlexBar® with Shelving Accessories
- · Dual Activated Internal Water Dispenser
- Freezer with Three-Tiered Shelving
- Ice Scoop



B36CL81ENG Glass on Stainless Steel, Integrated Handle

Glass on White, Integrated Handle

4,799 5,299 4,799 5,299



*As compared to a Bosch refrigerator without FarmFresh System®. Results may vary among different foods.

B36CL81ENW

Number Description MAP MSRP

All Bosch Counter-Depth Two Door Bottom Freezer Refrigerators Include the Following Features:

· Counter Depth

- MultiAirFlow® Circulation System
- · Reversible Door Swing
- ENERGY STAR® Certified

500 Series

24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator— Stainless Steel Door

- 13 cu.ft.
- 80 7/16" Cutout Height
- Home Connect[™]
- Integrated Handles
- Easy clean stainless steel and glass front exteriors
- VitaFresh Plus™ Drawer with Humidity Adjustment
- LED Lighting Inside
- Adjustable Shelving and Door Bins for Flexible Storage
- 3 Freezer Drawers
- Ice Cube Tray
- · Star-K Certified



2,999 3,299

B24CB50ESS Stainless Steel

Note: For model with internal ice maker (B24CB80ES_), see page 1-7.





800 Series

24" Built-In Two Door Bottom Freezer Refrigerator— Custom Panel

- 8.4 cu.ft.
- Home Connect® Features
- · OptiFlex® Hinge
- VitaFresh®—Technology Provides Stable Temperature and Humidity Controlled Drawer
- Installs True Flush

- Dual Evaporators
- Recessed LED Theater Lighting
- · Garage Shelving
- · Full Width Shelving
- Spill-Proof Glass Shelves
- · Full Extension Drawers
- Electronic Controls
- Removable Freezer Bins
- SuperCool/SuperFreeze®
- CoolPaks
- Economy/Vacation Mode
- Wine Rack
- · Door Alarm

2,999 3,299



B09IB91NSP





B09IB91NSP Custom Panel

Number Description MAP MSRP

800 Series

24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator with Ice maker and Internal Water Dispenser

- 13 cu.ft.
- 80 7/16" Cutout Height
- Home Connect[™]
- Integrated Handles
- Easy clean stainless steel and glass front exteriors
- VitaFresh Plus™ Drawer with Humidity Adjustment
- LED Lighting Inside
- · Adjustable Shelving and Door Bins for Flexible Storage
- 3 Freezer Drawers

- Internal Water Dispenser
- · Ice Maker with Pyramid Ice
- UltraClarityPro® Filtered Ice and Water
- Double Ice Bins
- · Star-K Certified









B24CB80ESS	Stainless Steel	3,299	3,649
B24CB80ESW	White Glass	3,099	3,449
B24CB80ESB	Black Glass	3,099	3,449

All Bosch Benchmark® Series Bottom Freezer Refrigerators Include the Following Features:

- Home Connect® Capability
- ENERGY STAR® Certified
- Installs True Flush or Framed
- · Sidewall LED Theater Lighting
- · Touchscreen Control Panel
- · OptiFlex® Hinge
- MultiAirFlow® Circulation System
- · Carbon Air Filter
- SuperCool/SuperFreeze®
- · Adjustable Shelving
- Full Extension Drawers
- Temperature Controlled Deli Drawer
- Gallon Door Bins

- Internal Ice Maker
- · Water Filter
- · Sabbath/Economy/Vacation Mode
- Dual Compressor and Evaporator

Benchmark® Series

30" Built-In Two Door Bottom Freezer Refrigerator

• 16.0 cu.ft.







B30BB935SS

B301B905SP Custom Panel B30BB935SS Stainless Steel 8,999 9,899

Pre-Assembled Package includes: Flat Stainless Panels • Bosch Handles

7,999 8,799





36" Fully-Integrated French Door Bottom Freezer Refrigerator

• 19.5 cu.ft.



B36IT905NP



B36BT935NS

B36IT905NP Custom Panel 8,699 9,599

B36BT935NS Stainless Steel 9,899 10,899





Model Number Description MAP

All Bosch Benchmark® Series Single Door Freezers and Refrigerators Include the Following Features:

- Home Connect® Capability
- Installs True Flush or Framed
- MultiAirFlow® Circulation System

MSRP

- ENERGY STAR® Certified
- All-LED sidewall and theater lighting TFT Controls
- Tall Door Built-In Style
 OptiFlex® Hinge

Benchmark® Series

18" Built-In Single Door Freezer-Custom Panel

• 8.6 cu.ft.

- Water Filter
- · Internal Ice Maker
- Single Compressor

B18IF905SP 18" Freezer, 0

18" Freezer, Custom Panel Single Door

5,999 6,599

B18IF905SP





30" Built-In Single Door Refrigerator-Custom Panel

• 17.2 cu.ft.

- · Humidity control drawer
- Full Width Shelving
- Gallon Door Bins
- Full Extension Drawers
- VitaFresh System

B30IR905SP

30" Refrigerator, Custom Panel Single Door

6,999 7,699



B30IR905SP





Accessorie	es for Refriger	ration					F	D	BM	l			BF	:	S	D
					100 Series	000	SOO SELIES		800 Series		Benchmark	800 Series		Бепсптагк	Jacompana	Delicilliain
					B36FD10ENS	CD5_SN_	B36FD5_SN_	CL80_NS	B36CL81EN_	CT8_SN_	B36BTNS	CBROES	BBSS	IBSP	IF905SP	IR905SP
	Model Number	Description	MAP	MSRP	B36	B36	B36	B36	B36	B36	B36	B24	B30	B30	B18	B30
	BORPLFTR55	UltraClarityPro® Water Filter	46	59	•	•	•	•	•	•	•	•	•	•	•	•
	BORPLFTR30	Water Filter	40	49								•1	1			
Fresh Person American Am	FPETHKT50	FreshProtect™ Ethylene Filter "Starter" Kit	19	29	•	•	•	•	•	•	•					
Fresh Parent	FPETHRF50	FreshProtect™ Ethylene Filter "Refill" Kit	9	9	•	•	•	•	•	•	•					
	BFL18IF800	18" Stainless Steel Flat Panel Freezer Door	450	499											•	
ı	BFL30IR800	30" Stainless Steel Flat Panel Freezer Door	550	649												•
	B36HNDL800	36" Handle for Single Door	100	109											•	•
	HEATKITB82	Heater Kit	399	439									•	•	•	•

Please make sure to order HEATKITB82 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column. A HEATKITB82 is recommended for use with any installation in areas that are subject to extreme humidity.

¹ B20CS30SNS/02

Bosch 100 Series Dishwashers Include the Following Features:

Quiet Operation

- 50 dBA
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence[™] Dual Brushless Motor System

Design

- All-new Recessed Handle Design
- PCB/Touch Control
- Flush Installation
- Time Remaining Display
- Self-Latching Door

Quality

- · Anti-Finger Print Stainless Steel
- Stainless Steel Tub with Polypropylene
- 24/7 Overflow Protection
- Easily Accessible 3-Stage Filtration System

Racks

- 14 Place Setting Capacity
- Manual Adjusting Upper Rack
- · 2 Silverware Baskets

Performance

- Wash System: PrecisionWash®
- Drying System: PureDry™
- Wi-Fi Home Connect® features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- · Options:
 - 3 on the Control Panel: Sanitize, Extra Dry, Remote Start
 - 4 Additional in Home Connect®: Half Load, Eco, Extra Quiet, Fast Forward

100 Series

Efficiency

• 269 kWh/year

SHE3AEM5N Recessed Handle, Stainless Steel 649 749
SHE3AEM2N Recessed Handle, White 549 649

SHE3AEM2N Recessed Handle, White 549 649
SHE3AEM6N Recessed Handle, Black 549 649



SHE3AEM5N



SHE3AEM2N



SHE3AEM6N



Efficiency

240 kWh/year

• ENERGY STAR® Certified

SHE3AEE5N

SHE3AEE5N Recessed Handle, Stainless Steel 669 749







All Bosch 100 Series Plus Dishwashers Include the Following Features:

Quiet Operation

- 48 dBA
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence[™] Dual Brushless Motor System

Design

- All-new Recessed Handle Design
- Touch Controls
- Flush Installation
- Time Remaining Display
- · Self-Latching Door

Quality

- Anti-Finger Print Stainless Steel
- Stainless Steel Tub with Polypropylene
- 24/7 Overflow Protection
- Easily Accessible 3-Stage Filtration System

Racks

- 14 Place Setting Capacity
- 3 Step RackMatic®
- 2 Silverware Baskets

Efficiency

• 269 kWh/year

Performance

- Wash System: PrecisionWash®
- Drying System: PureDry™
- Wi-Fi Home Connect® features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- · Options:
 - 3 on the Control Panel: Sanitize, Extra Dry, Remote Start
 - 4 Additional in Home Connect®: Half Load, Eco, Extra Quiet, Fast Forward

100 Series Plus

SHV4AEB3N Custom Panel

899 999



SHV4AEB3N





All Bosch 100 Series Premium Dishwashers Include the Following Features:

Quiet Operation

- 46 dBA
- · InfoLight®
- · Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System

Design

- · Touch Controls
- · Flush Installation
- · Time Remaining Display
- · Self-Latching Door

Quality

- · Anti-Finger Print Stainless Steel
- · Stainless Steel Tub with Polypropylene
- 24/7 Overflow Protection
- · Easily Accessible 3-Stage Filtration System

Racks

- 15 Place Setting Capacity
- · Standard 3rd Rack
- 3 Step RackMatic®
- 2 Lower Rack Flip Tines (Rear)
- 1 Silverware Basket

Efficiency

· 269 kWh/year

Performance

- · Wash System: PrecisionWash®
- Drying System: PureDry™
- Wi-Fi Home Connect® features
 - Smart Cycle Guidance
 - · Delay Start, Remote Start, and Cycle Monitoring
 - · Access Additional Cycles, Manuals, and Tips & Tricks
- - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- · Options:
 - 3 on the Control Panel: Sanitize, Extra Dry, Remote Start
 - 4 Additional in Home Connect®: Half Load, Eco, Extra Quiet, Fast Forward

100 Series Premium

SHX5AEM5N	Bar Handle, Stainless Steel	899	999	
SHX5AEM2N	Bar Handle, White	849	949	SHX5AEM5N
SHX5AEM6N	Bar Handle, Black	849	949	
SHX5AEM4N	Bar Handle, Black Stainless Steel	999	1,099	SHX5AEM2N
				SHX5AEM6N









Bosch 300 Series Dishwashers Include the Following Features:

Quiet Operation

- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence[™] Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

Design

- · Flush Installation
- · Time Remaining Display
- Self-Latching Door

Quality

 Easily Accessible 3-Stage Filtration System

Performance

- Wash System: PrecisionWash®
- Drying System: PureDry™
- Up to Six Wash Cycles: Heavy, Auto, Normal, Speed60
- Up to Six Options: Sanitize, Delay
- Home Connect® Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

300 Series

Quiet Operation

48 dBA

Design

- · Recessed Handle Design
- · Touch Controls

Quality

- · Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Anti-Finger Print Stainless Steel

Racks

- 14 Place Setting Capacity
- 2 Flip Tines Lower Rack
- 2 Silverware Baskets

Efficiency

• 269 kWh/yr

Performance

- Wi-Fi Home Connect® features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- · Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- Options:
 - 3 on the Control Panel: Sanitize, Remote Start, ExtraDry
 - 2 Additional in Home Connect®: Half Load, Eco



JITE 4 TOWIST



SHE41CM2N



SHE41CM6N







Number Description MAP MSRP

300 Series

Quiet Operation

- 48 dBA
- · InfoLight®

Design

- · Touch Controls
- Self-Latching Door

Quality

- · Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Anti-Fingerprint Stainless Steel
- Easily Accessible 3-Stage Filtration System

Racks

- 16 Place Setting Capacity
- Standard 3rd Rack
- Manual Adjusting Middle Rack
- EasyGlide™ on All 3 Rack Levels
- FlexSpace™ Tines
- 1 Flip Tine Upper Rack
- Flip Tines Lower Rack
 - 1 Fixed (Rear)
 - · 1 Single (Left)
 - 1 Fixed (Right)
- 1 Silverware Basket

Efficiency

 269 kWh/yr (except SHE53CE5N is 240 kWh/year & ENERGY STAR® Certified)

Performance

- Wi-Fi Home Connect® features
 - · Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60®, Favorite.
 - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- · Options:
 - 3 on the Control Panel: Sanitize, Remote Start, ExtraDry
 - 2 Additional in Home Connect®: Half Load, Eco



SHE43C75N





NEW SHE43C75N

Recessed Handle, Stainless Steel

799 899

Quiet Operation

46 dBA

Design

· Backlit Button Controls

Quality

- · Made in Germany
- Full Stainless Steel EuroTub
- Water Softener
- AquaStop® Plus Leak Protection

Racks

- 15 Place Setting Capacity
- · Standard 3rd Rack
- 3 Step RackMatic®
- 2 Flip Tines Upper Rack
- 2 Flip Tines Lower Rack
- 1 Silverware Basket

Efficiency

269 kWh/yr

Performance

- Six Wash Cycles: Rinse,
 Favorite
- Six Options: Delay Start (24h), Delicate, Sanitize, Extra Dry, Remote Start, Machine Care



SHE53B75UC



SHE53B75UC

Recessed Handle, Stainless Steel

999 1,099



Number Description MAP MSRP

300 Series

Quiet Operation

- 46 dBA
- · InfoLight®

Design

- Touch Controls
- Self-Latching Door

Quality

- Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Anti-Fingerprint Stainless Steel
- Easily Accessible 3-Stage Filtration System

Racks

- 16 Place Setting Capacity
- · Standard 3rd Rack
- 3 Step RackMatic®
- EasyGlide™ on All 3 Rack Levels
- FlexSpace™ Tines
- 1 Flip Tine Upper Rack
- Flip Tines Lower Rack
 - 1 Fixed (Rear)
 - 1 Single (Left)
 - 1 Fixed (Right)
- 1 Silverware Basket

Efficiency

 269 kWh/yr (except SHE53CE5N is 240 kWh/year & ENERGY STAR® Certified)

Performance

- Wi-Fi Home Connect® features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60®, Favorite.
 - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- Options:
 - 3 on the Control Panel: Sanitize, Remote Start, ExtraDry
 - 2 Additional in Home Connect®: Half Load, Eco



SHE53C85N



SHE53C82N



SHE53C86N



SHE53CE5N²



SHX53CM5N



SHV53CM3N





SHE53C85N ¹	Recessed Handle, Stainless Steel	999	1,099
SHE53C82N ¹	Recessed Handle, White	949	1,049
SHE53C86N ¹	Recessed Handle, Black	949	1,049
SHE53CE5N ²	Recessed Handle, Stainless Steel	1,019	1,149
SHX53CM5N	Bar Handle, Stainless Steel	1,099	1,249
SHV53CM3N	Custom Panel	1,099	1,249



¹ No InfoLight®

^{2 240} kWh/year; ENERGY STAR® Certified

Number Description MAP **MSRP**

300 Series

Quiet Operation

- 46 dBA
- InfoLight®

Design

- · Touch Controls
- Anti-Fingerprint Stainless Steel

Quality

- · Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- · Easily Accessible 3-Stage Filtration System

Racks

- 16 Place Setting Capacity
- · Standard 3rd Rack
- 3 Step RackMatic®
- EasyGlide™ on All 3 Rack Levels
- FlexSpace[™] Tines
- 1 Flip Tine Upper Rack
- Flip Tines Lower Rack
 - 1 Fixed (Rear)
 - 1 Single (Left)
 - 1 Fixed (Right)
- 1 Silverware Basket

Efficiency

269 kWh/yr

Performance

- Wi-Fi Home Connect® features
 - Smart Cycle Guidance
 - · Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Favorite
 - 3 Additional in Home Connect®: Express, Rinse, Machine Care
- Options:
 - 3 on the Control Panel: ExtraDry
 - 4 Additional Options in Home Connect®: Half Load, SpeedPerfect, Extra Scrub, Eco





SHS53CD2N



SHS53CD5N Scoop Handle, Stainless Steel 1,049 1,199

SHS53CD2N Scoop Handle, White 999 1,099



Number Description MAP **MSRP**

All Bosch 500 Series Dishwashers Include the Following Features:

Featuring AutoAir™-which opens the door to let fresh air circulate for 40% drier dishes.*

Quiet Operation

- InfoLight®
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

- · Pocket Handle Design
- Touch Controls
- · Flush Installation
- · Time Remaining Indicator
- · Self-Latching Door
- · Anti-Fingerprint Stainless Steel

Quality

- · Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- · Easily Accessible 3-Stage Filtration System

Racks

- 16 Place Setting Capacity
- 3 Step RackMatic®
- EasyGlide™ on all 3 Rack Levels
- FlexSpace™ Tines
- 2 Flip Tines Upper Rack
- Flip Tines Lower Rack
 - 1 Fixed (Rear)
 - 1 Single (Left)
 - 1 Fixed (Right)
- 1 Silverware Basket

Performance

- · Wash System: PrecisionWash®
- · Wi-Fi Home Connect® features
 - · Smart Cycle Guidance
 - · Delay Start, Remote Start, and Cycle Monitoring
 - · Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect®: (**Delicate**, Rinse, Machine Care)
- - 2 on the Control Panel: Sanitize, Remote Start,
 - 2 Additional in Home Connect®: Half Load, Eco

500 Series

Quiet Operation

44 dBA

Racks

Flexible 3rd Rack

Efficiency

- 240 kWh/yr
- ENERGY STAR® Certified

SHP65CM5N	Pocket Handle.	Stainless Steel
OTTI OSCINISTA	i ocact manate,	Stallitess Steet

SHP65CM2N Pocket Handle, White

SHP65CM6N Pocket Handle, Black

SHX65CM5N Bar Handle, Stainless Steel

Performance

Drying System: AutoAir™

· Options:

· Additional on the Control Panel: AutoAir™

1,149 1,299

1,149 1,299

1,149 1,299

1,199 1,349



SHP65CM5N



SHP65CM2N



SHP65CM6N



SHX65CM5N





Quiet Operation

38 dBA

Racks

· Standard 3rd Rack

Efficiency

269 KWh/yr

Performance

Drying System: PureDry™

· Options:

 Additional on the Control Panel: PureDry™



SHP95CM5N



SHP95CM5N Pocket Handle, Stainless Steel

1,249 1,399

^{*}Based on average drying performance of Bosch Dishwashers with AutoAir™ after seven hours as compared to Bosch Dishwashers with PureDry™.

Number Description MAP **MSRP**

Bosch 800 Series Dishwashers Include the Following Features:

Featuring CrystalDry™—a patented drying technology that transforms moisture into heat to get dishes, including plastics, 60% drier.*

Quiet Operation

- 42 dBA
- InfoLight®
- · Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

- · Anti-Fingerprint Stainless Steel
- Flush Installation
- Touch Controls
- · Time Remaining Display
- Self-Latching Door

Quality

- · Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System

NEW SHV78DM3N

Available January

· Easily Accessible 3-Stage Filtration System

Racks

- 16 Place Setting Capacity
- EasyGlide™ on All 3 Rack Levels
- FlexSpace™ Tines
- Flexible 3rd Rack
- 3 Step RackMatic®
- Flip Tines Lower Rack
 - 1 Fixed (Rear)
 - 1 Single (Left)
 - 1 Fixed (Right)
- · 1 Silverware Basket

Efficiency

- · 240 KWh/yr
- ENERGY STAR® Certified

Performance

- · Wash System: PrecisionWash®
- Drying System: CrystalDry™ PureDry™

- Wi-Fi Home Connect® features
 - · Smart Cycle Guidance
 - · Delay Start, Remote Start, and Cycle Monitoring
 - · Access Additional Cycles, Manuals, and Tips & Tricks
- - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- · Options:
 - 5 on the Control Panel: Sanitize. Remote Start, CrystalDry™, **Controlled Spray Arm**
 - 2 Additional in Home Connect®: Half Load, Eco
- · Home Connect® Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

800 Series

NEW SHP78DM5N Pocket Handle, Stainless Steel 1,299 1,449

NEW SHX78DM5N Bar Handle, Stainless Steel

Custom Panel

1,349 1,499

1,349 1,499



SHX78DM5N

SHP78DM5N



SHV78DM3N





1 No InfoLight®

^{*}Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

^{*}Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

Number Description MAP MSRP

800 Series

Racks

• 2 Flip Tines Upper Rack

Performance

• Wash System:


PowerControl™ with

PrecisionWash®

	-
SHP78CM5N	

SHF	78	C٨	121

SHP78CM5N ¹	Pocket Handle, Stainless Steel	1,399	1,549
SHP78CM2N ¹	Pocket Handle, White	1,399	1,549
SHP78CM6N ¹	Pocket Handle, Black	1,399	1,549
SHP78CM4N ¹	Pocket Handle, Black Stainless Steel	1,449	1,599 l
SHX78CM5N	Bar Handle, Stainless Steel	1,449	1,599
SHX78CM2N	Bar Handle, White	1,449	1,599
SHX78CM6N	Bar Handle, Black	1,449	1,599
SHX78CM4N	Bar Handle, Black Stainless Steel	1,499	1,649
SHV78CM3N	Custom Panel	1,449	1,599



SHX78CM6N









SHX78CM2N





Number Description MAP **MSRP**

Benchmark® Series

SHP9PCM5N

SHX9PCM5N

SHV9PCM3N

Featuring the New PowerControl™ Wash System plus CrystalDry™—the industry's most advanced clean meets the ultimate dry.

Quiet Operation

- 38 dBA
- · Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- · Solid Molded Base to Absorb Noise while Minimizing Vibration
- TimeLight®

Design

- Flush Installation
- · Touch Controls
- · Touch Screen Display
- · Time Remaining Display
- · Self Latching Door
- · Anti-Fingerprint Stainless Steel

Quality:

- Easily Accessible 3-Stage Filtration System
- Water Softener
- Corrugated Shaped Filter
- Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System

Racks

- 16 Place Setting Capacity
- EasyGlide™ Plus on All 3 Rack Levels
- · Flexible 3rd Rack
- 3 Step RackMatic®
- · 2 Flip Tines Upper Rack
- FlexSpace™ Plus
- Flip Tines Lower Rack
 - 1 Double (Rear)
 - 1 Single (Left)
 - · 1 Wide (Right)
- 1 Silverware Basket

Efficiency

240 kWh/yr

Pocket Handle, Stainless Steel

Bar Handle, Stainless Steel

Custom Panel

ENERGY STAR® Certified

- PowerControl™ with PrecisionWash®
- · Drving System: CrystalDry™
- - Smart Cycle Guidance
 - · Delay Start, Remote Start, and Cycle
- - Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect®: Express,
- Options:
 - Sanitize, Remote Start, CrystalDry™, Controlled Spray Arm

PowerControl™

• 4 Additional in Home Connect® Half Load, SpeedPerfect, ExtraScrub, Eco

1,799 1,999 1,999 1,799

1,799 1,999



- Wash System:
- Wi-Fi Home Connect® features

 - Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- · Cycles:
 - 5 on the Control Panel:
 - Rinse, Glass, Machine Care
 - 4 on the Control Panel:

No TimeLight®

SHP9PCM5N1

SHX9PCM5N²

SHV9PCM3N²

2 39 dBA



Number Description MAP **MSRP**

Bosch ADA-Height Dishwashers Include the Following Features:

Design

- Time Remaining Display
- ADA Compliant Height (32" Tall)

Racks

- RackMatic®
- · Flexible Silverware Basket

Quality

- · Full Stainless Steel Tub
- 24/7 AquaStop® Plus
- · Easily Accessible 3-Stage Filtration System

Efficiency

ENERGY STAR® Certified

Performance

- Up to Seven Wash Cycles: Heavy, Auto, Normal, Favorite, Rinse
- · Six Options: Delicate, Extra Dry, Sanitize, 24H Delay Start, Machine Care, Remote Start
- · Home Connect® Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

300 Series EuroTub/ADA-Height 18" and 24"

Quiet Operation

46 dBA

Racks

- 10 Place Setting Capacity (18" Width)
- · Standard 3rd Rack

Quality

· Made in Poland

Efficiency

269 kWh/yr



SPE53B52UC



SPE53B56UC





SPE53B52UC 18" Recessed Handle, White 999 1.099 SPE53B56UC 18" Recessed Handle, Black 1,099 999

Quiet Operation

46 dBA

Racks

- 10 Place Setting Capacity (18" Width)
- · Standard 3rd Rack

Quality

· Made in Poland

Efficiency

18" Recessed Handle, White

· 240 kWh/yr

18" Recessed Handle, Stainless Steel



SPE53C52UC



SPE53C55UC



SPE53C56UC







18" Recessed Handle, Black SPE53C52UC (White) and SPE53C56UC (Black) Discontinue May. Please call for availability

Quiet Operation

SPE53C52UC

SPE53C55UC

SPE53C56UC

48 dBA

Design

· Toe Panel Color: Stainless Steel

Racks

13 Place Setting Capacity

Quality

- · Made in Germany
- Water Softener

Efficiency

240 kWh/yr



SGV43C53UC





NEW SGV43C53UC

24" Fully Integrated - Requires Custom Panel

999 1,099

999 1,099

999 1,099

1.099

999

Available January



Model

Number Description MAP **MSRP**

300 Series EuroTub/ADA-Height 18" and 24"

Quiet Operation

46 dBA

Design

· Toe Panel Color: Stainless Steel

Racks

• 14 Place Setting Capacity

Quality

 Made in Germany · Water Softener

Efficiency

240 kWh/yr

SGE53C55UC



SGE53C52UC

SGE53C55UC 24" Recessed Handle, Stainless Steel 999 1,099

SGE53C52UC 24" Recessed Handle, White 999 1,099

SGE53C56UC 24" Recessed Handle, Black 999 1,099

SGE53C52UC (White) Discontinues January. SGE53C56UC (Black) Discontinues March. Please call for availability



SGE53C56UC





800 Series EuroTub/ADA-Height 18" and 24"

Quiet Operation

- 44 dBA
- · InfoLight®

Racks

- 10 Place Setting Capacity
- Standard 3rd Rack

Quality

- · Made in Poland
- Vase Holder and Small **Item Clips**

Efficiency

240 kWh/yr

Performance

- · Drying System: **CrystalDry™**
- Additional Wash Cycles: Delicate, Express



SPE68C75UC



SPX68C75UC



SPE68C75UC1 18" Recessed Handle, Stainless Steel 1,299 1,449

SPX68C75UC 18" Bar Handle, Stainless Steel 1,349 1,499

SPV68C73UC 18" Fully Integrated - Requires Custom Panel 1,349 1,499









Quiet Operation

42 dBA

15 Place Setting Capacity

Quality

- · Made in Germany
- · Water Softener
- Vase Holder and Small **Item Clips**

Efficiency

240 kWh/yr

Performance

Drying System: CrystalDry™



SGF78C55UC



SGX78C55UC



SGV78C53UC

SGE78C55UC ¹	24" Recessed Handle, Stainless Steel	1,299	1,449
SGX78C55UC	24" Bar Handle, Stainless Steel	1,349	1,499

SGV78C53UC 24" Fully Integrated - Requires Custom Panel 1,349 1,499









Bosch National Price List - Q1 2025

Job # 20-BSH-0914.2 11/14/2024

Model Number Description MAP MSRP

Accessorie	es for Dishwashe	ers			100 Series	100 Series Plus	100 Series Premium	300 Series	500 Series	800 Series	Benchmark	All ADA Models
	SGZ1010UC	Dishwasher Drain Hose Extension 76%"	18	19	•	•	•	•	•	•	•	•
PPP	SGZ1052UC	Dishwasher Accessory Kit with Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29	•	•						
	SMZ1008UC	Bosch Dishwasher Bar Handle, Stainless Steel, July 2023 Style	59	69		•	•	•	•	•	•	•1
	SMZ4000UC	Flexible Silverware Basket	25	29	•	•	•	•	•	•	•	
S. P.	SMZ5000	Dishwasher Accessory Kit with Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29	•	•	•	•	•	•	•	•
	SMZ5002UC	Anti-Tarnish Silverware Cassette with Clips	25	29	•	•	•	•	•	•	•	•
PIP I	SMZ5003	18" Dishwasher Accessory Hinge for 4" Toekick Height Installation	150	169								•2
13.0	SMZCD200UC	Flexible 3rd Rack	49	59			•	•	•	•	•	•3
20	SMZEPCC1UC	Power Cord Clips + Edge Protector Kit Edge Protector Is for Dishwasher Installations through Metal Cabinetry, for Water/drain/electrical Lines	5	9	•	•	•	•	•	•	•	•
	SMZ3IN1UC	Dish Junction Box and Supply Hose Kit	49	59	•	•	•	•	•	•	•	•



¹ For 24" Only.

² For 18" Only

³ For 24" Only.

								ı				
Accessorie	es for Dishwasho	ers			100 Series	100 Series Plus	100 Series Premium	300 Series		800 Series	Benchmark	All ADA Models
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	20	29	•	•	•	•	•	•	•	•
0.	SMZSH1ABUC	Bosch Dishwasher Water Supply Hose	39	49	•	•	•	•	•	•	•	•



All Bosch Washers Include the Following Features:

- SpeedPerfect® Provides up to 40% Faster Washing
- EcoSilence™ BLDC Motor for Quieter Operation
- · Wave Profiled Stainless Steel Drum
- · Anti-Vibration Circular Side Walls
- ENERGY STAR® Certified
- · Improved Energy Efficiency and Performance
- · Child Lock
- Signal
- · Internal Water Heater

- · Installation: Stackable, Side-by-Side, Under Counter or Pedestal Option
- 208-240 V
- Plug type 240V; NEMA 6-15 (3 prong)

300 Series

24" Compact Washer

Design

- · White Exterior with White Dial and White Door Ring
- Updated Door Design with Bosch Magneto (WGA14400UC only)
- · Touch Control Display
- Large 2.2 cu.ft. Capacity
- · Spin Speed up to 1400 RPM
- · Clear See-Through Window
- · Matching Dryer WTG86403UC

Quality

• Energy Consumption 84 kWh/year

Silence Level

• Washing/Spinning 54/73 dBA

15 Individually-Tailored Washing Programs

· Cotton Normal, Cotton Light Soil, Permanent Press, Permanent Press Heavy Soil, Permanent Press Light Soil, Jeans, Quick Wash 30 min.,

Heavy Duty, Delicates, Hand wash/Wool, Allergen, Towels, Drum Clean, Drain, Rinse/Spin

6 Options

- · SpeedPerfect®, Temperature, Finish In, Extra Rinse, Prewash, Spin Speed
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- · Hose Length: 48"



WGA12400UC

1,249 1,399

1,249 1,399

WGA14400UC

WGA12400UC

24" White Cabinet with White Dial and White Door Ring

Discontinues January

NEW WGA14400UC

24" White Cabinet with White Dial and White Door Ring

Available January

Mumber Description MAP MSRP

500 Series

24" Compact Washer

Home Connect® Features

- App Allows You to Operate Washer From Anywhere In the Home
- Remote Diagnostics, Monitoring, and Control
- Energy Management Information

Design

- White Exterior with Chrome Door Ring
- Updated Touch Control Display
- New, Larger 2.4 cu.ft. Capacity
- Spin Speed up to 1600 RPM

- Tinted Glass Window with Bosch Magneto
- Matching Dryer WQB245B0UC

Quality

- Energy Consumption 105 kWh/year
- AquaStop® Plus Leak Protection System in the Hoses and the Base

Silence Level

 Washing/Spinning 51/75 dBA

13 Individually-Tailored Washing Programs

 Cotton, SuperQuick, Delicates, Bedding, Rinse, Towels, Whites, Mix, Jeans, Sanitize, Hand Wash/Wool, Spin/Drain, Drum Clean

10 Options

- SpeedPerfect®, Temperature, Finish In, Prewash, Spin Speed, Intensive Plus, Rinse Plus, Remote Start, Mini Load, Stains (Stains Program Treats Blood, Oils - food based, Red Wine, Grass, Sweat, Cosmetics based stains)
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 59"



WGB24600UC





WGB24600UC

24" White Cabinet with Chrome Door Ring

1,499 1,649

800 Series

24" Compact Washer

Home Connect® Features

- App Allows You to Operate Washer from Anywhere in the Home
- Easy Start Option for Your Wash Cycle
- Energy Management Information

Design

- Pearl Steel Exterior with Chrome Door
- Updated Touch Control Display
- New i-DOS Automatic Dosing
- New, Larger, 2.4 cu.ft. Capacity
- Spin Speed up to 1600 RPM

- · Interior LED Drum Light
- Tinted Glass Window with Bosch Magneto
- Matching Dryer WQB245AXUC

Quality

- Energy Consumption 105 kWh/year
- AquaStop® Plus Leak Protection System in the Hoses and the Base

Silence Level

 Washing/Spinning 51/75 dBA

13 Individually-Tailored Washing Programs

 Cotton, SuperQuick, Delicates, Bedding, Automatic, Towels, Whites, Mix, Jeans, Sanitize, Hand Wash/Wool, Spin/Drain, Drum Clean

10 Additional Options

- SpeedPerfect®, Temperature, Finish In, Prewash, Spin Speed, Intensive Plus, Rinse Plus, Remote Start, Mini Load, Stains (Stains Program Treats Blood, Oils - food based, Red Wine, Grass, Sweat, Cosmetics Based Stains)
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 59"

1,849 2,049



WGB246AXUC





WGB246AXUC

24" Pearl Steel Cabinet with Chrome Door Ring

All Bosch Dryers Include the Following Features:

- Large 4.0 cu.ft. Capacity
- Anti-Vibration Circular Side Walls
- · Sensitive Drying System
- · Start/Pause to Add an Item
- ENERGY STAR® Certified
- Child Lock
- Extra-Fine Lint Filter

· ActiveDry® System

Installation

- · Stackable, Side-by-Side, Under Counter or Pedestal Option
- · No Ducting Required
- · Drain Pump and Hose Included

· Power Cord Included with Plug Type: 240V; NEMA 6-15 (3 Prong). Dryer Is Also Supplied with a Power Adapter to Fit a Standard 4-Prong 30A Dryer Receptacle (NEMA 14-30R) and Powers Both Bosch Washer and Dryer

300 Series

24" Compact Condensation Dryer

Design

- · White Exterior with White Dial and White Door Ring Touch Control Display
- Updated Door Design with Bosch Magneto (WPA12100UC only)
- · Stainless Steel Drum
- · Clear See-Through Window
- · Matching Washer WGA12400UC

Quality

 Energy Consumption 315 kWh/year

Silence Level

63 dBA

15 Individually-Tailored **Drying Programs**

 Cotton Extra Dry, Cotton Dry (Regular), Permanent Press Extra Dry, Permanent Press Dry, Permanent Press Damp,

Jeans, Quick Dry Auto, Air Fluff/No Heat, Time Dry Variable, Quick 40, Delicates, Heavy Duty, Sanitize, Hand Wash/Wool, Towels

6 Options

· Dry Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Signal

1,149 1,299

1,249 1,399



WTG86403UC



WPA12100UC



WTG86403UC

24" Ventless Condensation Drying System White with White Dial and White Door Ring

Discontinues January

NEW WPA12100UC

24" Ventless Condensation Drying System White with White Dial and White Door Ring

Available January

Number Description MAP **MSRP**

500 Series

24" Compact Heat Pump Dryer with Self-Cleaning Condenser

Home Connect® Features

- App Allows You to Operate Dryer from Anywhere in the Home
- · Smart Dry Connects the Dryer to the Washer to Determine the Best Drying Program based off of the Wash Cycle

Design

· White Exterior with Chrome Door Ring

WQB245B0UC

- Updated Touch Control Display
- · Reversible Door (No Additional Parts Required)

- · Stainless Steel Structured Drum
- · Tinted Glass Window with Bosch Magneto
- · Matching Washer WGB24600UC

Quality

- Energy Consumption 125 kWh/year
- · Maintenance-Free Self Cleaning Condenser
- · Dual-Layer Lint Filtration System

Silence Level

• 62 dBA

White with Chrome Door Ring

13 Individually-Tailored **Drying Programs**

 Cotton, Quick Dry Auto, Delicates, Bedding, Anti Shrink, Towels, Jeans, Mix, Sportswear, Sanitize, Time Dry, Hand Wash / Wool, Air Fluff

8 Options

 Dryness Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Remote Start, Dry Level Adjust, End Signal



WQB245B0UC





24" Ventless Heat Pump Dryer with **Self-Cleaning Condenser**

1,499 1,649

800 Series

24" Compact Heat Pump Dryer with Self-Cleaning Condenser

Home Connect® Features

- App Allows You to Operate Dryer from Anywhere in the Home
- · Easy Start Option for Your Dry Cycle

Design

- · Pearl Steel Exterior with Chrome Door Ring
- · Updated Touch Display
- Interior LED Drum Light
- Reversible Door (No Additional Parts Required)
- · Stainless Steel Structured Drum

- · Tinted Glass Window with Bosch Magneto
- · Matching Washer WGB246AXUC

 Energy Consumption 125 kWh/year

Silence Level

• 62 dBA

13 Individually-Tailored **Drying Programs**

· Cotton, Quick Dry Auto, Delicates, Bedding, Steam Restore, Towels, Jeans, Mix, Sportswear, Sanitize, Time Dry, Hand Wash / Wool, Air Fluff

8 Options

· Dryness Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Remote Start, Dry Level Adjust, End Signal



WQB245AXUC





WQB245AXUC 24" Ventless Heat Pump Dryer with

Self-Cleaning Condenser

Pearl Steel with Chrome Door Ring

1,849 2,049

Description MAP MSRP

Accessorie	es for Laundry				W	ashe	ers	Dr	yer	s
					WGA1_400UC	WGB24600UC	WGB246AXUC	WTG86403UC/ WPA12100UC	WQB245B0UC	WQB245AXUC
	WMZ20600	Drying Rack for Wool items, Shoes, etc. for Bosch 24" Dryers	79	89				•	•	•
	WMZPW20W	Pedestal with Drawer for 24" Washer	299	329	•	•				
	WTZPW20D	Pedestal with Drawer for 24" Dryer	299	329				•	•	
	WMZPW2XW	Washer 24" Pedestal – Pearl Steel	399	439			•			
	WTZPW2XD	Dryer 24" Pedestal – Pearl Steel	399	439						•
to an an and	WTZ11400UC	Stacking Kit with Pull Out Tray	149	169	•			•		
I.m	WTZ20410UC	Stacking Kit without Pull Out Tray	49	59	•			•		
A	WTZ27510UC	500 Stacking Kit – NO Drawer White	69	79		•			•	
1	WTZ27500UC	500 Stacking Kit – w/ Drawer White	199	219		•			•	
	WTZ2751XUC	800 Stacking Kit — NO Drawer Pearl Steel	69	79			•			•
	WTZ2750XUC	800 Stacking Kit — w/ Drawer Pearl Steel	199	219			•			•

Model Number Description MAP MSRP

Accessorie	es for Laundry				Wa	ashe	ers	Dr	yers	5
					WGA1_400UC	WGB24600UC	WGB246AXUC	WTG86403UC/ WPA12100UC	WQB245B0UC	WQB245AXUC
	WTZPA20UC	Dryer Power Adapter – 4 Prong 240V; NEMA 14-30R to 6-15R	69	79				•1	•1	•1
	WTZPA30US	Dryer Power Adapter – 3 Prong 240V; NEMA 10-30R to 6-15R	69	79				•1	•1	•1
******	WTZSB30UC	Bracket Style Stacking Kit White	49	59	•	•		•	•	
******		Bracket Style Stacking Kit Pearl Steel	69	79			•			•
4	Available January									

¹ Adapter only works with dryers listed in this guide.

800 Series

24" Built-In Coffee Machine

- Home Connect® App Allows You to Prepare Coffee from Anywhere in the Home
- Within Minutes Prepare Espressos, Cappuccinos, Lattes, Macchiato and More
- MyFavorites Stores up to 8 of Your Favorite Coffee Preferences
- Large TFT Color Touch Screen Interface
- Automatic System for Cleaning, Milk Steam Rinsing and Descaling

- AromaPro Provides
 Constant Pressure for
 an Enhanced Coffee
 Experience
- Grinding Settings for Dark or Light Coffee
- OneTouch DoubleCup Dispenses Two Beverages at the Same Time
- Integrated Built-In Sensors Will Alert You When Coffee, Water Level Is Low
- AromaDouble Shot Prepares Extra-Strong Coffee with Less Bitterness

 Individual Cup Volume Allows You to Adjust Your Coffee Cup Size

MAP

MSRP

- 1 lb. Bean Container
- 81 oz. Water Reservoir
- Stainless Steel 17 oz. Milk Container
- Drip Tray Removable for Cleaning
- 120 V



BCM8450UC



BCM8450UC

Bosch Built-In Coffee Machine

3,699 4,099

Accessories for Coffee Machine		BCM8450UC
HEZCMT3050 30" SS Trim Kit	429 479	•

For coffee accessories, please see the Cleaners & Accessories Price List.

All Bosch Induction Ranges Include the Following Features:

- Genuine European Convection
- · Easy to View Inclined Display
- 8 Cooking Modes
- · Sabbath Mode

- · Faster than Gas or Electric
- Temperature Probe
- Dampened Hinges Softly Guide the QuietClose Door Shut
- · Heavy-Duty Metal Knobs
- · One Halogen Light
- · Catalytic Clean Cavity
- · Kitchen Timer

800 Series

30" Industrial-Style Induction Range

- · 4 Induction Zones
- 2 Standard Racks
- Oven Capacity at 3.9 cu.ft.
- 2.700 W Convection Element

• Electrical supply: 40 A, 240 V/208 V



HIS8055U

LR: 1,400 W / 2,200 W	RR:1,850 W / 3,000 W
LF: 2,300 W / 3,700 W	RF: 2,300 W / 3,700 W

HIS8055U

Stainless Steel

4,399 4,849

36" Industrial-Style Induction Range

• First 36" Bosch Range with the Most Powerful Element of 5,500 W and CombiZone™

LR: 1,850 W / 3,000 W

LF: 1,850 W / 3,000 W

- 5 Induction Zones
- · Oven Capacity at 3.7 cu.ft.
- 1 Telescopic Rail with Rack
- 1 Standard Rack
- 2,500 W Convection Element
- Electrical supply: 50 A, 240 V/208 V



C: 1,850 W / 3,000 W

RR:1,400 W / 2,200 W

RF: 2,300 W / 3,700 W



HIS8655U

HIS8655U

Stainless Steel

6,199 6,849

All Bosch Industrial-Style Gas Ranges Include the Following Features:

• Powerful 18,000 BTU Dual Flame Burner

• 3 Cooking Modes

• 17,000 BTU Bake Burner

- · Dishwasher-Safe Grates
- · Continuous Grate Design
- Heavy Metal Knobs
- One Halogen Light

- Catalytic Clean Cavity
- · Kitchen Timer
- · LP Conversion Kit
- Electrical Supply: 15 A, 120 V

800 Series

30" Industrial-Style Gas Range

• 5 Burners • 2 Standard Racks

• Oven Capacity at 3.6 cu.ft. • 11,500 BTU Broil Burner

LR: 10,000 BTU (NG)

C: 18,000 BTU (NG)

RR: 5,000 BTU (NG)

RF: 10,000 BTU (NG)

HGS8055UC Stainless Steel 3,699 4,099

HGS8045UC Black Stainless Steel 4,199 4,649



HGS8055UC



HGS8045UC

36" Industrial-Style Gas Range

6 Burners Adding More
 1 Telescopic Rail with Rack
 1 Standard Rack

Plexibility to Your Cooking
1 Standard Rack
Oven Capacity at 3.4 cu.ft.
14,000 BTU Broil Burner

LR: 5,000 BTU (NG)	CR: 10,000 BTU (NG)	RR: 10,000 BTU (NG)
LF: 18,000 BTU (NG)	CF: 10,000 BTU (NG)	RF: 10,000 BTU (NG)

HGS8655UCStainless Steel4,8995,399HGS8645UCBlack Stainless Steel5,4996,049



HGS8655UC



HGS8645UC

All Bosch Industrial-Style Dual-Fuel Ranges Include the Following Features:

- Powerful 18,000 BTU Dual Flame
- · Genuine European Convection
- · 8 Cooking Modes
- · Sabbath Mode
- · Temperature Probe

- 1,700 W Bake Element
- 2,900 W Broil Element
- · Dishwasher-Safe Grates
- · Continuous Grate Design
- · Heavy Metal Knobs

- · One Halogen Light
- · Catalytic Clean Cavity
- · Kitchen Timer
- · LP Conversion Kit
- Electrical Supply: 20 A, 240 V/208 V

800 Series

30" Industrial-Style Dual Fuel Range

• 5 Burners

- · 2 Standard Racks
- Oven Capacity at 3.9 cu.ft.
- 2,700 W Convection

Element

LR: 10,000 BTU (NG) LF: 5,000 BTU (NG)

CR: 18,000 BTU (NG)

RR: 5,000 BTU (NG)

RF: 10,000 BTU (NG)



HDS8055U

HDS8055U Stainless Steel

HDS8045U **Black Stainless Steel**



HDS8045U

36" Industrial-Style Dual Fuel Range

- · 6 Burners Adding More Flexibility to Your Cooking
- 1 Telescopic Rail with Rack
- 1 Standard Rack
- · Oven Capacity at 3.7 cu.ft.

HDS8655U

• 2,500 W Convection

Element

LR: 5,000 BTU (NG)	CR: 10,000 BTU (NG)	RR: 10,000 BTU (NG)
LF: 18,000 BTU (NG)	CF: 10,000 BTU (NG)	RF: 10,000 BTU (NG)



HDS8655U

HDS8645U **Black Stainless Steel**

Stainless Steel

5,799 6,399

6,299 6,949



HDS8645U

All Bosch Induction Slide-In Ranges Include the Following Features:

- · The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- · 400 W Warming Drawer
- · Touch Control for Easier Operation of the Oven
- · Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- · Temperature Probe
- · Extra Large Door Window

- Star-K Certified 100°-450°F
- · Rear Vent Trim Included
- 17 Heat Levels
- A 11" Heating Element Offers 3,700 W of Power
- · Faster than Gas or Electric
- · Easier to Clean and More Efficient
- SpeedBoost®
- ChildLock
- SafeStart

- 2,000 W Convection Ring Element
- · Genuine European Convection
- Fast Preheat™
- Large Oven Capacity at 4.6 cu.ft.
- · Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element
- Electric Supply: 40 A or 50 A. Check with local code requirements

800 Series

30" Induction Slide-In Range

- 11 Specialized Cooking Modes
- · One Oven Light
- · Large Oven Capacity at 4.6 cu.ft.
- 3 Standard Racks

LR: 9" @	RR: 11" @
2,200 W/3,700 W (SpeedBoost®)	2,600 W/3,700 W (SpeedBoost®)
LF: 6" @	RF: 6" @
1.400 W/2.200 W (SpeedBoost®)	1.400 W/2.200 W (SpeedBoost®)



Stainless Steel

Black Stainless Steel HII8047U



HII8057U

3,799 4,199 3,999 4,399



HII8047U

Benchmark® Series

30" Induction Slide-In Range

- QuietClose® Door
- A Full-Extension Telescopic Rack

LR:8" × 9" @

2,200 W/3,600 W (SpeedBoost®)


LF: 8" × 9" @

- · Two Oven Lights
- · Kitchen Timer
- FlexInduction® Cooktop Can Combine Two Cooking Zones into One Continuous Surface
- PowerMove®
- PotSense

RR: 11" @

RF: 6" @

- PreciseSelect®
- 1 Telescopic Rack. 2 Standard racks





HIIP057U

HIIP057U 30" Induction Slide-In Range

4,099 4,549

All Bosch Electric Slide-In Ranges Include the Following Features:

- The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- Touch Control for Easier Operation of the Oven
- · Easy to Clean Ceramic Surface
- Time-Adjustable Self Clean
- Extra Large Door Window
- · Genuine European Convection
- Fast Preheat™

- · Kitchen Timer
- · Sabbath Mode
- Electric Supply: 40 A or 50 A.
 Check with local code requirements

100 Series

30" Electric Slide-In Range

- All-In-One Range with 9 Specialized Cooking Modes, with Air Fry
- Sleek Backlit UI Wakes Up With Prompted
- Modern Engraved Straight Handle Design
- Large & Powerful 3,000 W Elements

LR: 6" @ 1,200 W
LF: 9" @ 3,000 W

- Flexible 6" 1,200 W Simmer Elements
- Cook with 6", 9", or 12" Elements for Added Cooking Flexibility
- Self Clean & Steam-assist cleaning modes
- 2 Standard Racks

- · 3,000 W Bake Burner
- Large oven capacity at 5.8 cu.ft.
- · Storage Drawer
- · Sabbath Mode
- 3,400 W Broil Element
- 1,500 W Convection Ring Element



HEF1050MU

C: 6" @	RR: 6" @ 1,200 W
100 W Warming Element	RF: 12" @ 3,000 W

NEW HEF1050MU

Stainless Steel

1,649 1,849

Available April

800 Series

30" Electric Slide-In Range

- 2,000 W Convection Ring Element
- 400 W Warming Drawer
- 100 W Warm Zone
- Temperature Conversion for Convection Cooking
- 2–4 hr Time-Adjustable Self Clean

LR: 6" @ 1,200 W	
LF: 9"/6" @ 3,000 W/1,400 W	

- 3 Standard Racks
- Star-K Certified 100°-450° F
- Rear Vent Trim Included
- 2,000 W Convection Ring Element
- · Heavy-Duty Metal Knobs
- 11 Specialized Cooking Modes
- Large Oven Capacity at 4.6 cu.ft.
- Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element

DD. 6" @



HEI8056U

C: 6" @	1,200 W
100 W Warming Element	RF: 9.5" @ 3,200 W

HEI8056U Stainless Steel

2,399 2,649

All Bosch Gas Slide-In Ranges Include the Following Features:

- · The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- · Extra Large Door Window
- Touch Control for Easier Operation of the Oven
- 9 Specialized Cooking Modes
- · Standard Convection
- 5 Burners Add Flexibility to Your Cooking
- · Kitchen Timer

- · Sabbath Mode
- · LP Conversion Kit Included
- Electrical Supply: 15 A

100 Series

800 Series

30" Gas Slide-In Range

- · All-In-One Range with Air Fry
- · Sleek Backlit UI Wakes Up When Prompted
- Modern Engraved Straight Handle Design
- · Easy To Clean Porcelainized Surface
- · Large 9,200 BTU Center Oval Burner

LR: 5,000 BTU (NG) LF: 16,000 BTU (NG)

- 5,000 BTU Rear Simmer Burner
- Powerful 16,000 BTU Front Burner
- 2 Standard Racks

C: 9,200 BTU (NG)

- · Rapid Pre-Heat Brings the Oven Cavity to Temp Before You Can Finish Your Prep
- · Self Clean & Steam-Assist Cleaning Modes
- · Large oven capacity at 5.8 cu.ft.
- 18,000 BTU Hidden Bake Burner
- 14,000 BTU Broil Burner
- · Storage Drawer

RR: 5,000 BTU (NG)

RF: 12,000 BTU (NG)



HGF1050MUC

NEW HGF1050MUC Stainless Steel

1,699 1,899

Available April

30" Gas Slide-In Range

- · 400 W Warming Drawer
- · Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- Star-K Certified 100°-450°F
- · Rear Vent Trim Included
- LR: 5.000 BTU (NG) LF: 10,000 BTU (NG)

- Heavy-Duty Metal Knobs
- Low-Profile Continuous Grate Design
- · Stainless Steel Maintop
- Powerful 18,000 BTU Center Burner
- · 3 Standard Racks
- · Large Oven Capacity at 4.8 cu.ft.
- 18,000 BTU Bake Burner
- 12,500 BTU Broil Burner



HGI8056UC

RR: 5,000 BTU (NG) C: 18,000 BTU (NG) RF: 15,000 BTU (NG)

Stainless Steel **HGI8056UC** 2,549 2,849 **HGI8046UC Black Stainless Steel** 2,749 3,049



HGI8046UC

MSRP

30" Gas Slide-In Range

- 400 W Warming Drawer
- Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- · QuietClose® Door
- Star-K Certified 100°-450°F
- Rear Vent Trim Included
- · Heavy-Duty Metal Knobs

LR: 5,000 BTU (NG)

LF: 10,000 BTU (NG)

- Low-Profile Continuous Grate Design
- · Stainless Steel Maintop
- Temperature Probe
- A Full-Extension Telescopic Rack
- Temperature Probe
- · Two Oven Lights

C: 20,000 BTU (NG) Dual-Stacked Powerful 20,000 BTU Center Dual-Stacked Burner Designed for Faster Boiling and Low Simmer

- 1 Telescopic Rack,2 Standard racks
- Large Oven Capacity at 4.8 cu.ft.
- 18,000 BTU Bake Burner
- 12,500 BTU Broil Burner



RF: 15,000 BTU (NG)



Benchmark® Series

HGIP056UC

HGIP056UC

30" Gas Slide-In Range

2,949 3,249

All Bosch Dual-Fuel Slide-In Ranges Include the Following Features:

- The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- 400 W Warming Drawer
- Touch Control for Easier Operation of the Oven
- Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- Extra Large Door Window
- Star-K Certified 100°-450°F

- · Rear Vent Trim Included
- · Heavy-Duty Metal Knobs
- Low-Profile Continuous Grate Design
- · Stainless Steel Maintop
- 11 Specialized Cooking Modes
- 2,000 W Convection Ring Element
- · Genuine European Convection
- Temperature Probe
- Fast Preheat™

- 5 Burners Add Flexibility to Your Cooking
- Large Oven Capacity at 4.6 cu.ft.
- Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element
- · LP Conversion Kit Included
- Electrical Supply: 30 A

800 Series

30" Dual Fuel Slide-In Range

- Powerful 18,000 BTU Center Burner
 - LR: 5,000 BTU (NG)
 - LF: 10,000 BTU (NG)
- Two Oven Lights
- · Kitchen Timer

C: 18,000 BTU (NG)

RR: 5,000 BTU (NG)

· 3 Standard Racks

1 Telescopic Rack,
 2 Standard racks

RF: 15,000 BTU (NG)



HDI8056U Stainless Steel 2,949 3,249 HDI8056U

Benchmark® Series

30" Dual Fuel Slide-In Range

- QuietClose® Door
- A Full-Extension Telescopic Rack
- Temperature Probe
- · Two Oven Lights

LR: 5,000 BTU (NG)

- · Kitchen Timer
- Powerful 20,000 BTU Center Dual-Stacked Burner Designed for Faster Boiling and Low Simmer

C: 20,000 BTU (NG) Dual-Stacked RR: 5,000 BTU (NG)

RF: 15,000 BTU (NG)



HDIP056U

HDIP056U 30" Dual-Fuel Slide-In Range

3,349 3,699

Description MAP MSRP

Accessorie	es for Industrial	Style Ranges			+	Induction		Gas			Diral Fire	ב - -	
					30"	HIS8655U 36" SS	JC 30"	2000	36" 5UC 36"	S8055U 30"	S8045U 30"	S8655U 36"	5U 36"
\bigcirc	HEZ9GW23UC	Wok Ring for Industrial Style Range	69	79			• .		•	•	•	•	•
	HEZ8YZ30UC	9" Low Backguard for 30" Industrial Style Range, Black Stainless Steel	229	259			•				•		
	HEZ8YZ36UC	9" Low Backguard for 36" Industrial Style Range, Black Stainless Steel	239	269					•				•
	HEZ9YZ30UC	9" Low Backguard for 30" Industrial Style Range, Stainless Steel	179	199	•		•			•			
	HEZ9YZ36UC	9" Low Backguard for 36" Industrial Style Range, Stainless Steel	189	209		•		•	,			•	
	HEZ8ZZ30UC	3" Rear Vent Trim Extension for 30" Industrial Style Range, Black Stainless Steel	139	159			•	•			•		
	HEZ8ZZ36UC	3" Rear Vent Trim Extension for 36" Industrial Style Range, Black Stainless Steel	139	159									•
	HEZ9ZZ30UC	3" Rear Vent Trim Extension for 30" Industrial Style Range, Stainless Steel	119	139	•		•			•			
	HEZ9ZZ36UC	3" Rear Vent Trim Extension for 36" Industrial Style Range, Stainless Steel	119	139		•		•	•			•	
	HEZ8YZ04UC	Side Panel Extension Kit for Industrial Style Range, Black Stainless Steel Provides full side coverage extending to rear of range	99	109			•	•	•		•		•
	HEZ9YZ04UC	Side Panel Extension Kit for Industrial Style Range, Stainless Steel Provides full side coverage extending to rear of range	89	99	•	•	•	•	,	•		•	

Model Number Description MAP MSRP

Accessorie	es for Industrial	Style Ranges				Induction		Gas	3			Dual Fuel	
					30" SS	36"	30"	30"	36"	36"	30" SS	36	36"
					HIS8055U	HIS8655U	HGS8055UC	HGS80451	HGS8655UC	HGS8645UC	HDS80451	HDS865511	HDS86450
$\overline{}$	HEZ8TK30UC	Range Toe Kick 30", Black Stainless Steel	229	259				•			•		
_	HEZ8TK36UC	Range Toe Kick 36", Black Stainless Steel	249	279						•			•
	HEZ9TK30UC	Range Toe Kick 30", Stainless Steel	219	249	•		•			•	•		
_	HEZ9TK36UC	Range Toe Kick 36", Stainless Steel	239	269		•			•			•	
	HEZ8LLUC	Range Feet Premium 30"/36", Black Stainless Steel-Set of 4	149	169				•		•			•
	HEZ9LLUC	Range Feet Premium 30"/36", Stainless Steel-Set of 4	79	89	•	•	•		•		•	•	
	12029918	Telescopic Extension Rails Industrial Style Ranges, Wire ra *Available only as a service part			•	•	•	•	•	•	• •	•	•

Model Number Description MAP MSRP

Accessorie	es for Slide-In F	Ranges				00 S encl		
					Induction	Electric	Gas	Dual Fuel
	HEZ298102	Wok Ring-Attaches to Grates	69	79			•	
		Pan with Aluminum Core Optimized for Co ior Heat Distribution	oking with A	utoChef®	•	•	•	•
	HEZ390210	8" Pan for 6" Element	89	99				
	HEZ390220	9" Pan for 7" Element	99	109	•	•	•	•
6	Element • Super	Pan with Aluminum Core Optimized for Corior Heat Distribution	oking with A	utoChef®	•	•	•	•
	HEZ390230	10" Pan for 8" and 9" Elements	119	139				
	HEZTR301	Gliding Telescopic Rack	279	309	•	•	•	•
	HEZBS301	4" Low Back Accessory for Radiant and Induction Slide-In Ranges	249	279	•	•		
	HGZBS301	4" Low Back Accessory for Gas Slide-In Ranges	219	249			•	
	HDZBS301	4" Low Back Accessory for Dual-Fuel Slide-In Ranges	249	279				•
	HDZIT301	Island Trim Accessory for Use in Dual-Fuel Range Island Applications	249	279				•
	HGZIT301	Island Trim Accessory for Use in Gas Range Island Applications	219	249			•	

All Bosch Over-the-Range Microwaves Include the Following Features:

- · Design-Matched for Use in Combination with Bosch Range or Cooktop
- Exclusive Stainless Steel Handle
- Easy to Read White LCD Display
- · Easy to Use Touch Control
- Side-Hinged Door Allows Full Access to Microwave Cavity
- · Installation for Recirculation or **Outside Venting**
- · Reheat Setting
- · Potato Program
- · Automatic Defrost
- · Popcorn Program
- · Timer with Cook Time and Automatic Shut Off Function

- · Convenient Kitchen Timer
- · Easily Adds 30 Seconds to Cooking Time
- 10 Microwave Power Levels
- Plugs into Standard 110 V, 3-Prong Outlet

100 Series

30" Over-the-Range Microwave

- · Stainless Steel Colored Vent Grid
- · 1.7 cu.ft. Large Cavity Capacity
- Large 13 %" Glass Turntable
- Three-Speed Vent with up to 300 CFM Power
- · Two Surface Lights for Bright Cooktop Illumination



HMV1055U

NEW HMV1055U

30" Stainless Steel

Available August

579 649

300 Series

30" Over-the-Range Microwave

- · Stainless Steel Colored Vent Grid
- · 1.7 cu.ft. Large Cavity Capacity
- Large 13 %" Glass Turntable
- · Three-Speed Vent with up to 300 CFM Power
- · Two Surface Lights for Bright Cooktop Illumination



HMV3054U

30" Stainless Steel HMV3054U

Discontinues August

NEW HMV3055U 30" Stainless Steel

Available August

699 599

599 699 HMV3055U

500 Series

30" Over-the-Range Microwave

- Easy-Clean Stainless Steel Vent Cover
- · 2.1 cu.ft. Large Cavity Capacity
- Large 14 3/16" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent with up to 385 CFM Power
- · Two LED Lights for Bright Cooktop Illumination



HMV5053U

HMV5053U 30" Stainless Steel 649 749

OVER-THE-RANGE MICROWAVES/DRAWER MICROWAVES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Mumber Description MAP MSRP

800 Series

30" Over-the-Range Convection Microwave

- Easy-Clean Stainless Steel Vent Cover
- 1.9 cu.ft. Large Cavity Capacity
- Large 14 ³/₁₆" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent with up to 385 CFM Power
- Two LED Lights for Bright Cooktop Illumination
- · Convection Cooking
- Full Stainless Steel Cavity



HMV8045U



HMV8054U

HMV8045U 30" Black Stainless Steel

HMV8054U 30" Stainless Steel

Benchmark® Series

30" Over-the-Range Convection Microwave

- Easy-Clean Stainless Steel Vent Cover
- 1.9 cu.ft. Large Cavity Capacity
- Large 14 ³/₁₆" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent with up to 385 CFM Power
- Two 30 W LED Lights for Bright Cooktop Illumination
- · Convection Cooking
- Full Stainless Steel Cavity
- Heavy-Duty Mesh Ventilation Filter
- Triple Distribution System



HMVP054U

HMVP054U 30" Stainless Steel

1,049 1,199

1,049 1,199

949 1,049

800 Series

24" and 30" Drawer Microwave

- New hidden control panel; opens for enhanced visibility
- Home Connect® allows for remote monitoring and control the drawer microwave with Wi-Fi Connectivity
- 1.2 cu.ft. overall capacity
- Microwave Power 950 W
- 10 Power Levels
- Sensor Cooking Door
- Opens and Closes through Touch Control
- Can Be Installed Flush



HMD8454UC



HMD8454UC 24" Drawer Microwave 1,949 2,149 HMD8454UC

HMD8054UC 30" Drawer Microwave 2,049 2,299

Number Description MAP **MSRP**

800 Series

24" Built-in Microwave with Side Swing Door and Trim Kit Accessory in 27" or 30"

- · Glass touch controls with
- Microwave Power 1,200 W
- white display • 2.1 cu.ft. overall capacity
- 10 Power Levels · Sensor Cooking
- 16 1/2" Glass Turntable

HMT5055



HMB30155UC w/ HMT5055

HMB30155UC	24" Microwave, Stainless Steel	699	799
HMT5755	27" Built-In Trim Kit Standard Microwave, Stainless Steel	299	329

30" Built-In Trim Kit 299 329

Standard Microwave, Stainless Steel



HMB30155UC w/ HMT5755

27" and 30" Built-In Microwave Touch Control with Drop Down Door

- LCD Display and LED Light • Microwave Power: 950 W
- 1.6 cu.ft. Overall Capacity • 10 Power Levels
- 14 1/8" Glass Turntable · Sensor Cooking
- · Sensor Reheat
- · No Trim Kit Required
- Plugs into a Standard 120 V, 3-Prong Outlet



HMB57152UC

HMB57152UC 27" Microwave, Stainless Steel

HMB50152UC 30" Microwave, Stainless Steel



1,449 1,599



HMB50152UC

All Bosch Speed Ovens Include the Following Features:

- 1.6 cu.ft. Overall Capacity
- · Nine SpeedChef® Cooking Cycles
- · Convection Broil and Convection Bake Modes
- · Seven Auto Sensor Microwave Cycles
- 1,000 W Microwave
- 1,750 W Broil Element
- 600 W Bake Element
- 1,700 W Convection Element
- · Kitchen Timer and Panel Lock Setting
- · Stainless Steel Cooking Interior
- · Cut-resistant Metal Turntable and Separate Ceramic Cooking Tray
- Multi-Use Oven Rack
- Wall or Under Counter Approved Installation (HMC54151UC cannot be installed under a cooktop)

500 Series

24" Speed Oven

- · Cooks Faster than a Traditional Oven and Can Also Be Used as a Microwave
- Electrical Connection -120 V NEMA 5-20 3-Prong Plug
- Electric Load 20 A



HMC54151UC

HMC54151UC 24" 120 V Speed Oven, Stainless Steel 1,949 2,149

800 Series

27" and 30" Speed Ovens

- · Cooks Faster than a Traditional Oven and Can Also Be Used as a Microwave
- · LCD Display and LED Light
- Electrical Connection -120 V NEMA 5-20 3-Prong Plug for HMC80152UC and HMC87152UC; 240 V Direct Wire for HMC80252UC and HMC80242UC

• Electric Load - 20 A



HMC87152UC



HMC87152UC 27" 120 V Speed Oven, Stainless Steel 2,049 2,299

HMC80252UC	30" 240 V Speed Oven, Stainless Steel	2,399 2,649
------------	---------------------------------------	-------------

HMC80242UC 30" 240 V Speed Oven, Black Stainless Steel 2,449 2,699

HMC80152UC 30" 120 V Speed Oven, Stainless Steel 2,049 2,299

HMC80152UC



HMC80242UC

Benchmark® Series

30" Speed Oven Touch Control with TFT Display

- Electrical Connection: 240 V Direct Wire
- Electric Load 16 A
- · Installs in Horizontal Configuration Paired with 30" Bosch Single Wall Ovens/ Steam Oven and Warming

Drawers

HMCP0252UC

30" Stainless Steel HMCP0252UC 2,599 2,899

All Bosch 500 Series 24" Built-In Ovens Include the Following Features:

- Oven Is Perfect for Kitchens with a Smaller Footprint
- Designed to Be Installed Flush with Your Cabinetry
- Telescopic Extension Rail
- Knob Control
- Halogen Light to Better Monitor Cooking Progress
- Genuine European Convection Ensures Even Cooking and Baking Results on Multiple Racks
- 10 Oven Modes
- Custom Cooking Modes: Pie, Frozen Foods, Defrost, Warm, and Broil Plus
- 8-Pass Broil Element

- The DualClean® System Uses the Cavity Coating and Heat to Burn Off Most Grease
- Timer with Cook Time and Delay Start Function
- · Kitchen Timer
- · Capacity at 2.8 cu.ft.

500 Series

24" Single Wall Oven, European Convection

HBE5453UC

24" Stainless Steel

2,099 2,349



HBE5453UC

All Bosch 500 Series 30" Built-In Ovens Include the Following Features:

- Heavy-Duty Metal Knobs for a Premium Look and Feel
- Compatible with Most Existing Cut-Outs
- Designed to Be Installed Flush with Your Cabinetry
- 2, 3, and 4-Hour Self-Clean Cycles
- Kitchen Timer
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Large Capacity at 4.6 cu.ft.
- Recessed 12-Pass Broil Element for Increased Capacity and Performance

500 Series

30" Single Wall Ovens, Thermal Cooking

- Thermal Cooking with Bake, Broil, Roast, and Warm
- 5 Oven Modes
- · One Oven Light

HBL5351UC 30" Stainless Steel

2,099 2,349



HBL5351UC

30" Single Wall Oven, European Convection

- Genuine European Convection
- 11 Oven Modes
- Custom Cooking Modes: Pizza, Pie, Warm and Proof
- Temperature Conversion for Convection Cooking
- · One Oven Light

HBL5451UC 30" Stainless Steel 2,549 2,849



HBL5451UC

Number Description MAP MSRP

500 Series

30" Single Wall Oven SideOpening Door, European Convection

- SideOpening Door Offers
 Better Ergonomic Access to
 the Oven Cavity
- Genuine European Convection

NEW HBL5455RUC

NEW HBL5455LUC

Both Available February

- 11 Oven Modes
- Two Oven Lights
- Custom Cooking Modes: Pizza, Pie, Warm and Proof
- Temperature Conversion for Convection Cooking



HBL5455RUC

- 500 Stainless Steel, Right SideOpening Door
- 500 Stainless Steel, Left SideOpening Door

2,799 3,099

2,799 3,099



HBL5455LUC

30" Double Wall Oven, European Convection (Upper Cavity)

30" Stainless Steel

- Genuine European Convection in Upper Oven
- 11 Upper Oven Modes
- Custom Cooking Modes Upper Oven: Pizza, Pie, Warm and Proof
- Thermal Cooking with Bake, Broil, Roast and Warm in Lower Oven
- Temperature Conversion for Convection Cooking in Upper Oven
- · One Oven Light



HBL5651UC

HBL5651UC 30" Stainless Steel

30" Microwave Combination Oven

Combination Oven
 Featuring a Microwave and
 Wall Oven with Stainless
 Steel Knobs

HBL57M52UC

- 1.6 cu.ft. Capacity
 Microwave with Drop
 Down Door and LCD
 Display
- Genuine European Convection in Lower Oven
- · One Oven Light



3,749 4,149



HBL57M52UC

500 Series

30" Speed Combination Oven

- Combination Oven
 Featuring a Speed Oven
 and Wall Oven with Heavy Duty Metal Knobs
- The Upper Speed Oven Functions as a Microwave and Convection Oven So You Have Flexible Cooking Options
- Speed Oven: For Additional Details Please Review SKU HMC80152UC page 6-4
- Genuine European Convection in Lower Oven
- · One Oven Light

4,699 5,199

MSRP



HBL5754UC

All Bosch 800 Series Built-In Ovens Include the Following Features:

30" Stainless Steel

• QuietClose® Door

HBL5754UC

- A Full-Extension Telescopic Rack
- Designed to Be Installed Flush with Your Cabinetry
- Compatible with Most Existing Cut-Outs
- 11 Oven Modes
- Custom Cooking Modes: Pizza, Pie, Warm and Proof
- · Genuine European Convection

- Temperature Conversion for Convection Cooking
- Touch Control with SteelTouch™
 Buttons Makes Operating the Oven
 Easier
- Temperature Probe Takes Guesswork Out of Cooking
- Fast Preheat[™] Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles

· Two Oven Lights

3,099 3,449

- Timer with Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- · Large Capacity at 4.6 cu.ft.
- Recessed 12-Pass Broil Element for Increased Capacity and Performance

800 Series

27" Single Wall Oven

 Recessed 8-Pass Broil Element for Increased Capacity and Safety

HBN8451UC 27" Single Wall Oven, Stainless Steel



HBN8451UC

Number Description MAP MSRP

800 Series

30" Single Wall Ovens

Home Connect® Features.
 Remotely Monitor and
 Control the Wall Oven with
 Wi-Fi Connectivity

HBL8443UC 30" Single Wall Oven, Black Stainless Steel

3,249 3,599

3,099 3,449







30" Single Wall Oven

- The Bosch Wall Oven Combines Your Favorite Tools into One Appliance. It's an Air Fryer, Convection Oven, Roaster, Dough Proofer and More
- Air Fry Mode Quickly Cooks Foods to Crisp Perfection without Added Oil
- Home Connect® Features.
 Remotely Monitor and
 Control the Wall Oven with
 Wi-Fi Connectivity



HBL8454UC

HBL8454UC

HBL8651UC

30" Single Wall Oven, Stainless Steel with Air Fry

- 30" Double Wall Oven11 Upper Oven Modes
- 5 Lower Oven Modes
- Genuine European Convection in Upper Oven
- Thermal Cooking with Bake, Broil, Roast and Warm in Lower Oven



HBN8651UC



HBL8651UC



HBL8642UC

LIDI OCADUC	2011	Disak	C4=:-	C4 I
HBL8642UC	30	віаск	Stainless	Steel

30" Stainless Steel

4,249 4,699 4,449 4,899

4,299 4,749

800 Series

30" Microwave Combination Oven

 Home Connect® Features. Remotely Monitor and Control the Lower Wall Oven with Wi-Fi Connectivity

HBL87M53UC

Combination
 Oven Featuring a
 Microwave and Wall
 Oven with
 Touch Control

30" Stainless Steel

- 1.6 cu.ft. Capacity Microwave with Drop Down Door and LCD Display
- 11 Lower Oven Modes

4,499 4,949

MSRP







30" Speed Combination Oven

- Home Connect® Features. Remotely Monitor and Control the Lower Wall Oven with Wi-Fi Connectivity
- Combination Oven
 Featuring a Speed Oven
 and Wall Oven with
 Touch Control
- Speed Oven Cooks Faster than a Traditional Oven
- Speed Oven: For Additional Details Please Review SKU HMC80252UC (page 6-4)
- 11 Lower Oven Modes







HBL8743UC



HBL8753UC 30" Combo, Stainless Steel

teel 5,349 5,899

HBL8743UC

30" Combo, Black Stainless Steel

All Bosch Benchmark® Series Built-In Ovens Include the Following Features:

- QuietClose® Door Dampened Hinges Softly and Quietly Guide the QuietClose® Door Shut
- · The Color TFT Control Panel with SteelTouch™ Buttons Is Easy to Use
- A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity
- · Designed to Be Installed Flush with Your Cabinetry
- · Compatible with Most Existing Cut-Outs

- 13 Specialized Cooking Modes -Gourmet Cooking Made Easy
- Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof
- Genuine European Convection
- · Temperature Conversion for Convection Cooking
- Fast Preheat[™] Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles
- EcoChef Mode Remaining Heat in Cavity Finishes Cooking Process

- AutoProbe Takes the Guesswork Out of Cooking
- · Two Halogen Lights Provide Superior Cavity Illumination
- Timer with Cook Time and Delay Start Function
- · Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Two Separate Time Intervals Can Be Programmed
- Large Capacity at 4.6 cu.ft.

Benchmark® Series

30" Single Wall Oven SideOpening Door

- · SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- Recessed 12-Pass Broil Element for Increased Capacity and Performance



HBLP451LUC



3,599

HBLP451RUC

3,599 3,999

3,999

30" Single Wall Oven

HBLP451RUC

HBLP451LUC

- The Bosch Wall Oven Combines Your Favorite Tools into One Appliance. It's an Air Fryer, Convection Oven, Roaster, Dough Proofer and More
- · Air Fry Mode Quickly Cooks Foods to Crisp Perfection without Added Oil

30" Stainless Steel, Right SideOpening Door

30" Stainless Steel, Left SideOpening Door



HBLP454UC 30" Single Wall Oven, Stainless Steel

with Air Fry

3,399 3,749

HBLP454UC

Number Description MAP **MSRP**

Benchmark® Series

30" Double Wall Oven SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- · AutoProbe in the Upper Oven Takes the Guesswork Out of Cooking
- Recessed 12-Pass Broil Element for Increased Capacity and Performance







HBLP651RUC

HBLP651LUC

HBLP651UC

HBLP651RUC	30" Stainless Steel, Right SideOpening Door	5,349	5,899
HBLP651LUC	30" Stainless Steel, Left SideOpening Door	5,349	5,899
HBLP651UC	30" Stainless Steel	4,799	5,299

Benchmark® Series

30" Speed Combination Oven with TFT Display

- · Combination Oven Featuring a Speed Oven
- · Speed Oven Cooks Faster than a Traditional Oven
- · Speed Oven: For Additional Details Please Review SKU HMCP0252UC (page 6-4)
- · Recessed 12-Pass Broil Element for Increased Capacity and Performance



HBLP752UC

30" Stainless Steel HBLP752UC 5,649 6,249

Number Description MAP MSRP

500 Series

27" and 30" Warming Drawers

- Keeps Meals Hot and Is Designed to Match the Perfectly Flush Fit of a Bosch Wall, Speed or Steam Oven
- 3 Settings to Keep Meals Hot and Ready to Serve
- Installs Vertically under Bosch Speed, Steam or Wall Oven
- Matches Bosch Built-In Products
- Install Either Flush or Proud
- 450 W Heating Element Concealed Below Drawer
- Special Dough Proofing Mode
- Sturdy Ball Bearing Telescopic Rails for Smooth Opening

- · Star-K Certified
- 1 Hour Automatic Shut Off Function with Adjustable Timer
- 2.2 cu.ft. Large Cavity (1.9 cu.ft. for 27")
- Lower Side Walls Allow Easy Loading and Unloading of Drawer



HWD5051UC

HWD5051UC 30" Stainless Steel 1,499 1,649

Accessorie	es for Ovens	30" Single Wall Ovens	30" Double Wall Ovens
	Ball Bearing Telescopic Rack Ball Bearing Full Extension Telescopic Racks • Adjustable to All Rack Support Levels • Convenient Handling • Easy to Operate • Available as Separate Accessory for Even More Convenience HEZTR301 30" Telescopic Rack 279 309	•	•

All Bosch Induction Cooktops Include the Following Features:

- Fast And Efficient, Boil Water Two Times Faster
- · Easy To Clean Premium Glass
- · SpeedBoost® Adds a Boost of Power to an Element
- Precise Temperature Control
- · Childproof Panel Lock

· See All Pan Accessories on Page 8-10.

500 Series

24" Induction Cooktop

- An 11" Heating Element Offers 3,600 W of Power
- 30 A Breaker

RR: 7" @ 1,800 W/3,100 W (SpeedBoost®) LR: 11" @ 2,600 W/3,600 W (SpeedBoost®) RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)



NIT5460UC

24" Induction, Black, Stainless Steel **Frameless**

1,799 1,999

Discontinues March

30" Induction Cooktop

• An 11" Heating Element Offers 3,600 W of Power · 30 A Breaker

LR: 9" @ RR: 11" @ 2,200 W/3,600 W (SpeedBoost®) 2,600 W/3,600 W (SpeedBoost®) RF: 6" @ 1,400 W/2,200 W (SpeedBoost®) | 1,400 W/2,200 W (SpeedBoost®)



NIT5060UC

NIT5060UC

30" Induction, Black, Stainless Steel

1,949 2,149

Frameless

36" Induction Cooktop

• Dual 12" Heating Element Offers 5,400 W of Power

• 40 A Breaker





NIT5660UC

NIT5660UC

36" Induction, Black, Stainless Steel

2,349 2,599

Frameless

800 Series

24" Induction Cooktop

- · Home Connect®
- · AutoChef®

- An 11" Heating Element Offers 3,600 W of Power
- PreciseSelect®

•	Hood Control with
	Home Connect® Enabled
	Ventilation

· 30 A Breaker



NIT8461UC



LR: 11" @ 2,600 W/3,600 W (SpeedBoost®)

RR: 7" @ 1,800 W/3,100 W (SpeedBoost®) RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)

NEW NIT8461UC Available April

24" Induction, Black, Frameless

1,999 2,199

2,349 2,599

2,399 2,649

2,799 3,099

MAP

MSRP



- Home Connect®
- · AutoChef®

- An 11" Heating Element Offers 3,600 W of Power
- PreciseSelect®
- · Hood Control with Home Connect® Enabled Ventilation
- · 30 A Breaker



NIT8060SUC

LR: 9" @	RR: 11" @
2,200 W/3,600 W (SpeedBoost®)	2,600 W/3,600 W (SpeedBoost®)
LF: 6" @	LF: 6" @
1,400 W/2,200 W (SpeedBoost®)	1,400 W/2,200 W (SpeedBoost®)

NIT8060SUC

30" Induction, Black, Stainless Steel Frame 2,399 2,649

Discontinues March

Discontinues March

NIT8060UC

NEW NIT8061UC Available April

30" Induction, Black, Frameless

30" Induction, Black, Frameless



NIT8060UC



NIT8061UC



36" Induction Cooktop

- Home Connect®
- AutoChef®

- Dual 12" Heating Element with Powerful 5,400 W
- · PreciseSelect®
- Hood Control with Home Connect® Enabled Ventilation
- · 40 A Breaker



36" Induction, Black, Stainless Steel Frame



NIT8660SUC



NIT8660UC

NIT8660UC

NIT8660SUC

Discontinues March

Discontinues March

36" Induction, Black, Frameless

2,799 3,099

Number Description MAP **MSRP**

800 Series

36" Induction Cooktop

- · Home Connect®
- AutoChef®

- Triple-Ring 13" Heating **Element Accommodates** Multiple-Size Pans with Three Diameter Sizes
- · PreciseSelect®
- · Hood Control with Home Connect® Enabled Ventilation
- · 40 A Breaker



NIT8661UC



LR: 7" @ 1,800 W/3,100 W (SpeedBoost®)
LF: 7" @ 1,800 W/3,100 W (SpeedBoost®)

C: 9"/11"/13" @ 2,200 W/3,600 W (SpeedBoost®) 2,600 W/3,600 W (SpeedBoost®) 3,300 W/3,600 W (SpeedBoost®)

1,400 W/2,200 W (SpeedBoost®) RF: 9" @ 2,200 W/3,600 W (SpeedBoost®)

RR: 6" @

NEW NIT8661UC Available April

36" Induction, Black, Frameless

2,799 3,099

30" Induction Cooktop

- · Home Connect®
- · AutoChef®
- An 11" Heating Element Offers 3,600 W of Power
- Hood Control Hood Control with Home Connect® Enabled Ventilation
- FlexInduction® Can Combine Two Cooking Zones into One Continuous Surface
- PowerMove[™] Divides FlexInduction® Into 3 Preset Power Level Zones-Simply Move Your Pot to Change the Power Level
- · 30 A Breaker



Benchmark® Series

NITP060SUC



NITP060UC

Full Zone: 16"x9" @ 3,300 W / 3,600 W (SpeedBoost®)

LR: 8"x9" @	RR: 11" @
2,200 W/3,600 W	2,600 W/3,600 W
(SpeedBoost®)	(SpeedBoost®)
LF: 8"x9" @	RF: 6" @
2,200 W/3,600 W	1,400 W/2,200 W
(SpeedBoost®)	(SpeedBoost®)

2,849 3,149



NITP060SUC

30" Induction,

Black with Stainless Steel Frame

Discontinues March

NITP060UC 30" Induction, Black, Frameless 2,849 3,149

Number Description MAP **MSRP**


Benchmark® Series

36" Induction Cooktop

- · Home Connect®
- · AutoChef®
- Dual 12" Heating Element with Powerful 3,600 W
- · Hood Control with Home Connect® Enabled Ventilation
- FlexInduction® Can Combine Two Cooking Zones into One Continuous Surface
- PowerMove[™] Divides FlexInduction® Into 3 Preset Power Level Zones-Simply Move Your Pot to Change the Power Level
- 50 A Breaker



NITP660SUC



LR: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)
LF: 7"x8" @ 2,200 W/3,600 W

(SpeedBoost®)

C: 12"/9" @ 3,400 W/3,600 W (SpeedBoost®) 2,200 W/3,300 W (SpeedBoost®)

RR: 7"x8"@ 2,200 W/3,600 W (SpeedBoost®) RF: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)

Full Zone: 14"x8" @3,300 W / 3,600 W (SpeedBoost®)



NITP660UC

NITP660SUC

36" Induction Cooktop

Black with Stainless Steel Frame

Discontinues March

NITP660UC 36" Induction Cooktop, Black, Frameless 3,399 3,749

3,449 3,799



Number Description MAP MSRP

All Bosch Radiant Cooktops Include the Following Features:

 Current and Residual Heat Indication for Each Element

· Easy to Clean Premium Glass

- Dual-Ring Heating Element for Multiple Pan Sizes
- See All Pan Accessories on Page 8-10

Page 8-10.

500 Series

24" Knob Control, Frameless Design

- 4 Elements Knob Controls for
- 8" Heating Element with Powerful 2,200 W
- Precision Cooking
- 30 A Breaker

LR: 8" @	RR: 6" @
2,200 W	1,200 W
LF: 6" @	RF: 7" @
1,850 W	1,800 W



NEM5466UC

NEM5466UC

24" Radiant Cooktop

949 1,049

30" Knob Control, Frameless Design

- Dual Element for Using Different Pan Sizes
- Precise Temperature Control for Better Results
- 9" Heating Element with Powerful 2,500 W
- · 30 A Breaker



NEM5066UC

LR: 7" @	RR: 6" @
1,800 W	1,200 W
LF: 7"/5" @	RF: 9" @
1.700 W/700 W	2.500 W

NEM5066UC 30" Radiant Cooktop 1,049 1,199

800 Series

30" Cooktop with or without Stainless Steel Frame

- PreciseSelect®
- Front and Back Stainless Steel Frame
- · Bridge Element
- Dual Element

- SpeedBoost®
- 2-Level Heat Indicator
- Childproof Panel Lock
- Built-In Timers for Each Element: Doubles as General-Purpose Kitchen Timer
- 40 A Breaker



NET8069UC

LR: 7" @ 1,800 W (400 W Bridge)	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	
LF: 7" @ 1,800 W		RF: 6" @ 1,200 W

NET8069UC 30" Radiant, Black, Frameless 1,499 1,649

800 Series

36" Cooktop with or without Stainless Steel Frame

- · PreciseSelect®
- Front and Back Stainless Steel Frame
- Bridge Element
- 2 Dual Elements
- · SpeedBoost®
- · Clean Lock
- · 2-Level Heat Indicator
- ChildLock

- Built-In Timers for Each Element: Doubles as General-Purpose Kitchen Timer
- 50 A Breaker



NET8669UC

LR: 7" @	C: 9"/6" @	RR: 6" @
1,800 W (400 W Bridge)	3,600 W/1,400 W (SpeedBoost®)	1,200 W
LF: 7" @ 1,800 W		RF: 8"/5" @ 1,900 W/800 W

NET8669UC

36" Radiant, Black, Frameless

1,549 1,749

MSRP

Benchmark® Series

30" Five Element Cooktop with AutoChef®

- Front and Back Stainless Steel Frame
- 2-Zone 9" Heating Element with Powerful 3,600 W Element
- Dual Element Left Front with AutoChef®
- SpeedBoost®
- AutoChef®
- PreciseSelect®

- PowerStart® Heats Up the Cooking Zone Using the Highest Power Level and Automatically Adjusts to the Selected Ongoing Cooking Setting
- Keep Warm Mode is Suitable for Melting Chocolate or Butter and for Keeping Food Warm
- Kitchen Timer

- Count-Up Timer
- · Clean Lock
- 2-Level Heat Indicator
- Childproof Panel Lock
- · 40 A Breaker



NETP069SUC

LR: 6" @ 1,200 W	C: 9"/6" @	RR: 6" @ 1,200 W
AutoChef® LF: 7"/5" @ 2,000 W/800 W	3,600 W/1,400 W (SpeedBoost®)	RF: 6" @ 1,500 W

NETP069SUC

30" Radiant Black with Stainless Steel Frame 1,549 1,749

All Bosch Gas Cooktops Include the Following Features:

- Front-Center Controls
- · High Efficiency Gas Burners
- · Continuous Cast Iron Grates
- FlameSafe thermocouple shuts off gas if flame is extinguished
- · LP Kit Included
- See All Pan Accessories on Page 8-10.

500 Series

24" Gas Cooktop

- 4 Burners
- 10.3K BTU Max
- Ideal for Kitchens with a Smaller Footprint
- · Stainless-Look Metal Knobs
- LED "On" Indicator Light
- Low Profile Stainless Steel Design for Easy Cleaning

 Sealed Burners for Easier Cleanup



NGM5453UC

LR: 6,000 BTU	RR: 10,300 BTU
LF: 6,000 BTU	RF: 3,400 BTU

NGM5453UC

24" Gas Cooktop, 4 Burners, Stainless Steel

999 1,099

30" Gas Cooktop

- 5 Burners
- 16K BTU Max
- OptiSim® Burner
- Stainless-Look Metal Knobs
- LED "On" Indicator Light
- Low Profile Stainless Steel Design for Easy Cleaning
- Sealed Burners for Easier Cleanup



NGM5059UC

LR: 6,000 BTU	C: 16,000 BTU	RR:10,300 BTU
LF: 3,400 BTU	C. 10,000 BTO	RF: 6,000 BTU


NGM5059UC

30" Gas Cooktop, 5 Burners, Stainless Steel

1,099 1,249

36" Gas Cooktop

- 5 Burners
- 16K BTU Max
- · OptiSim® Burner
- · Stainless-Look Metal Knobs
- LED "On" Indicator Light
- Low Profile Stainless Steel Design for Easy Cleaning
- Sealed Burners for Easier Cleanup



NGM5659UC

LR: 6,000 BTU	C: 16,000 BTU	RR:10,300 BTU
LF: 3,400 BTU		RF: 6,000 BTU

NGM5659UC

36" Gas Cooktop, 5 Burners, Stainless Steel

1,249 1,399

800 Series

30" Gas Cooktop

- 5 Burners
- FlameSelect® (9 Power Levels)
- 17K BTU Max

L	R: 6,000 BTU
L	F: 3,400 BTU

- Dual-Ring Power Burner
- · OptiSim® Burner
- LED Light Line Knob Illumination

C: 17,000 BTU

· Dishwasher-Safe Grates

MAP

MSRP

· Residual Heat Indication



NGM8059UC

(Flame Select



NGM8049UC

(Flame Select

NGM8059UC 30" Gas Cooktop, 5

30" Gas Cooktop, 5 Burners, Stainless Steel

1,549 1,749



C: 17,000 BTU

RR: 10,300 BTU RF: 5,000 BTU

RR: 10,300 BTU

RF: 6,000 BTU

30" Gas Cooktop, 5 Burners Black with Black Stainless Knobs 1,649 1,849

36" Gas Cooktop


• 5 Burners

NGM8049UC

- 19K BTU Max
- Recessed Burner Areas
- LR: 9,300 BTU
- · OptiSim® Burner

C: 19,000 BTU

- Black Stainless Metal Knobs
- Automatic Re-Ignition
- Red LED Lights Indicate Burners Are On





NGM8646UC

36" Gas Cooktop, 5 Burners, Black with Black Stainless Knobs

1,549 1,749

Legacy

36" Gas Cooktop

• 5 Burners


NGM8646UC

- FlameSelect® (9 Power Levels)
- 17K BTU Max



- · Dual-Ring Power Burner
- · OptiSim® Burner
- LED Light Line Knob Illumination
- · Dishwasher-Safe Grates
- · Residual Heat Indication





NGM8659UC

(Flame Select

NGM8659UC 36" Gas Cooktop, 5 Burners, Stainless Steel

1,699 1,899

Number Description MAP MSRP

Benchmark® Series

30" Gas Cooktop

- 5 Burners
- FlameSelect® (9 Power Levels)
- 18K BTU Max

LR: 6,000 BTU
LF: 3,400 BTU

- Bosch Exclusive Dual-Ring Power Burner
- OptiSim® Burner
- LED Power Level/Residual Heat Indication Display
- Digital Display Indicating Selected Power Level
- · Stainless-Look Metal Knobs
- · Dishwasher-safe Grates



NGMP059UC

(Flame Select

C: 18,050 BTU

RR: 10,300 BTU

RF: 6,000 BTU

NGMP059UC

30" Gas Cooktop, 5 Burners, Stainless Steel

1,899 2,099

36" Gas Cooktop

- 5 Burners
- FlameSelect® (9 Power Levels)
- 18K BTU Max

LR: 6,000 BTU	
	LF: 3,400 BTU

- Bosch Exclusive Dual-Ring Power Burner
- OptiSim® Burner
- LED Power Level/Residual Heat Indication Display
- Digital Display Indicating Selected Power Level
- · Stainless-Look Metal Knobs
- Dishwasher-safe Grates



NGMP659UC

(Flame Select

C: 18,050 BTU	RR: 10,300 BTU		
С. 10,030 Б10	RF: 6,000 BTU		

NGMP659UC

36" Gas Cooktop, 5 Burners, Stainless Steel

1,999 2,199

Model Number Description MAP MSRP

Accessories for Cooktops					cto	os	Rangetops			
					Induction	Radiant	Mainline Gas	Benchmark Gas	30"	36"
\bigcirc	HEZ9GW23UC	Industrial-Style Wok Ring for 30" Gas Rangetop	69	79					•	
		an with Aluminum Core Optimized for Cookirnt • Superior Heat Distribution	ng with					•		
	HEZ390210	8" Pan for 6" Element	89	99	•	Ľ				
	HEZ390220	9" Pan for 7" Element	99	109	•	•	•	•	•	•
Stainless Steel Pan with Aluminum Core Optimized for Cooking wi AutoChef® Element • Superior Heat Distribution		ng with					•	•		
	HEZ390230	10" Pan for 8" and 9" Elements	119	139						
0000	Metal Knob Kit Cooktops	Metal Knobs, Compatible with Mainline and Be	enchmark	(Gas						
	HEZ27754	Set of Five Knobs	119	139			•	•		
	HEZ7YZ30UC	9" Stainless Steel Low Backguard for 30" Gas Rangetop	199	219					•	
	HEZ7YZ36UC	9" Stainless Steel Low Backguard for 36" Gas Rangetop	209	229						•

All Bosch Gas Rangetops Include the Following Features:

- 18K BTU Max
- · OptiSim® Burner
- · High Efficiency Burners
- · Industrial-Style Design
- Porcelain Enameled Cooking Surface
- · Large Metal Control Knobs
- Up-Front Centralized Controls
- Continuous Surface Cast Iron Grates
- Dishwasher-Safe Grates
 - · Electronic Ignition
 - Flame Supervision Device
 - LP Kit Included

800 Series

30" Gas Rangetop

•	18K BTU Dual Flame
	Ring Burner

• Two 12K BTU Large Burners • 5K BTU OptiSim®

Simmer Burner



LR: 12,000 BTU	RR: 5,000 BTU
LF: 12,000 BTU	RF: 18,000 BTU

RGM8058UC

RGM8058UC

30" Gas Rangetop, 4 Burners, Stainless Steel

3,149 3,499

Simmer

36" Gas Rangetop

Two 18K BTU Dual Flame Ring Burners	Three 12K BTU Large Burners	• 5K BTU OptiSim® Burner		
LR: 12,000 BTU	CR: 12,000 BTU	RR: 5,000 BTU		
LF: 18,000 BTU	CF: 12,000 BTU	RF: 18,000 BTU		



RGM8658UC

RGM8658UC

36" Gas Rangetop, 6 Burners, Stainless Steel

3,649 4,049

Number Description MAP MSRP

300 Series

30" and 36" Under-Cabinet Hood

- 5" Height / 21" Depth
- · Slim-Line Styling
- 3-Speed Control Rotary Knobs
- 300 CFM

- 2 LED Lights
- Dishwasher Safe Aluminum Mesh Filters
- Ducted or Convertible to Non-Ducted Operation

 7" Round (Vertical) and 3 ¼" x 10" Rectangular (Horizontal)

649

729

749

849



DUH30253UC

DUH30253UC 30" Stainless Steel, 300 CFM Blower

DUH36253UC 36" Stainless Steel, 300 CFM Blower

500 Series

30" and 36" Under-Cabinet Hood

- 5" Height / 21" Depth
- Slim-Line Styling
- Touch Control with Backlite LED — 3 Speeds
- 300 CFM

- · 2 LED Lights
- Dishwasher-Safe Aluminum Mesh Filters
- Ducted or Convertible to Non-Ducted Operation

7" Round (Vertical)
 Ducting & 3½" x 10"
 Rectangular (Horizontal)



DUH50353UC

NEW DUH50353UC 30" Stainless Steel, 300 CFM Blower 849 949

NEW DUH56353UC 36" Stainless Steel, 300 CFM Blower 899 999

800 Series

30" and 36" Professional-Style Under-Cabinet Hood

- 11" Height / 23" Depth
- Professional Styling
- Touch Control with LED Backlite – 4 Speeds
- 600 CFM

- 2 LED Lights
- Dishwasher Safe Aluminum Mesh Filters with Stainless Steel Covers
- Ducted or Convertible to Non-Ducted Operation
- Ducting 7" Round (Vertical)
- Home Connect®



DUH80553UC



DUH80553UC 30" Stainless Steel, 600 CFM Blower 1,499 1,649

DUH86553UC 36" Stainless Steel, 600 CFM Blower 1,549 1,749

Benchmark Series

30" and 36" Professional-Style Under-Cabinet Hood

- 18" Height / 23" Depth
- Professional Styling
- Touch Controls with LED Backlite – 4 Speeds
- 800 CFM

- 2 LED Lights
- Dishwasher Safe Aluminum Mesh Filters with Stainless Steel Covers
- Ducted or Convertible to Non-Ducted Operation
- Ducting 7" Round (Vertical)
- Home Connect®



DUHP0853UC



DUHP0853UC 30" Stainless Steel, 800 CFM Blower 1,649 1,849

DUHP6853UC 36" Stainless Steel, 800 CFM Blower 1,749 1,949

UNDER-CABINET HOOD ACCESSORIES

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model Number Description MAP MSRP

Accessori	cessories for Under-Cabinet Hoods			DUH				
					300/500 800/ Series Benchmark			
	_				30"	36"	30"	36"
	HEZVEUD301	30" 300 Series Recirculation Filter Kit - 2 Pack	69	79	•			
	HEZVEUD361	36" 300 Series Recirculation Filter Kit - 2 Pack	79	89		•		
	HEZVEUD302	30" 800/Benchmark Series Recirculation Filter Kit - 2 Pack	109	119			•	
	HEZVEUD362	36" 800/Benchmark Series Recirculation Filter Kit - 2 Pack	119	139				•

Number Description MAP MSRP

800 Series

Slim Profile Box Canopy Island Hood

- 600 CFM
- Four-Speed Electronic Control with White and Red LCD Display
- · Kitchen Timer
- Clean Filter Reminder
- · Auto On/Heat Sensor
- Four 20 W Halogen Lights
- Three Anodized Aluminum Mesh Filters with Stainless Steel Bosch Design Covers and Metal Latch
- Vertical Ducting with 8" Round Duct
- Backdraft Damper and Transition Included
- Recirculation Kit Available as an Accessory
- Extension Kit for Ceilings
 9' to 11' 6" Available as an Accessory



HIB82651UC

HIB82651UC 42" Island Hood, 600 CFM

2,299 2,549

Accessorie	es for Island Hoods	НІВ				
		42"				
	Island Hood Extension Kit					
	Fits Ceilings From 9' to 11' 6" in Height	•				
	HCIEXT5UC Island Hood Extension Kit 539 599					
	HCREC5UC Box/Pyramid/Glass Canopy 119 139 Chimney Hood Recirculation Kit	•				
M	HIREC5UC Island Hood Recirculation Kit 109 119	•				

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP **MSRP**

All Bosch Chimney Wall Hoods Include the Following Features:

•	K itch	ien Timer
•	NILL	1611 1111161

· Clean Filter Reminder

· Auto On/Heat Sensor

· Anodized Aluminum Mesh Filters

- · Vertical Ducting with 8" Round
- · Backdraft Damper and Transition Included
- · Recirculation Kit Available as an Accessory
- Extension Kit for Ceilings 9'-11' 6" Available as an Accessory

300 Series

ENERGY STAR® Certified Pyramid Canopy Chimney Hood

• 300 CFM

• Three-Speed Electronic Control with White and Red LCD Display

· Two Bright LED Lights

24" Pyramid Canopy Chimney Hood, 300 CFM HCP34E52UC 1,099 1,249 30" Pyramid Canopy Chimney Hood, 300 CFM HCP30E52UC 1,199 1,349 1,299 1,449 HCP36E52UC 36" Pyramid Canopy Chimney Hood, 300 CFM

HCP34E52UC



500 Series

Box Canopy Chimney Hood

• 600 CFM

 Four Speed Electronic Control with White and Red LCD Display

• Two 40 W Halogen Lights

30" Box Canopy Chimney Hood, 600 CFM HCB50651UC 1,549 1,749 HCB56651UC 36" Box Canopy Chimney Hood, 600 CFM 1,649 1,849

HCB50651UC



Pyramid Canopy Chimney Hood

Home Connect®

 Four Speed Electronic Control with White and 600 CFM Red LCD Display Cooktop Hood Control

· Two Bright LED Lights

30" Pyramid Canopy Chimney Hood, 600 CFM **HCP50652UC** 1,549 1,749 36" Pyramid Canopy Chimney Hood, 600 CFM **HCP56652UC** 1,649 1,849



HCP50652UC

800 Series

Pyramid Canopy Chimney Hood

• Black Stainless Steel Guards Against Surface Scratches and Fingerprints Four Speed Electronic Control with White and Red LCD Display

• Two 40 W Halogen Lights

1,399

1,549

• 600 CFM

30" Pyramid Chimney, 600 CFM, **HCP80641UC**

Black Stainless

36" Pyramid Chimney, 600 CFM, 1,549 1,749

Black Stainless

HCP80641UC

HCP86641UC

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description MAP MSRP

Benchmark® Series

Glass Canopy Chimney Hood

- Anodized Aluminum Mesh Filter with Stainless Steel Bosch Design Cover and Metal Latch
- Four Speed Electronic Control with White and Red LCD Display
 Clean Filter Reminder
- Two 40 W Halogen Lights



• 600 CFM

HCG56651UC 36" Glass Canopy Chimney Hood, 600 CFM

2,099 2,349

HCG56651UC

Accessorie	es for Chimney \	Wall Hoods			HCB/Box	HCP/Pyramid	HCG/Glass Canopy
1	• Fits Ceilings Fr 6" in Height	ood Extension Kit. om 9' to 11' • Stainless Steel Flue Extensions and Inner Structure Parts Included					
140	HCBEXT5UC	Box Canopy Chimney Hood Extension Kit, Stainless Steel	319	359	•		
	HCGEXT5UC	Glass Canopy Chimney Hood Extension Kit	319	359			•
	HCPEXT4UC	Pyramid Canopy Chimney Hood Extension Kit, Black Stainless Steel	539	599		•	
	HCPEXT5UC	Pyramid Canopy Chimney Hood Extension Kit, Stainless Steel	319	359			
	HCIFILTUC	Box/Pyramid/Glass Canopy Chimney Hood Filter Kit	119	139	•	•	•
	HCREC5UC	Box/Pyramid/Glass Canopy Chimney Hood Recirculation Kit	119	139	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

MAP **MSRP**

500 Series

Integrated Stainless Pull-Out Range Hood

- 400 CFM
- · Electronic Control with White LCD Display
- · Kitchen Timer
- · Clean Filter Reminder
- · Three Fan Speeds with Intensive Speed
- Two Bright LED Lights
- · Two Anodized Aluminum Mesh Filters
- Vertical Ducting with 6" **Round Duct**
- · Backdraft Damper and Transition Included
- · Recirculation/Charcoal Kit Available as an Accessory
- 110 V UL Rated with 120 V 3-Prong Plug

919 1,049



HUI54452UC

HUI54452UC 24" Pull-Out Hood, 400 CFM

Integrated Stainless Pull-Out Range Hood

- 300 CFM (30" Width) 500 CFM - (36" Width)
- Three Speed Slider Switch Control
- Two 20 W Halogen Lights
- · Four Aluminum Mesh **Filters**
- Removable Stainless Steel Front Visor Panel That Can Be Replaced with a Custom Strip (Not Provided)
- 6" Round Duct
- Vertical and Horizontal Discharge
- 120 V Junction Box Direct Wire
- CFM Reducer Kit Available as Accessory
- · Non-Duct Recirculation Kit Available as Accessory (Vent Grate Cover Included with Hood)



HUI56551UC

HUI50351UC	30" Pull-Out Hood, 300 CFM, Stainless Steel	949	1,049
HUI56551UC	36" Pull-Out Hood, 500 CFM, Stainless Steel	999	1,099

Accessorie	s for Pull-Out Hoods	HUI54452UC	HUI50351UC	HUI56551UC
	Recirculation Kit/Charcoal Filter Accessory Kit For HUI50351UC and HUI56551UC Models • Absorbs Odors with High Quality Heavy Duty Charcoal Filters • For Recirculation, Non-Vented Installations			•
	HUIF06UC Non-Duct Recirculation Accessory 109 119 Kit/ Charcoal Filter Accessory Kit			
	CFM Reducer Accessory Kit For HUI56551UC Model • Reduces CFM to Under 300 • Converts a 6" Round Duct to a 5" Round Duct • Check Your Local Code and Regulations for Make-Up Air Requirements			•
	HUIRED56UC CFM Reducer Accessory Kit, 59 69 Reduces CFM to Under 300 CFM			
	Recirculation/Charcoal Kit for HUI54452UC - 24" Pull-Out Hood			
	HVREC5UC Pull-Out Hood Recirculation/ 109 119 Charcoal Filter Accessory Kit	•		

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number Description MAP MSRP

All NEW Bosch Custom Insert Range Hoods Include the Following Features:

• Two LED Lights

· Dishwasher-safe Aluminum Filter

15 Amps120 V

· Mesh with Stainless Steel Cover

· Plug Type: Hardwire

300 Series


Custom Insert Range Hood

• 300 CFM

· Home Connect®

Vertical Ducting with
 6" Round Duct

• Touch Control



HUI30253UC 30" Custom Insert Hood, 300 CFM

HUI36253UC 36" Custom Insert Hood, 300 CFM



HUI34253UC





HUI30253UC

1,049

999 1,099

1,399 1,549

949





HUI36253UC



800 Series

Custom Insert Range Hood

• 600 CFM

HUI80553UC

· Home Connect®

 Vertical Ducting with 8" Round Duct • Touch Control

30" Custom Insert Hood, 600 CFM 1,299 1,449

HUI86553UC 36" Custom Insert Hood, 600 CFM



HUI80553UC





HUI86553UC



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number

Description MAP MSRP

Accessories for Custom Insert Range Hoods						HUI30253UC	HUI36253UC	HUI80553UC	HUI86553UC
	HUIFILTOUC	Charcoal Filter Kit for 30" Custom Inserts HUI30253UC, and HUI80553UC	109	119		•		•	
	HUIFIL46UC	Charcoal Filter Kit for 24" Custom Insert HUI34253UC and 36" Custom Inserts HUI36253UC, and HUI86553UC	109	119	•		•		•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description

800 Series

Downdraft Ventilation

- Design Matched for Use In Combination with Bosch Cooktops
- 12" Telescopic Chimney Rise
- Preserves Clean Sight Lines When Not In Use
- · Stainless Steel
- Six Possible Discharge Connections to Fit Your Kitchen Design Allowing Flexibility to Exhaust At Sides, Front, Rear or Downward (Additional Accessories May Be Required Depending on Installation, See Manual)
- Sleek Front Panel Conceals Mesh Filters, Giving a Timeless Aesthetic and Acts as a Splatter Guard While Cooking
- Dishwasher-Safe Aluminum Mesh Filters
- 3-Speed Control

Required to Complete the Installation: Blower Options, Sold Separately

 600 CFM Remote (DHR1FZUC), and Inline (DHI1FZUC) Blower May Be Required to Complete the Installation Depending on Exhaust Direction & Blower Chosen:

MAP

MSRP

- Downdraft Transitions (HDDSTRAN6, HDDSTRAN8, HDDFTRAN6, HDDFTRAN8, HDD2RECTD, HDDSTRAN2 see page 10-10)
- Recirculation Possible, Accessory Sold Separately (HDDREC5UC see page 10-11)
- Gas Cooktop Seal Kit Sold Separately (Required For Installation with Gas Cooktops see page 10-11).



HDD86051UC

HDD80051UC

30" Downdraft, Optional Blower

HDD86051UC 36" Downdraft, Optional Blower

1,699 1,899

1,749 1,949

NOTE: Transition required and sold separately for all remote and inline blower installations.

Accessorie	es for Downdra	t–Blowers	CC	nc
			HDD86051UC	HDD80051UC
00	DHG602DUC	600 CFM Flexible Blower 739 849 for HDD86051UC and HDD80051UC Bosch Downdrafts Only 8" Round Exhaust	•	•
	DHI1FZUC	600 CFM Inline Blower 689 799	•	•
	DHR1FZUC	600 CFM Remote Blower 729 849 for HDD86051UC and HDD80051UC Bosch Downdrafts Only 6" Round Exhaust	•	•
	EXTNCB25W	25-ft Remote & Inline Blower See Thermador Price List Extension Cable Compatible with Remote Blower DHR1FZUC and Inline Blower DHI1FZUC	•	•
11)	EXTNSET4	3-pc extension set for Inline See Thermador Price List and remote blowers For older generation blowers when paired with new generation blowers Compatible with Remote Blower DHR1FZUC and Inline Blower DHI1FZUC	•	•

MAP

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description

Accessories for Downdraft-Transitions

					HDD86051UC	HDD80051UC
	The Below Transitions May Be Required to Complete the Installation of HDD80051UC and HDD86051UC Depending on the Discharge Connection Chosen in Combination with the Downdraft Blower Selected (See Installation Manual) • For Use with Inline and Remote Blowers					
	HDD2RECTD	2' Rectangular Duct Rectangular Duct That Is 2' Long × 1%" Deep × 19" Wide Ability to Use as an Extension to Exhaust through a Cabinet or Wall. To Modify Length, Duct May Be Cut. HDDSTRAN6 or HDDSTRAN8 May Be Used to Connect HDD2RECTD to Round Ductwork HDDSTRAN2 Required to Attach Duct to Downdraft Housing	89	99	•	•
	HDDSTRAN2	Transition for Rectangular Duct Required to Attach HDD2RECTD 2' Rectangular Duct to Downdraft Housing	69	79	•	•
0	HDDFTRAN6	6" Round Front Plate Front Rough-In Plate for Front Exhaust Applications	79	89	•	•
0	HDDFTRAN8	8" Round Front Plate for Downdraft Front Rough-In Plate for Front Exhaust Applications	79	89	•	•
	HDDSTRAN6	6" Side/Rear Transition Rectangular 1%" X 19" Transition to 6" Round for Side and Rear Exhaust Applications	139	159	•	•
-6	HDDSTRAN8	8" Side/Rear Transition Rectangular 1%" X 19" Transition to 8" Round for Side and Rear Exhaust Applications	139	159	•	•

MAP

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description

Accessories for Downdraft HDD86051UC HDD80051UC **Downdraft Recirculation Kit** · Enables Non-Ducted Recirculation Module · Downdraft and Internal Downdraft Installation Works In Wall or Island Blower Sold Separately by Allowing Filtered Air **Applications** • To Be Used Only with to Re-Enter the Kitchen Bosch Downdrafts and · Mounts to Cabinet Base, after Passing Through a Recesses into Toe Kick/ Blowers Charcoal Filter Socket Area May Bypass the Need Includes Recirculation Fits In Toe-Kick/Socket to Supply Make Up Air, Module. Charcoal Filter Heights of 4" or Taller Subject to Local Code and Metal Grill Vent Plate Module and Grill Vent Plate Can Be Placed So Air Does Not Hit Feet HDDREC5UC **Recirculation Kit for Downdraft** 479 529 Replace Filters Every 3-6 Months, Depending on Usage, with **HDDFILTUC HDDFILTUC Charcoal Filter Replacement** 89 99 for Recirculation Kit for Downdraft Gas Cooktop Seal Kit For Use with 36" Required for Installation Includes Trim Bracket, HDD86051UC and 30" with Gas Cooktops Seal, and 2 Metal Grills HDD80051UC Downdrafts 30" Gas Cooktop Seal Kit for **HDD0RSP** 89 99 **Downdraft** • 36" Gas Cooktop Seal Kit for 99 **HDD6RSP** 89 **Downdraft** HDDTRIM30S Trim accessory for 30" downdraft 49 59 HDDTRIM36S Trim accessory for 36" downdraft 49 59

120299185-10	F	HDDREC5UC10-11
В	FPETHKT50 1-10	HDDSTRAN210-10 HDDSTRAN610-10
	FPETHRF501-10	HDDSTRAN810-10
B09IB91NSP1-6		HDDTRIM30S10-11
B18IF905SP1-9	Н	HDDTRIM36S 10-11
B24CB50ESS1-6	HBE5453UC7-1	HDI8056U5-8
B24CB80ESB1-7	HBL57M52UC7-3	HDIP056U5-8
B24CB80ESS1-7	HBL87M53UC7-6	HDS8045U5-3
B24CB80ESW1-7	HBL5351UC7-0	HDS8055U5-3
B30BB935SS1-8	HBL53510C7-2 HBL5451UC7-2	HDS8645U5-3
B30IB905SP1-8	HBL5455LUC7-3	HDS8655U5-3
B30IR905SP 1-9	HBL5455RUC7-3	HDZBS3015-11
B36BT935NS1-8	HBL5455RUC7-3	HDZIT3015-11
B36CD50SNB1-3	HBL5754UC7-4	HEATKITB82 1-10
B36CD50SNS 1-3	HBL8443UC7-5	HEF1050MU5-5
B36CD52SNB 1-3		HEI8056U 5-5
B36CD52SNS 1-3	HBL8454UC7-5	HEZ7YZ30UC8-10
B36CL80ENS1-5	HBL8642UC7-5	HEZ7YZ36UC8-10
B36CL80SNS1-5	HBL8651UC7-5	HEZ8LLUC5-10
B36CL81ENG1-5	HBL8743UC7-6	HEZ8TK30UC5-10
B36CL81ENW1-5	HBL8753UC7-6	HEZ8TK36UC5-10
B36CT80SNB1-4	HBLP451LUC7-7	HEZ8YZ04UC5-10
B36CT80SNS1-4	HBLP451RUC7-7	HEZ8YZ30UC 5-9
B36CT81ENS1-4	HBLP454UC7-7	HEZ8YZ36UC5-9
B36FD10ENS1-1	HBLP651LUC7-8	HEZ87Z30UC5-9
B36FD50SNB1-2	HBLP651RUC 7-8	HEZ8ZZ36UC5-9
B36FD50SNS1-2	HBLP651UC	HEZ9GW23UC5-9, 8-10
B36FD52SNB1-2	HBLP752UC 7-8	HEZ9LLUC5-9, 8-10
B36FD52SNS1-2	HBN8451UC 7-4	HEZ9TK30UC5-10
B36HNDL8001-10	HBN8651UC	HEZ9TK36UC5-10
B36IT905NP1-8	HCB50651UC 10-4	HEZ9YZ04UC5-10
BCM8450UC4-1	HCB56651UC 10-4	HEZ9YZ30UC5-9
BFL18IF8001-10	HCBEXT5UC10-5	HEZ9YZ36UC5-9
BFL30IR8001-10	HCG56651UC10-5	
BORPLFTR301-10	HCGEXT5UC10-5	HEZ9ZZ30UC5-9
BORPLFTR551-10	HCIEXT5UC 10-3	HEZ9ZZ36UC5-9
_	HCIFILTUC10-5	HEZ277548-10
D	HCP30E52UC 10-4	HEZ2981025-11
DHG602DUC10-9	HCP34E52UC 10-4	HEZ3902105-11, 8-10
DHI1FZUC 10-9	HCP36E52UC 10-4	HEZ3902205-11, 8-10
DHR1FZUC 10-9	HCP50652UC 10-4	HEZ3902305-11, 8-10
DUH30253UC10-9	HCP56652UC 10-4	HEZBS3015-11
DUH36253UC10-1	HCP80641UC10-4	HEZCMT30504-1
DUH50353UC10-1	HCP86641UC10-4	HEZTR301 5-11, 7-9
DUH56353UC10-1	HCPEXT4UC 10-5	HEZVEUD30110-2
DUH80553UC10-1	HCPEXT5UC 10-5	HEZVEUD30210-2
	HCREC5UC10-3, 10-5	HEZVEUD36110-2
DUH86553UC 10-1 DUHP0853UC 10-1	HDD0RSP10-11	HEZVEUD36210-2
	HDD2RECTD10-10	HGF1050MUC5-6
DUHP6853UC10-1	HDD6RSP10-11	HGI8046UC 5-6
E	HDD80051UC10-9	HGI8056UC 5-6
_	HDD86051UC10-9	HGIP056UC 5-7
EXTNCB25W10-9	HDDFILTUC10-11	HGS8045UC 5-2
EXTNSET410-9	HDDFTRAN610-10	HGS8055UC 5-2
	HDDFTRAN810-10	HGS8645UC5-2

			_		
HGS8655UC		NGM8059UC8		SHP78CM6N2-	
HGZBS301		NGM8646UC8		SHP78DM5N2	
HGZIT301	5-11	NGM8659UC 8	8-8	SHP95CM5N2	2-8
HIB82651UC	10-3	NGMP059UC 8	3-9	SHS53CD2N2	2-7
HII8047U		NGMP659UC 8		SHS53CD5N2	
HII8057U		NIT5060UC8		SHV4AEB3N2	
HIIP057U		NIT5460UC8		SHV9PCM3N2-	
HIREC5UC		NIT5660UC8		SHV53CM3N	
HIS8055U		NIT8060SUC8		SHV78CM3N2-	
HIS8655U		NIT8060UC8		SHV78DM3N2	
HMB30155UC		NIT8061UC8		SHX5AEM2N2	
HMB50152UC	6-3	NIT8461UC8		SHX5AEM4N2	
HMB57152UC	6-3	NIT8660SUC8	3-2	SHX5AEM5N2	2-3
HMC54151UC	6-4	NIT8660UC8	3-2	SHX5AEM6N2	2-3
HMC80152UC	6-4	NIT8661UC8	3-3	SHX9PCM5N2-	
HMC80242UC		NITP060SUC8		SHX53CM5N	
HMC80252UC		NITP060UC8		SHX65CM5N	
HMC87152UC		NITP660SUC8		SHX78CM2N2-	
HMCP0252UC		NITP660UC8		SHX78CM4N2-	
		N11P00UUC8)-4		
HMD8054UC		R		SHX78CM5N2-	
HMD8454UC		n		SHX78CM6N2-	
HMT5055		RGM8058UC9)-1	SHX78DM5N2	
HMT5755		RGM8658UC9		SMZ3IN1UC2-	
HMV1055U	6-1	Nawoo360C	/- 1	SMZ1008UC 2-	14
HMV3054U	6-1	S		SMZ4000UC2-	14
HMV3055U		3		SMZ50002-	
HMV5053U		SGE53C52UC 2-1	13	SMZ5002UC 2-	
HMV8045U		SGE53C55UC 2-1	13	SMZ50032-	
HMV8054U		SGE53C56UC 2-1		SMZCD200UC 2-	
HMVP054U		SGE78C55UC 2-1		SMZEPCC1UC 2-	
		SGV43C53UC			
HUI30253UC		SGV78C53UC2-		SMZPCJB1UC2-	
HUI34253UC				SMZSH1ABUC2-	
HUI36253UC		SGX78C55UC2-		SPE53B52UC2-	
HUI50351UC		SGZ1010UC2-1		SPE53B56UC2-	
HUI54452UC		SGZ1052UC2-1		SPE53C52UC2-	
HUI56551UC	10-6	SHE3AEE5N2		SPE53C55UC2-	12
HUI80553UC	10-7	SHE3AEM2N2		SPE53C56UC2-	
HUI86553UC		SHE3AEM5N2	!-1	SPE68C75UC2-	13
HUIF06UC		SHE3AEM6N2	2-1	SPV68C73UC2-	
HUIFIL46UC		SHE41CM2N2	2-4	SPX68C75UC2-	
HUIFILTOUC		SHE41CM5N2		31 70007 3002	10
HUIRED56UC		SHE41CM6N2		W	
		SHE43C75N			
HVREC5UC		SHE53B75UC		WGA12400UC	3-1
HWD5051UC	7-9	SHE53C82N2		WGA14400UC	3-1
NI.				WGB246AXUC	3-2
N		SHE53C85N2		WGB24600UC	
NEM5066UC	8-5	SHE53C86N2		WMZ20600	
NEM5466UC		SHE53CE5N2		WMZPW2XW	
NET8069UC		SHP9PCM5N 2-1		WMZPW2AW	
		SHP65CM2N2			
NETBOOOGLO		SHP65CM5N2	2-8	WPA12100UC	
NETP069SUC		SHP65CM6N2	2-8	WQB245AXUC	
NGM5059UC		SHP78CM2N2-1		WQB245B0UC	
NGM5453UC		SHP78CM4N		WTG86403UC	
NGM5659UC		SHP78CM5N		WTZ2750XUC	
NGM8049UC	8-8	2-111 / OCIVIOIV		WTZ2751XUC	3-5

WTZ11400UC	3-5
WTZ20410UC	3-5
WTZ27500UC	3-5
WTZ27510UC	3-5
WTZPA20UC	3-6
WTZPA30US	3-6
WTZPW2XD	3-5
WTZPW20D	3-5
WTZSB3XUC	3-6
WT7SB30UC	3-6

Bosch Home Appliances

North America Corporate Office 1.800.944.2904

www.bosch-home.com/us

 $@2024 \ \mathsf{BSH} \ \mathsf{Home} \ \mathsf{Appliances} \ \mathsf{Corporation}. \ \mathsf{All} \ \mathsf{rights} \ \mathsf{reserved}. \ \mathsf{Bosch} \ \mathsf{is} \ \mathsf{a} \ \mathsf{registered} \ \mathsf{trademark} \ \mathsf{of} \ \mathsf{Robert} \ \mathsf{Bosch} \ \mathsf{GmbH}.$

All information presented herein is based on data available at the time of printing and is subject to change without notice.

For immediate installation dimensions by fax, use your handset and call 1.775.833.3600. Use Code #8317 for a directory of Bosch products.

20-BSH-0914.2